

# CATALOGUE OF THE

## AEROTROPICAL ASILIDAE

**J. G. H. LONDT**

Natal Museum, Private Bag 9070, 3200 Pietermaritzburg, South Africa  
 & School of Botany and Zoology, University of KwaZulu-Natal, Pietermaritzburg.  
 Robber4afr@telkom.co.za

**Last adjustment made - 21 August 2007**

**Note:** This list of taxa is essentially an update of Oldroyd's (1980) catalogue and should be reasonably complete. Updated information (**in bold print**) is produced regularly following the appearance of new publications.

This catalogue is incomplete with respect to type repositories. It would be appreciated if additional information relating to excluded taxa or the whereabouts of types or any errors that may be found could be sent to the author.

### **INSTITUTIONAL ABBREVIATIONS**

Abbreviations as recommended by Arnett & Samuelson (1986)

**Type repositories:** Only primary types (Holotype, Lectotype, Neotype, and Syntypes) are recorded (not Paratypes). ? = information unknown or not recorded as yet. Type information may require confirmation as some may be incorrectly identified.

AMNH – American Museum of Natural History, New York, U.S.A.

AUWN – Agricultural University, Wageningen, Netherlands.

BMNH – The Natural History Museum, London, U.K.

BMSA – National Museum, Bloemfontein, South Africa.

CASC – California Academy of Sciences, San Francisco, U.S.A.

CMNH – Carnegie Museum of Natural History, Pittsburgh. U.S.A.

CNCI – Canadian National Collection of Insects, Ottawa, Canada.

CPMM – Museu de Historia Natural, Maputo, Mozambique.

DMSA – Durban Museum, Durban, South Africa.

HLMD – Hessisches Landesmuseum Darmstadt, Germany.

ISNB – Institut Royal des Sciences Naturelles de Belgique, Bruxelles, Belgium.

IZBI – Instituto di Zoologia, University di Bologna, Bologna, Italy.

MCMI – Museo Civico di Storia Naturale, Milano [Milan], Italy.

MCZC – Museum of Comparative Zoology, Cambridge, U.S.A.

MHNH – Museum National D'Histoire Naturelle, Paris, France.

MRAC – Musee Royal de l'Afrique Centrale, Tervuren, Belgium.

MZLU – Zoological Museum, Dept. Zoology, Lund, Sweden.

MZUF – Museo Zoologica de 'La Specola', Firenze [Florence], Italy.

NHMW – Naturhistorisches Museum Wien, Wien, Austria.

NHRS – Naturhistoriska Riksmuseet, Stockholm, Sweden.

NMBZ – National Museum, Bulawayo, Zimbabwe.

NMKE – National Museum, Nairobi, Kenya.

NMNW – State Museum, Windhoek, Namibia.

NMSA – Natal Museum, Pietermaritzburg, South Africa.

NMWC – National Museum of Wales, Cardiff, Wales, U.K.

OXUM – Hope Entomological Collections, Univ. Museum, Oxford, U.K.  
PPRI – National Collection of Insects, Pretoria, South Africa.  
SAMC – South African Museum, Cape Town, South Africa.  
SMFD – Forschungsinstitut und Naturmuseum Senckenberg, Frankfurt, Germany.  
SMNS – Staatliches Museum fur Naturkunde Stuttgart, Stuttgart, Germany.  
USAG – Universitaire des Sciences agronomiques de Gembloux, Belgium.  
UZMD – Zoologisk Museum, Copenhagen, Denmark.  
ZMHB – Zoologisches Museum, Berlin, Germany.  
ZSMC – Zoologische Staatssammlung, Munchen, Germany.

---

Subfamily APOCLEINAE Papavero, 1973

---

**Genus ACASILUS Londt**

**ACASILUS** Londt, 2005a: 44. Type species: *Acasalus tigrimontis* Londt, 2005, by original designation and monotypy.

*tigrimontis* Londt, 2005a: 44. Type – NMSA. South Africa.

Genus ALCIMUS Loew

*ALCIMUS* Loew, 1848d: 391. Type species: *Trupanea longipes* Macquart, 1838, by monotypy.

*anax* Speiser, 1924b: 97. Type – ?. Tanzania.

*anxa*. Incorrect original spelling of *anax* (Speiser, 1924b: 147).

*angustipennis* Loew, 1858c: 361 [1860c: 210]. Type – ?. South Africa.

*brevipennis* Ricardo, 1922: 40. Type – BMNH. South Africa.

*cuthbertsoni* Hobby, 1934b: 235. Type – OXUM. Zimbabwe.

*limbatus* Macquart, 1838b: 95 [1839a: 211] (*Trupanea*). Type – MNHN. Senegal; Gambia.

*longipes* Macquart, 1838b: 103 [1839a: 219] (*Trupanea*). Type – MNHN. South Africa.

*alamanus* Walker, 1849: 428 (*Asilus*) Type – BMNH. South Africa.

*perlonga* Walker, 1851b: 125 (*Trupanea*). Type – ?. South Africa.

*longurio* Loew, 1858c: 360 [1860c: 209] Type – ZMHB. South Africa.

*ludens* Wiedemann, 1828: 572 (*Asilus*). Type – SMFD ZMHB. Sudan.

*mimus* Wiedemann, 1828: 493 (*Asilus*). Type – NHMW. South Africa.

*nigrescens* Ricardo, 1922: 42. Type – BMNH. Malawi.

*nigropalpus* Hobby, 1934b: 236. Type – OXUM. Tanzania.

*orrectus* Walker, 1851b: 126 (*Trupanea*) Type – BMNH. [South Africa].

*rubicundus* Hobby, 1934b: 236. Type – OXUM. Kenya.

*rubiginosus* Gerstaeker, 1871: 362 Type – ZMHB. Tanzania (Zanzibar); Malawi, Tanzania, Uganda.

*setifemoratus* Hobby, 1934b: 236. Type – OXUM. Zimbabwe.

*stenurus* Loew, 1858d: 339 [1860c: 208] Type – ZMHB. South Africa.

*taeniopus* Rondani, 1873: 292 (*Promachus*). Type – ?. Ethiopia; Malawi.

*tigris* Karsch, 1888: 376 Type – ZMHB. Tanzania.

*tristrigatus* Loew, 1858c: 360 [1860c: 206]. Type – ?. South Africa; ? Tanzania.

Genus APOCLEA Macquart

*APOCLEA* Macquart, 1838b: 119 [1839a]. Type species *Apoclea pallida* Macquart, 1838 [= *Asilus algirus* Linnaeus, 1767], by designation of Engel (1926: 40, 42).

*algira* Linnaeus, 1767: 1006 (*Asilus*). Type – ?. 'Barbaria'; Niger, N. Afr., Arabia.

*femoralis* Wiedemann, 1828: 466 (*Asilus*). Type – ?. Egypt; Sudan, N. Afr., to Arabia, Yemen.

*heteroclita* Wulp, 1899: 94. Type – OXUM. South Yemen.

Genus *BACTRIA* Meigen

*BACTRIA* Meigen, 1820: 308. Type species: *Asilus pictus* Meigen, 1820, by monotypy (as *pictus* with '*Bactria rufipes*' Meigen loc. cit. in synonymy). [Generic name first published in synonymy with *Asilus* but available under I.C.Z.N. *Code Article 11(d)*.]

*PHILOMACHUS* Karsch, 1888: 375. Type species: *Philomachus rhopalocerus* Karsch, 1888, by original designation and monotypy ('gen.n. sp.n.') [junior homonym, preocc. *Philomachus* Moehring, 1758.]

*hypoleucochaeta* Bezzi, 1908c: 379 (*Philomachus*). **Type – ISNB MRAC.** DR Congo.

*rhopalocera* Karsch, 1888: 375 (*Philomachus*) **Type – ZMHB.** Tanzania.

*vagator* Wiedemann, 1828: 492 (*Asilus*) **Type – ZMHB.** South Africa.

**Note:** The taxonomic positions of *Bactria* and *Promachus* require clarification through revision.

Genus *DASOPHRYS* Loew

*DASOPHRYS* Loew, 1858c: 366 [1860c: 238]. Type species: *Dasophrys longibarbus* Loew, 1858 [= *Asilus paron* Walker, 1849], by monotypy.

*NEODASOPHRYS* Ricardo, 1920d: 440. Type species: *Neodasophrys natalensis* Ricardo, 1920, by designation of Hull (1962: 528).

*MEROGYMNUS* Hobby, 1933a: 111. Type species: *Merogymnus nigroflavipes* Hobby, 1933, by original designation. [Junior homonym, preocc. *Merogymnus* Ogilby, 1908.]

*HOBBYUS* Bromley, 1952: 21 (replacement name for *Merogymnus* Hobby).

*androclea* Walker, 1849: 411 (*Lophonotus*) **Type – BMNH.** South Africa.

*hirsutus* Ricardo, 1920d: 442 (*Neodasophrys*) **Type – BMNH.** South Africa.

*boslacus* Londt, 1981b: 641 **Type – NMSA.** South Africa.

*brevistylus* Londt, 1981b: 643 **Type – NMSA.** South Africa; Mozambique.

*bullatus* Londt, 1981b: 645 **Type – SAMC.** South Africa.

*carinatus* Londt, 1981b: 645 **Type – NMSA.** Zimbabwe.

*coetzeei* Londt, 1985a: 70 **Type – NMSA.** Namibia.

*compressus* Hull, 1967: 261 (*Synolcus*) **Type – NHRS MZLU.** South Africa.

*crenulatus* Londt, 1981b: 651 **Type – NMSA.** South Africa; Lesotho, Transkei.

*dilatus* Hull, 1967: 263 (as ssp. of *Neolophonotus*) **Type – MZLU.** South Africa.

*dorattina* Londt, 1981b: 653 **Type – NMSA.** South Africa.

*engeli* Londt, 1981b: 655 **Type – NMSA.** South Africa.

*fortis* Londt, 1981b: 655 **Type – NMSA.** South Africa.

*geniculatus* Macquart, 1838b: 129 [1839a: 245] (*Lophonotus*) **Type – MNHN.** South Africa;

Mozambique, ? Kenya.

*longibarbis* Loew, 1858c: 366 [1860c: 238] **Type – ?.** South Africa.

*paron* Walker, 1849: 450 (*Asilus*) **Type – BMNH.** South Africa.

*personatus* Schiner, 1888: 186 **Type – NHMW.** South Africa.

*hypsellopterus* Engel, 1929a: 155 **Type – BMNH.** Zimbabwe; South Africa.

*hysnotos* Londt, 1981b: 660 **Type – NMSA.** South Africa.

*irwini* Londt, 1981b: 662 **Type – NMSA.** South Africa.

*loewi* Londt, 1981b: 662 **Type – NMSA.** Transkei; South Africa, Mozambique.

*minutus* Londt, 1981b: 665 **Type – NMSA.** South Africa.

*montanus* Londt, 1981b: 665 **Type – NMSA.** South Africa.

*nanus* Londt, 1981b: 668 **Type – NMSA.** South Africa.

*natalensis* Ricardo, 1920d: 440 (*Neodasophrys*) **Type – BMNH.** South Africa.

*nigricans* Wiedemann, 1821c: 195 (*Asilus*) **Type – NHMW ZMHB.** South Africa.

*nigroflavipes* Hobby, 1933a: 112 (*Merogymnus*) **Type – OXUM.** Zimbabwe; South Africa,

**Transkei.**

*nigroseta* Londt, 1981b: 674 Type – NMSA. South Africa.

*oldroydi* Londt, 1981b: 676 Type – NMSA. South Africa.

*punctipennis* Engel, 1927b: 143 (as var. of *hirsutus*) Type – ZSMC. South Africa.

*reburrus* Londt, 1981b: 683 Type – NMSA. South Africa.

*saliotragus* Londt, 1981b: 685 Type – NMSA. South Africa.

*silvestris* Londt, 1981b: 686 Type – NMSA. South Africa.

*swazi* Londt, 1981b: 687 Type – NMSA. Swaziland.

*tarsalis* Ricardo, 1920c: 380 (*Dysmachus*) Type – BMNH. South Africa.

*flavopilosus* Ricardo, 1920c: 384 (*Dysmachus*) Type – BMNH. South Africa.

*umbripennis* Londt, 1981b: 689 Type – NMSA. South Africa.

**Genus *DYSCLYTUS* Loew**

*DYSCLYTUS* Loew, 1858c: 363 [1860c: 222]. Type species: *Dysclytus spurcus* Loew, 1858 [= *Asilus firmatus* Walker, 1857], by monotypy.

*firmatus* Walker, 1857: 130 (*Asilus*) Type – BMNH. South Africa.

*spurcus* Loew, 1858c: 363 [1860c: 223]. Type – ?. South Africa.

**Genus *ERAX* Scopoli**

*ERAX* Scopoli, 1763: 359. Type species: *Erax barbatus* Scopoli, 1763, by designation of Coquillett (1910: 539).

*PROTOPHANES* Loew, 1860c: 215. Type species: *Asilus punctatus* Meigen, 1804, by designation of Engel (1927a: 88).

*albiceps* Macquart, 1850a: 385 (81). Type – MNHN. ‘Afrique’ (? N. Afr.).

*costalis* Wulp, 1899: 95 (*Protophanes*). Type – OXUM. South Yemen.

*nigrotinctus* Becker, 1909a: 114 [1910a: 23] (*Protophanes*). Type – ?. Kenya.

**Genus *GIBBASILUS* Londt**

*GIBBASILUS* Londt, 1986a: 2. Type species: *Gibbasilus arenaceus* Londt, 1986, by original designation and monotypy.

*arenaceus* Londt, 1986a: 2 Type – NMSA. South Africa.

*brevicolis* Londt, 1990b: 13 Type – SAMC. South Africa.

*centrolobus* Londt, 1990b: 15 Type – NMSA. South Africa.

**Genus *HIPPOMACHUS* Engel**

*TRICHONOTUS* Loew, 1858c: 365 [1860c: 237] Type species: *Trichonotus pegasus* Loew, 1858, by monotypy. [Junior homonym preocc. *Trichonotus* Schneider, 1801]

*HIPPOMACHUS* Engel, 1927b: 148 (replacement name for *Trichonotus* Loew).

*amnoni* Londt, 1985a: 73 Type – NMSA. Kenya.

*engeli* Londt, 1983b: 446 Type – NMSA. Zimbabwe.

*furcatus* Londt, 1985a: 71 Type – NMSA. Namibia.

*hermanni* Londt, 1983b: 447 Type – ZSMC. ‘Africa occ.’.

*leechi* Londt, 1985a: 72 Type – CASC. Angola.

*mivatus* Walker, 1871a: 259 (*Asilus*) **Type – BMNH.** Egypt; Djibouti, Central African Republic, Kenya.  
*pegasus* Loew, 1858c: 365 [1860c: 237] (*Trichonotus*) **Type – NHRS.** South Africa; Namibia.  
*rossi* Londt, 1985a: 72 **Type – CASC.** Angola.

#### Genus *JUXTASILUS* Londt

*JUXTASILUS* Londt, 2005a: 48. Type species: *Dysclytus capensis* Londt, 1979, by original designation and monotypy.

*capensis* Londt, 1979a: 217 (*Dysclytus*). Type – SAMC. South Africa.

#### Genus *LABARUS* Londt

*LABARUS* Londt, 2005a: 51. Type species: *Labarus ignota* Londt, 2005, by original designation and monotypy.

*ignota* Londt, 2005a: 51. Type – NMSA. South Africa.

#### Genus *LYCOPROSOPA* Hull

*LYCOPROSOPA* Hull, 1962: 503. Type species: *Asilus atrimaculatus* Hobby, 1934, by original designation.

*dioctriaeformis* Macquart, 1846: 218 (90) (*Asilus*) **Type – MNHN.** Mauritius.  
*atrimaculata* Hobby, 1934a: 15 (*Asilus*). **Type – ?.** Madagascar.

#### Genus *MEGADRILLUS* Bigot

*MEGADRILLUS* Bigot, 1857a: 545. Type species: *Lophonotus heteronevrus* Macquart, 1838, by original designation.

*brevipennis* Macquart, 1838b: 130 [1839a: 246] (*Lophonotus*) **Type – MNHN.** 'Patrie inconnu'; South Africa.

*elachipterus* Loew, 1858d: 339 [1860c: 235] (*Lophonotus*) **Type – ZMHB.** South Africa.  
*heteronevrus* Macquart, 1838b: 128 [1839a: 244] (*Lophonotus*) **Type – MNHN.** South Africa.  
*heteroneurus*. Variant spelling of *heteronevrus*.

#### Genus *MILLENARIUS* Londt

*MILLENARIUS* Londt, 2005a: 53. Type species: *Millenarius graminosus* Londt, 2005, by original designation and monotypy.

*graminosus* Londt, 2005a: 54. Type – NMSA. South Africa.

#### Genus *NEOLOPHONOTUS* Engel

*LOPHONOTUS* Macquart, 1838b: 125 [1839a: 241]. Type species: *Lophonotus auribarbis* Macquart, 1838 [= *Dasypteron suillus* Fabricius, 1805], by designation of Coquillett

(1910: 562). [Junior homonym, preocc. *Lophonotus* Stephens, 1829.]  
*NEOLOPHONOTUS* Engel, 1925b: 347 (replacement name for *Lophonotus* Macquart).  
*LOPHYBUS* Engel, 1925b: 348 (as subgenus of *Neolophonotus*). Type species: *Lophonotus melanolophus* Loew, 1858, by original designation.  
*LOPHOPELTIS* Engel, 1925b: 348 (as subgenus of *Neolophonotus*). Type species: *Lophonotus erythracanthus* Hermann, 1907, by original designation.  
*ANTILOPHONOTUS* Lindner, 1955d: 38. Type species: *Antilophonotus maculipennis* Lindner, 1955, by monotypy.

*abuntius* Walker, 1849: 449 (*Asilus*) **Type – BMNH.** South Africa.  
*amazaenes* Walker, 1849: 447 (*Asilus*) **Type – ?.** South Africa.  
*dispar* Engel, 1927b: 164 **Type – ZSMC.** South Africa.  
*acrolophilus* Londt, 1988a: 12 **Type – NMSA.** South Africa.  
*acrophilia* Londt, 1988a: 13 **Type – NMSA.** South Africa.  
*acuminatus* Londt, 1985d: 56 **Type – SAMC.** South Africa.  
*agrestis* Londt, 1985d: 57 **Type – NMSA.** South Africa.  
*aktites* Londt, 1985d: 58 **Type – NMSA.** South Africa.  
*albocuneatus* Hull, 1967: 269 **Type – MZLU.** South Africa.  
*albofasciatus* Ricardo, 1900b: 178 (*Lophonotus*) **Type – BMNH.** South Africa; **Botswana.**  
*transvaalensis* Ricardo, 1920c: 387 (*Dysmachus*) **Type – BMNH.** South Africa.  
*nigricans* Ricardo, 1920d: 436 (*Dysmachus*) **Type – BMNH.** South Africa.  
*albopilosus* Ricardo, 1920d: 437 (*Dysmachus*) **Type – BMNH.** South Africa; **Transkei, Lesotho.**  
*albovittatus* Schiner, 1867b: 403 (*Lophonotus*) **Type – NHMW.** South Africa.  
*albus* Loew, 1858d: 339 [1860c: 228] (*Lophonotus*) **Type – NHRS.** Namibia.  
*algidus* Londt, 1988a: 16 **Type – NMSA.** South Africa.  
*amplus* Londt, 1985d: 60 **Type – NMSA.** Namibia.  
*anatolicus* Londt, 1988a: 17 **Type – NMSA.** South Africa.  
*angola* Curran, 1934a: 14 (*Lophopeltis*) **Type – AMNH.** Angola; **Namibia.**  
*albion* Curran, 1934a: 14 (*Lophopeltis*) **Type – AMNH.** Angola.  
*anguicolis* Londt, 1985d: 61 **Type – NMSA.** South Africa.  
*angustibarbus* Loew, 1858c: 365 [1860c: 233] (*Lophonotus*) **Type – ZMHB.** South Africa.  
*annae* Londt, 1988a: 20 **Type – NMSA.** South Africa.  
*annettae* Londt, 1988a: 21 **Type – NMSA.** South Africa.  
*anomalus* Londt, 1986b: 519 **Type – SAMC.** South Africa.  
*antidasophrys* Londt, 1986b: 520 **Type – NMSA.** Zimbabwe.  
*aphellas* Walker, 1849: 447 (*Asilus*) **Type – BMNH.** South Africa.  
*noas* Walker, 1849: 448 (*Asilus*) **Type – BMNH.** South Africa.  
*arboreus* Londt, 1988a: 24 **Type – NMSA.** Namibia; **South Africa.**  
*argyphus* Londt, 1988a: 25 **Type – NMSA.** South Africa.  
*atopus* Londt, 1986b: 521 **Type – SAMC.** South Africa.  
*atrox* Londt, 1988a: 27 **Type – NMSA.** Namibia.  
*attenuatus* Hull, 1967: 266 **Type – MZLU.** South Africa.  
*aureolocus* Londt, 1988a: 29 **Type – NMSA.** South Africa.  
*ausensis* Londt, 1985d: 76 **Type – NMSA.** Namibia.  
*avus* Londt, 1988a: 30 **Type – NMSA.** South Africa.  
*baeoura* Londt, 1988a: 31 **Type – NMSA.** South Africa.  
*bamptoni* Londt, 1987: 398 **Type – NMSA.** Kenya.  
*bezzii* Londt, 1986b: 522 **Type – ZSMC.** Ethiopia.  
*bicuspid* Londt, 1985d: 77 **Type – NMSA.** South Africa.  
*bigoti* Londt, 1988a: 32 **Type – NMSA.** South Africa.  
*bimaculatus* Londt, 1986b: 523 **Type – NMSA.** South Africa; **Namibia.**  
*boa* Londt, 1988a: 33 **Type – NMSA.** South Africa.  
*botswana* Londt, 1988a: 35 **Type – NMSA.** Botswana; **Namibia.**  
*braunsi* Londt, 1986b: 529 **Type – NMSA.** South Africa.  
*brendani* Londt, 1988a: 36 **Type – NMSA.** South Africa.

- brevicauda* Londt, 1985d: 78 Type – NMSA. South Africa.
- bromleyi* Londt, 1987: 401 Type – NMNW. Namibia; Botswana, Angola, Mozambique, Zimbabwe.
- brunales* Londt, 1988a: 37 Type – NMSA. South Africa; Namibia.
- carnifex* Londt, 1988a: 38 Type – SAMC. Namibia.
- carorum* Londt, 1986b: 531 Type – SAMC. South Africa.
- chaineyi* Londt, 1986b: 532 Type – BMNH. Uganda; DR Congo.
- chionthrix* Hull, 1967: 279 Type – MZLU. South Africa; Namibia.
- chrysopylus* Londt, 1988a: 39 Type – NMSA. South Africa.
- chubbii* Bromley, 1947: 116 Type – DMSA. South Africa; Swaziland.
- circus* Londt, 1988a: 40 Type – NMSA. Namibia; South Africa.
- clavulus* Londt, 1988a: 420 Type – NMSA. Namibia.
- coetzeei* Londt, 1985d: 63 Type – NMNW. Namibia; Angola.
- colubris* Londt, 1988a: 43 Type – NMSA. South Africa.
- comatus* Wiedemann, 1821c: 193 (*Asilus*) Type – UZMD. South Africa.
- incisuralis* Macquart, 1838b: 128 [1839a: 244] (*Lophonotus*) Type – ?. South Africa.
- congoensis* Ricardo, 1920c: 383 (*Dysmachus*) Type – BMNH. DR Congo.
- coronatus* Londt, 1987: 403 Type – NMSA. Namibia.
- costatus* Londt, 1988a: 46 Type – ZSMC. Kenya; Tanzania.
- crassicolis* Londt, 1985d: 64 Type – NMSA. South Africa.
- crassifemoralis* Londt, 1986b: 536 Type – NMSA. South Africa.
- crenulatus* Londt, 1985d: 65 Type – SAMC. South Africa.
- crinitus* Londt, 1986b: 537 Type – NMSA. South Africa.
- cristatus* Londt, 1988a: 47 Type – NMSA. South Africa.
- culinarius* Londt, 1985d: 93 Type – SAMC. South Africa.
- currani* Londt, 1988a: 48 Type – MCZC. Malawi.
- cuthbertsoni* Curran, 1934a: 12 (*Lophopeltis*) Type – AMNH. Zimbabwe; Namibia, South Africa.
- cymbius* Londt, 1988a: 51 Type – NMSA. South Africa; Zimbabwe.
- cynthiae* Londt, 1988a: 53 Type – NMSA. South Africa.
- declivicauda* Londt, 1988a: 54 Type – NMSA. South Africa.
- depilis* Londt, 1986b: 538 Type – NMSA. South Africa.
- destructor* Londt, 1988a: 55 Type – NMSA. Namibia.
- diana* Londt, 1988a: 56 Type – SAMC. South Africa.
- dichaetus* Hull, 1967: 267 Type – MZLU. Transkei; South Africa.
- dolabratus* Londt, 1988a: 59 Type – CASC. Namibia.
- dondoensis* Londt, 1986b: 540 Type – NMBZ. Mozambique.
- dysmicus* Londt, 1988a: 60 Type – NMSA. South Africa.
- elgon* Oldroyd, 1939: 35 Type – BMNH. Kenya.
- ellenbergeri* Londt, 1988a: 63 Type – NMBZ. Zimbabwe.
- engeli* Londt, 1988a: 64 Type – NMSA. South Africa.
- ensiculus* Londt, 1987: 405 Type – NMSA. South Africa.
- erythracanthus* Hermann, 1907a: 73 (*Lophonotus*) Type – ZSMC. South Africa; Namibia.
- expandocolis* Londt, 1985d: 66 Type – NMSA. South Africa.
- feijeni* Londt, 1988a: 67 Type – NMSA. Mozambique.
- fimbriatus* Hull, 1967: 271 Type – MZLU. South Africa; Zimbabwe.
- flavibarbis* Macquart, 1838b: 127 [1839a (*Lophonotus*) Type – MNHN ZMHB. South Africa.
- cupreus* Loew, 1858c: 364 [1860c: 226] (*Lophonotus*) Type – ZMHB. South Africa.
- floccus* Londt, 1987: 407 Type – NMSA. South Africa.
- forcipatus* Macquart, 1838b: 127 [1839a: 243] (*Lophonotus*) Type – NM. South Africa.
- fumosus* Londt, 1988a: 68 Type – NMSA. South Africa.
- gemsboek* Bromley, 1936: 132 Type – NMSA. Botswana; Zimbabwe, South Africa, Namibia, Swaziland, Angola, Mozambique.
- genitalis* Ricardo, 1925: 238 (*Dysmachus*) Type – BMNH. Malawi; Zimbabwe.
- gertrudae* Londt, 1985d: 95 Type – NMSA. South Africa; Namibia, Zimbabwe.
- gilvipilosus* Londt, 1988a: 71 Type – NMSA. South Africa.

- gorongoza* Londt, 1988a: 72 Type – NMSA. Mozambique.  
*gravicauda* Londt, 1988a: 73 Type – NMSA. South Africa.  
*grossus* Bromley, 1936: 130 Type – NMSA. South Africa.  
*haplotherates* Londt, 1987: 411 Type – SAMC. South Africa.  
*hara* Londt, 1986b: 545 Type – SAMC. South Africa.  
*hessei* Londt, 1986b: 547 Type – SAMC. South Africa.  
*hilaryae* Londt, 1988a: 74 Type – NMSA. South Africa.  
*hirsutus* Ricardo, 1920c: 433 (*Dysmachus*) Type – BMNH. South Africa.  
*hirtipes* Ricardo, 1920c: 382 (*Dysmachus*) Type – BMNH. South Africa.  
*hobbyi* Londt, 1988a: 77 Type – NMSA. South Africa.  
*holmi* Londt, 1988a: 79 Type – NMSA. South Africa.  
*holoxanthus* Engel, 1927b: 155 Type – ZSMC. Ethiopia.  
*hulli* Londt, 1988a: 80 Type – NMSA. South Africa.  
*hymenotelus* Londt, 1988a: 81 Type – NMSA. South Africa.  
*io* Londt, 1986b: 551 Type – NMSA. South Africa.  
*iota* Londt, 1988a: 82 Type – NMSA. Namibia.  
*irwini* Londt, 1986b: 552 Type – NMSA. South Africa.  
*isse* Walker, 1849: 449 (*Asilus*) Type – BMNH. South Africa; Namibia.  
*jubatus* Londt, 1988a: 83 Type – NMSA. South Africa.  
*junodi* Londt, 1985d: 97 Type – NMSA. South Africa; Botswana.  
*kalahari* Londt, 1985d: 98 Type – NMSA. Namibia; South Africa.  
*karooensis* Londt, 1987: 415 Type – NMSA. South Africa.  
*kerteszi* Londt, 1988a: 84 Type – NMSA. South Africa.  
*kolochaetes* Londt, 1986b: 553 Type – NMSA. South Africa.  
*ktenistus* Londt, 1986b: 554 Type – CASC. Angola.  
*labeonis* Londt, 1988a: 86 Type – NMBZ. Namibia.  
*lacustrinus* Londt, 1988a: 87 Type – NMSA. South Africa.  
*lasius* Londt, 1988a: 88 Type – SAMC. South Africa.  
*lawrencei* Londt, 1985d: 79 Type – SAMC. South Africa; Namibia.  
*leechi* Londt, 1988a: 89 Type – CASC. Angola.  
*leptostylus* Londt, 1988a: 90 Type – NMSA. South Africa.  
*leucodiadema* Londt, 1988a: 91 Type – NMSA. South Africa.  
*leucothrix* Londt, 1985d: 67 Type – SAMC. Namibia.  
*leoninus* Schiner, 1867b: 402 (*Lophonotus*) Type – NHMW. South Africa.  
*ursinus* Schiner, 1867b: 403 (*Lophonotus*) Type – NHMW. South Africa.  
*leucopygus* Engel, 1927b: 156 Type – ZSMC. South Africa; Namibia.  
*lightfooti* Londt, 1986b: 559 Type – ZSMC. South Africa.  
*lindneri* Londt, 1988a: 93 Type – NMSA. South Africa.  
*louisi* Londt, 1986b: 560 Type – NMSA. South Africa.  
*loewi* Londt, 1988a: 94 Type – NMSA. South Africa.  
*loganius* Londt, 1988a: 95 Type – NMSA. South Africa.  
*longicauda* Londt, 1988a: 96 Type – NMSA. South Africa; Swaziland.  
*macquarti* Londt, 1986b: 561 Type – NMSA. South Africa.  
*macrocercus* Londt, 1985d: 68 Type – SAMC. South Africa.  
*macromystax* Londt, 1986b: 562 Type – NMSA. South Africa.  
*maculipennis* Lindner, 1955d: 38 (*Antilophonotus*). Type – SMNS. Tanzania.  
*mafingaensis* Londt, 1988a: 97 Type – NMSA. Zambia; Tanzania.  
*malawi* Londt, 1988a: 98 Type – NMSA. Malawi.  
*manselli* Londt, 1986b: 564 Type – PPRI. Namibia; Zambia.  
*margaracta* Londt, 1988a: 99 Type – SAMC. South Africa.  
*marshalli* Hobby, 1934b: 237 Type – OXUM. Zimbabwe; Mozambique, South Africa.  
*mediolocus* Londt, 1988a: 100 Type – NMSA. South Africa.  
*megaphallus* Londt, 1987: 419 Type – NMSA. Namibia.  
*meiswinkeli* Londt, 1988a: 101 Type – NMSA. South Africa.  
*melanolophus* Loew, 1858c: 364 [1860c: 229] (*Lophonotus*) Type – NHRS. South Africa.

- melanoura* Londt, 1988a: 104 Type – NMSA. South Africa.
- mellinus* Londt, 1987: 420 Type – NMSA. South Africa.
- membrana* Londt, 1987: 421 Type – SAMC. South Africa.
- membraneus* Londt, 1988a: 105 Type – NMSA. South Africa.
- mesotopus* Londt, 1988a: 106 Type – NMSA. South Africa.
- micropterus* Macquart, 1838b: 151 (*Asilus*) Type – MNHN. ?; South Africa.
- pulcher* Loew, 1858d: 339 [1860c: 231] (*Lophonotus*) Type – NHRS. South Africa.
- rufus* Hull, 1967: 270 Type – MZLU. South Africa. [Junior homonym, preocc. *rufus* Macquart, 1838.]
- rufulus* Oldroyd, 1980: 341. New name for *rufus* Hull, 1967.
- midas* Londt, 1988a: 107 Type – NMSA. South Africa.
- milleri* Londt, 1985d: 69 Type – NMSA. South Africa.
- milvus* Londt, 1988a: 108 Type – NMSA. Namibia; South Africa.
- minutus* Hull, 1967: 276 Type – MZLU. South Africa.
- molestus* Londt, 1988a: 110 Type – SAMC. South Africa.
- molitor* Wiedemann, 1828: 450 (*Asilus*) Type – ZMHB. South Africa.
- montanus* Ricardo, 1920d: 434 (*Dysmachus*) Type – BMNH. Malawi.
- munroi* Londt, 1987: 428 Type – PPRI. South Africa.
- namaqua* Londt, 1985d: 70 Type – NMSA. South Africa.
- namibiensis* Londt, 1985d: 71 Type – NMNW. Namibia.
- nanus* Bezzi, 1906c: 288 (*Lophonotus*) Type – MZUF. Eritrea.
- natalensis* Ricardo, 1920c: 389 (*Dysmachus*) Type – BMNH. South Africa.
- necator* Londt, 1988a: 114 Type – NMSA. Namibia.
- nero* Londt, 1988a: 115 Type – SAMC. South Africa.
- nigripes* Ricardo, 1920d: 438 (*Dysmachus*) Type – BMNH. South Africa.
- nigriseta* Londt, 1985d: 80 Type – SAMC. South Africa. Botswana.
- nisus* Londt, 1988a: 116 Type – NMSA. Namibia; South Africa.
- niveus* Londt, 1987: 429 Type – NMSA. Namibia; South Africa.
- nodus* Londt, 1988a: 118 Type – NMSA. South Africa.
- notius* Londt, 1988a: 119 Type – NMSA. Namibia.
- obtectocolis* Londt, 1985d: 72 Type – NMSA. South Africa.
- occesilitus* Londt, 1987: 430 Type – NMSA. South Africa.
- occidualis* Londt, 1988a: 120 Type – NMSA. South Africa.
- ochrochaetus* Hull, 1967: 274 Type – MZLU. South Africa.
- oldroydi* Londt, 1988a: 121 Type – NMSA. South Africa; Lesotho.
- orientalis* Ricardo, 1920c: 379 (*Dysmachus*) Type – BMNH. Kenya.
- pachystylus* Londt, 1988a: 123 Type – NMSA. South Africa.
- parvus* Ricardo, 1920c: 386 (*Dysmachus*) Type – BMNH. Botswana; Namibia, Zimbabwe, Zambia, Angola, Mozambique, South Africa.
- arno* Curran, 1934a: 13 (*Lophopeltis*) Type – AMNH. Zimbabwe.
- pellitus* Wiedemann, 1819a: 34 (*Asilus*) Type – UZMD. South Africa.
- ustulatus* Loew, 1858c: 364 [1860c: 230] (*Lophonotus*) Type – NHRS. South Africa.
- penrithae* Londt, 1988a: 126 Type – NMNW. Namibia.
- percus* Londt, 1988a: 127 Type – SAMC. South Africa.
- pilosus* Londt, 1986b: 566 Type – NMSA. South Africa.
- pinheyi* Londt, 1986b: 567 Type – NMBZ. Zimbabwe.
- pollex* Londt, 1987: 435 Type – NMSA. South Africa.
- porcellus* Speiser, 1910a: 102 (*Dysmachus*) Type – ZMHB. Tanzania; Zimbabwe, Kenya.
- pusillus* Londt, 1988a: 128 Type – NMSA. South Africa.
- quickelbergei* Londt, 1988a: 129 Type – NMSA. South Africa.
- ramus* Londt, 1988a: 131 Type – PPRI. South Africa.
- rapax* Ricardo, 1920c: 390 (*Dysmachus*) Type – BMNH. Malawi; Zimbabwe, Zambia.
- rhodesiensis* Hobby, 1933a: 110. Zimbabwe.
- raptor* Londt, 1988a: 132 Type – NMSA. Namibia.
- raymondi* Londt, 1987: 436 Type – NMSA. South Africa.

- rhodesii* Ricardo, 1920c: 381 (*Dysmachus*) Type – BMNH. Zimbabwe.
- rhopalotus* Londt, 1988a: 133 Type – NMSA. South Africa.
- roberti* Londt, 1990a: 361 Type – NMSA. Somalia.
- robertsoni* Londt, 1985d: 73 Type – NMSA. South Africa.
- robustus* Ricardo, 1922: 55 (*Dysmachus*) Type – BMNH. South Africa; Namibia; Botswana, Zimbabwe, Mozambique, Lesotho.
- obtusus* Hull, 1967: 264 Type – MZLU. Lesotho.
- microspinosis* Hull, 1967: 263 (as ssp.) Type – MZLU. Namibia.
- rolandi* Londt, 1985d: 102 Type – NMSA. South Africa; Lesotho.
- rossi* Londt, 1986b: 575 Type – CASC. Angola.
- rudi* Londt, 1988a: 134 Type – NMSA. South Africa.
- rufus* Macquart, 1838b: 129 [1839a: 245] (*Lophonotus*) Type – MNHN. South Africa.
- salina* Londt, 1987: 437 Type – NMSA. South Africa.
- sanchorus* Londt, 1987: 438 Type – SAMC. South Africa.
- satanus* Londt, 1987: 439 Type – NMSA. Namibia; Botswana, South Africa.
- saxatilus* Londt, 1988a: 135 Type – NMSA. South Africa.
- schalki* Londt, 1985d: 81 Type – BMSA. South Africa.
- schoemani* Londt, 1985d: 103 Type – NMSA. South Africa; Namibia, Botswana.
- schofieldi* Londt, 1988a: 136 Type – NMSA. Botswana.
- setiventris* Loew, 1858c: 365 [1860c: 235] (*Lophonotus*) Type – ZMHB. South Africa.
- seymourae* Londt, 1986b: 577 Type – NMSA. South Africa.
- sicarius* Londt, 1988a: 137 Type – SAMC. South Africa.
- similis* Ricardo, 1920d: 435 (*Dysmachus*) Type – BMNH. South Africa.
- sinus* Londt, 1988a: 140 Type – NMSA. Namibia.
- sinuvena* Londt, 1987: 443 Type – SAMC. South Africa.
- somali* Londt, 1990a: 363 Type – NMSA. Somalia.
- soutpanensis* Londt, 1986b: 579 Type – NMSA. South Africa.
- spinicaudata* Londt, 1985d: 82 Type – NMSA. South Africa.
- spiniventris* Loew, 1858c: 365 [1860c: 232] (*Lophonotus*) Type – NHRS. ?; South Africa, Transkei, Lesotho, Botswana.
- mamathesiana* Bromley, 1947: 117 Type – DMSA. Lesotho.
- spinosus* Londt, 1988a: 141 Type – NMSA. Transkei; South Africa.
- spoliator* Londt, 1987: 447 Type – NMSA. Namibia; South Africa.
- squamosus* Londt, 1985d: 83 Type – SAMC. South Africa.
- stannus* Ricardo, 1925: 239 (*Dysmachus*) Type – BMNH. Malawi; Tanzania, Kenya, Zimbabwe, South Africa.
- stevensonii* Londt, 1985d: 84 Type – NMSA. Zimbabwe.
- struthaulon* Londt, 1987: 449 Type – NMNW. Namibia.
- stuckenbergi* Londt, 1986b: 581 Type – NMSA. South Africa; Namibia.
- suillus* Fabricius, 1805: 168 (*Dasytopogon*) Type – UZMD. South Africa.
- chalcogaster* Wiedemann, 1819a: 35 (*Asilus*) Type – OXUM (? UZMD). South Africa.
- auribarbis* Macquart, 1838b: 126 [1839a: 242] (*Lophonotus*). Type – MNHN NHMW. South Africa.
- americanus* Macquart, 1846: 215 (*Lophonotus*) Type – OXUM. 'Brasile' [sic.].
- phoeax* Walker, 1849: 412 (*Asilus*). South Africa.
- horridans* Hull, 1967: 262 (as ssp. of *chalcogaster*) Type – MZLU. South Africa.
- swaensis* Londt, 1985d: 105 Type – NMNW. Namibia.
- tanymedus* Londt, 1986b: 586 Type – NMBZ. Zimbabwe.
- theroni* Londt, 1985d: 85 Type – NMSA. South Africa.
- tibialis* Macquart, 1838b: 126 [1839a: 242] (*Lophonotus*) Type – MNHN. South Africa.
- torridus* Londt, 1985d: 106 Type – NMSA. Namibia.
- tribulosus* Londt, 1988a: 142 Type – NMSA. Namibia; South Africa.
- trilobius* Londt, 1985d: 107 Type – NMSA. South Africa; Namibia.
- truncatus* Londt, 1985d: 86 Type – NMNW. Namibia.
- umbrivena* Londt, 1987: 450 Type – SAMC. South Africa.

- uncinus* Londt, 1988a: 143 Type – NMSA. South Africa.  
*unicalamus* Londt, 1987: 451 Type – SAMC. South Africa.  
*vansoni* Bromley, 1936: 131 Type – NMSA. Botswana; Zimbabwe, South Africa.  
*variabilis* Londt, 1986b: 589 Type – NMSA. South Africa; Lesotho.  
*variegatus* Londt, 1988a: 144 Type – NMSA. South Africa.  
*vermiculatus* Londt, 1988a: 146 Type – NMBZ. Zimbabwe.  
*vincenti* Londt, 1988a: 147 Type – NMSA. South Africa.  
*virescens* Engel, 1927b: 161 Type – ZSMC. South Africa.  
*walkeri* Londt, 1988a: 148 Type – NMSA. South Africa.  
*wiedemanni* Londt, 1988a: 149 Type – NMSA. South Africa.  
*wroughtoni* Ricardo, 1920c: 392 (*Dysmachus*) Type – BMNH. South Africa; Transkei, Lesotho, Zimbabwe, Mozambique.  
*xanthodasus* Londt, 1988a: 153 Type – NMSA. South Africa.  
*xiphichaetus* Hull, 1967: 273 Type – MZLU. Namibia.  
*zigzag* Londt, 1988a: 155 Type – NMSA. South Africa.  
*zimbabwe* Londt, 1985d: 109 Type – NMBZ. Zimbabwe.  
*zulu* Londt, 1985d: 110 Type – NMSA. South Africa; Swaziland.

#### Genus *PHILODICUS* Loew

- PHILODICUS* Loew, 1848d: 391. Type species: *Asilus javanus* Wiedemann, 1819, by monotypy.
- alcimoides* Blasdale, 1957: 137. Sudan; Benin, DR Congo, Ghana, Liberia, Nigeria, Sierra Leone. ?  
**Synonym of ? Type – BMNH.**  
*fraternus*, Curran, not Wiedemann (misident.).  
*cinerascens* Ricardo, 1900b: 176 (*Alcimus*) Type – BMNH. Malawi; DR Congo.  
*umbripennis* Ricardo, 1921: 184. Type – ?. Malawi.  
*compactus* Hull, 1967: 256. Type – ?. South Africa.  
*doris* Curran, 1927k: 18 (*Alcimus*) Type – AMNH. DR Congo; Ghana, Kenya, Malawi, Nigeria, Sierra Leone, Sudan, Zimbabwe.  
*dubius* Ricardo, 1921: 179. Type – ?. South Africa; Malawi.  
*flavipes* Blasdale, 1957: 142 Type – OXUM. Ghana.  
*fraterculus* Walker, 1855: 597 (*Trupanea*) Type – BMNH. South Africa; Namibia.  
*fraternus* Wiedemann, 1819a: 33 (*Asilus*). Type – NHMW ZMHB (? UZMD). 'Guinea'; Ghana, Nigeria, Senegal, Sierra Leone, Sudan, Togo.  
*limbata* Macquart, 1838b: 95 [1839a: 211] (*Trupanea*). Type – ?. Senegal. [Duplicated under **Alcimus**]  
*turinus* Walker, 1849: 407 (*Asilus*) Type – BMNH. Sierra Leone.  
*furunculus* Blasdale, 1957: 146. Type – OXUM. Sudan; DR Congo.  
*gracilis* Wulp, 1899: 92. Type – OXUM. South Yemen; ? Namibia.  
*ludens* Wiedemann, 1828: 572 (*Asilus*). Type – ?. Sudan.  
*multicellula* Hull, 1967: 255. Type – ?. Lesotho.  
*nigrescens* Ricardo, 1921: 182 Type – BMNH. DR Congo; Nigeria.  
***nigripes* Ricardo, 1925: 237 Type – BMNH. Uganda, Zimbabwe, Malawi. ? Synonym of ?**  
*ocellatus* Becker, 1922b: 66. Type – NHMW. Sudan.  
*pallidus* Blasdale, 1957: 139 Type – BMNH. Somalia.  
*palustris* Blasdale, 1957: 142. Type – OXUM. Sudan.  
*pavesii* Bezzi, 1892: 185. Type – ?. Somalia.  
*robustus* Blasdale, 1957: 143. Type – OXUM. Sudan.  
*swynnertonii* Hobby, 1933a: 109. Type – OXUM. Zimbabwe; DR Congo.  
*temerarius* Walker, 1851b: 121 (*Trupanea*) Type – BMNH. Senegal; widespread W. Afr. to E. Afr. & Congo Basin.  
*obscuripes* Loew, 1858c: 361 [1860c: 211]. Type – ?. 'Guinea'.  
*infuscata* Wulp, 1889: cxxvi (*Apoclea*). Type – ?. DR Congo.

- aethiopicus* Bigot, 1891b: 371 (*Alcimus*) **Type – OXUM.** Ivory Coast.  
*notatus* Bigot, 1891b: 371 (*Rhadiurgus*). **Type – ?.** Ivory Coast.  
*walkeri* Ricardo, 1921: 180. **Type – ?.** Sierra Leone.  
*biseriatus*, Curran, 1927k: 16 (*Alcimus*). **Type – AMNH ? OXUM.** DR Congo.  
*brachypteratus* Blasdale, 1957: 145 (*Alcimus*). [Unavailable name: MS name of Bigot published as synonym.]  
*tenuipes* Loew, 1858c: 361 [1860c: 212]. **Type – ?.** South Africa.  
*yiroensis* Blasdale, 1957: 142. **Type – OXUM.** Sudan; ? Gambia.

Genus *PROMACHUS* Loew

- TRUPANEA* Macquart, 1838b: 91 [1839a: 207]. Type species: *Asilus maculatus* Fabricius, 1775, by designation of Coquillett (1910: 618). [Junior homonym, preocc. *Trupanea* Schrank, 1795.]  
*PROMACHUS* Loew, 1848d: 390. Type species: *Asilus maculatus* Fabricius, 1775, by designation of Coquillett (1910: 595).  
*TERETROMYIA* Bigot, 1859d: 416. Type species: *Teretromyia cothurnata* Bigot, 1859, by monotypy.  
*TRYPANOIDES* Becker, 1925a: 71. Type species: *Trupanea testaceipes* Macquart, 1855, by designation of Engel (1926: 22).  
*ENAGAEDIUM* Engel, 1930: 459 (as subgenus). Type species: *Asilus poetinus* Walker, 1849, by original designation.  
*PROMACUS*. Incorrect subsequent spelling of *Promachus*.

- absterrens* Oldroyd, 1960c: 314. **Type – MNHN.** Madagascar.  
*abdominalis* Ricardo, 1920a: 182 **Type – BMNH.** Malawi.  
*acuminatus* Hobby, 1936b: 232 (*Bactria*) **Type – BMNH.** Malawi; Tanzania.  
*acuminata* Hobby, 1936a: 190 (*Bactria*). *Nomen nudum.*  
*adamsii* Ricardo, 1920a: 181 (replacement name for *flavibarbis* Adams). Zimbabwe; Kenya, Uganda.  
*flavibarbis* Adams, 1905: 152. Zimbabwe. [Junior homonym, preocc. *flavibarbis* Macquart, 1838.]  
*aedithus* Walker, 1849: 429 (*Asilus*) **Type – BMNH.** South Africa.  
*aegypticus* Efflatoun, 1929: 63. **Type – ?.** Egypt; Sudan.  
*aequalis* Loew, 1858c: 358 [1860c: 199]. **Type – ?.** South Africa; Kenya, Malawi, Mozambique, Tanzania, Zimbabwe.  
*albicinctus* Ricardo, 1900b: 173 **Type – BMNH.** South Africa.  
*albitarsatus* Macquart, 1834a: 310 (*Asilus*). **Type – ?.** Senegal.  
*amastrus* Walker, 1849: 394 (*Asilus*) **Type – BMNH.** South Africa; Lesotho, Zimbabwe.  
*scilurus* Walker, 1849: 395 (*Asilus*) **Type – BMNH.** South Africa.  
*capreolus* Loew, 1858c: 360 [1860c: 205]. **Type – ?.** South Africa.  
*bicolor* Ricardo, 1900b: 173 **Type – BMNH.** South Africa.  
*solus* Adams, 1905: 153. **Type – ?.** Zimbabwe.  
*apicalis* Adams, 1905: 153. **Type – ?.** Zimbabwe.  
*argentipennis* Efflatoun, 1929: 68. **Type – ?.** Sudan.  
*argyropus* Bezzi, 1906c: 284. **Type – MZUF.** Ethiopia (Eritrea).  
*aurulans* Lindner, 1955d: 40. **Type – SMNS.** Tanzania.  
*binucleatus* Bezzi, 1908e: 378. **Type – ISNB.** Ethiopia.  
*bomensis* Curran, 1927k: 15 **Type – AMNH.** DR Congo.  
*bottegoi* Corti, 1895: 134. **Type – ?.** Ethiopia.  
*brevipennis* Ricardo, 1920a: 179 [1920b: 210] **Type – BMNH.** Uganda.  
*breviventris* Ricardo, 1920a: 184 **Type – BMNH.** Kenya; Tanzania.  
*caffer* Macquart, 1846: 207 (79) (*Trupanea*). **Type – ?.** South Africa.  
*calcaratus* Hobby, 1936b: 245 (*Bactria*) **Type – BMNH.** Ghana.  
*calcarata* Hobby, 1936a: 191 (*Bactria*). *Nomen nudum.*

- carpenteri* Hobby, 1936b: 238 (*Bactria*) **Type – BMNH OXUM.** Uganda; Tanzania.  
     *carpenteri* Hobby, 1936a: 190 (*Bactria*). *Nomen nudum.*
- chalcopsa* Speiser, 1910a: 98. **Type – ?.** Tanzania.
- cinereus* Ricardo, 1925: 235 **Type – BMNH.** Zimbabwe.
- clavigerus* Bromley, 1931: 288. **Type – ?.** Madagascar.
- conradti* Hobby, 1936b: 233 (*Bactria*) **Type – ZMHB.** Cameroun.  
     *conradti* Hobby, 1936a: 190 (A) **Type – NM0.** South Africa.
- cornutus* Hobby, 1936b: 240 (*Bactria*) **Type – BMNH.** ? Uganda.  
     *cornuta* Hobby, 1936a: 190 (*Bactria*). *Nomen nudum.*
- cothurnatus* Bigot, 1849d: 417 (*Teretromyia*). **Type – ?.** Madagascar.  
     *aurifacies* Hobby, 1933b: 194. **Type – ?.** Madagascar.  
     *hobbyi* Bromley, 1942: 20. **Type – ?.** Madagascar.
- crassifemoratus* Hobby, 1936b: 237 (*Bactria*). **Type – ?.** Cameroun.  
     *crassifemorata* Hobby, 1936a: 190 (*Bactria*). *Nomen nudum.*
- cristatus* Oldroyd, 1960c: 316. **Type – MNHN.** Madagascar.
- entebbensis* Hobby, 1936b: 237 (*Bactria*). **Type – OXUM.** Uganda.  
     *entebbensis* Hobby, 1936a: 190 (*Bactria*). *Nomen nudum.*
- enucleatus* Karsch, 1888: 375 **Type – ZMHB.** Tanzania.
- erythrosceles* Hobby, 1936b: 241 (*Bactria*). **Type – MRAC.** DR Congo; Uganda.  
     *erythrosceles* Hobby, 1936a: 190 (*Bactria*). *Nomen nudum.*
- fasciatus* Fabricius, 1775: 793 (*Asilus*). **Type – ?.** Sierra Leone; Fernando Poo, Ghana, Guinea, Ivory Coast, Liberia, Nigeria, Senegal.
- flavopilosus* Ricardo, 1920a: 179 [1920b: 211] **Type – BMNH.** Malawi; Uganda.
- floccosus* Kirby, 1884: 273 **Type – BMNH.** Nigeria [‘New Zealand’ error].
- fraterculus* Walker, 1855: 597 (*Trupanea*). **Type – ?.** South Africa.
- fulvipes* Macquart, 1838b: 93 [1839a: 209] (*Trupanea*). **Type – MNHN.** South Africa.  
     *venerabilis* Walker, 1857: 129 (*Trupanea*) **Type – BMNH.** South Africa.
- gossypiatus* Speiser, 1910a: 97. **Type – ?.** Tanzania; Malawi.
- griseiventris* Becker, 1913b: 529. **Type – ?.** Iran; Sudan, Egypt.
- guineensis* Wiedemann, 1824: 25 (*Asilus*). **Type – NHMW (? UZMD).** ‘Guinea’; Nigeria.
- hastatus* Hobby, 1936b: 243 (*Bactria*). **Type – MRAC.** DR Congo; Tanzania.  
     *hastata* Hobby, 1936a: 191 (*Bactria*). *Nomen nudum.*
- hirsutus* Ricardo, 1925: 234 **Type – BMNH.** Zimbabwe.
- lemur* Bromley, 1931: 288. **Type – ?.** Madagascar.
- madagascarensis* Bromley, 1942: 20. **Type – ?.** Madagascar.
- mediospinosus* Speiser, 1913b: 141. **Type – ?.** Cameroun; Nigeria.
- mesacanthus* Hobby, 1936b: 249 (*Bactria*) **Type – BMNH.** Cameroun; Liberia.  
     *mesacantha* Hobby, 1936a: 191 (*Bactria*). *Nomen nudum.*
- mesorrhachis* Hobby, 1936b: 274 (*Bactria*) **Type – BMNH OXUM.** Sierra Leone; Ghana.  
     *mesorrhachis* Hobby, 1936a: 191. *Nomen nudum.*
- metoxus* Oldroyd, 1939: 34 (*Bactria*) **Type – BMNH.** Uganda.
- mixtus* Hobby, 1936b: 235 (*Bactria*) **Type – BMNH.** Uganda; Tanzania.  
     *mixta* Hobby, 1936a: 190 (*Bactria*). *Nomen nudum.*
- neavei* Hobby, 1936b: 234 (*Bactria*) **Type – BMNH.** Malawi; Tanzania.  
     *neavei* Hobby, 1936a: 190 (*Bactria*). *Nomen nudum.*
- negligens* Adams, 1905: 154. **Type – ?.** Zimbabwe; Malawi, Tanzania, Zambia.
- nigropennipes* Hobby, 1933b: 193. **Type – ?.** Madagascar.
- niveicinctus* Hobby, 1936a: 195 (*Bactria*) **Type – BMNH.** Uganda; DR Congo, Tanzania.
- obscuripes* Ricardo, 1920a: 180 **Type – BMNH.** Malawi.
- parvus* Bromley, 1931: 289. **Type – ?.** Madagascar.
- poetinus* Walker, 1849: 390 (*Asilus*) **Type – BMNH.** Sierra Leone.
- pontifex* Karsch, 1888: 374 **Type – ZMHB.** Tanzania.
- productus* Walker, 1851b: 124 (*Trupanea*). **Type – ?.** South Africa.
- promiscuus* Hobby, 1936b: 239 (*Bactria*) **Type – MRAC.** DR Congo.  
     *promiscua* Hobby, 1936a: 190 (*Bactria*). *Nomen nudum.*

- rapax* Gerstaecker, 1871: 362 **Type – ZMHB.** Tanzania (Zanzibar).
- rectangularis* Loew, 1854: 5. **Type – SMFD ZMHB.** Ethiopia (Eritrea); South Yemen, `Arabia'.
- rex* Karsch, 1888: 375 **Type – ZMHB.** [Tanzania]
- robertii* Macquart, 1838b: 95 [1839a: 211] (*Trupanea*). **Type – MNHN.** Senegal; DR Congo, Ghana, Uganda.
- rubripes* Macquart, 1834a: 310 (*Asilus*). **Type – ?.** South Africa.
- dorso* Walker, 1849: 397 (*Asilus*) **Type – BMNH.** South Africa.
- rueppelli* Loew, 1854: 6 **Type – ZMHB.** Ethiopia (Eritrea).
- cinicolor* Walker, 1871a: 258 (*Erax*) **Type – BMNH.** Ethiopia (Eritrea).
- rufescens* Ricardo, 1920b: 173 **Type – BMNH.** Sierra Leone.
- rufihumeralis* Hobby, 1933c: 288. **Type – ?.** South Africa.
- rufotibialis* Hobby, 1936b: 242 (*Bactria*). **Type – NHMW.** `Africa'.
- rufotibialis* Hobby, 1936a: 191 (*Bactria*). *Nomen nudum.*
- scalaris* Loew, 1858c: 359 [1860c: 202] **Type – ZMHB.** South Africa.
- scotti* Oldroyd, 1940a: 195 (*Bactria*) **Type – BMNH.** Ethiopia.
- scutellatus* Macquart, 1834a: 311 (*Asilus*). **Type – ?.** Senegal.
- senegalensis* Macquart, 1838b: 95 [1839a: 211] (*Trupanea*). **Type – MNHN.** Senegal.
- simpsoni* Ricardo, 1920a: 172 **Type – BMNH.** Ghana; Nigeria.
- snowi* Hobby, 1940: 139 (*Bactria*). **Type – ?.** Zimbabwe; Kenya, Malawi, Mozambique, Namibia, Tanzania.
- sokotrae* Ricardo, 1903: 362 **Type – BMNH.** Yemen (Socotra).
- speiseri* Hobby, 1936b: 248 (*Bactria*). **Type – OXUM ZMHB.** Cameroun.
- speiseri* Hobby, 1936a: 191 (*Bactria*). *Nomen nudum.*
- subtilis* Bromley, 1935: 404. **Type – MRAC.** DR Congo.
- tewfiki* Efflatoun, 1929: 70. **Type – ?.** Sudan.
- transvaalensis* Hobby, 1933c: 226. **Type – ?.** South Africa.
- trichozonus* Loew, 1858c: 359 [1860c: 201] **Type – ZMHB.** `Guinea'; Benin, Ghana, Guinea, Nigeria, Togo.
- turinusa* Walker, 1849: 407 (*Asilus*). **Type – ?.** Sierra Leone.
- ugandiensis* Ricardo, 1920a: 181 **Type – BMNH.** Uganda; Malawi.
- venatrix* Hobby, 1936b: 239 (*Bactria*) **Type – BMNH.** Kenya.
- venatrix* Hobby, 1936a: 191 (*Bactria*). *Nomen nudum.*
- versicolor* Hobby, 1936b: 243 (*Bactria*). **Type – OXUM.** Zambia; DR Congo.
- versicolor* Hobby, 1936a: 191 (*Bactria*). *Nomen nudum.*
- wollastoni* Hobby, 1936b: 239 (*Bactria*) **Type – BMNH.** Uganda; Kenya.
- wollastoni* Hobby, 1936a: 190 (*Bactria*). *Nomen nudum.*
- xanthotrichus* Bezzi, 1908e: 378. **Type – ISNB MRAC.** Gabon; Angola, Congo, DR Congo, South Africa, Zimbabwe.
- zenkeri* Hobby, 1936b: 246 (*Bactria*) **Type – ZMHB.** Cameroun.
- zenkeri* Hobby, 1936a: 191 (*Bactria*). *Nomen nudum.*

#### Genus *ROBERTOMYIA* Londt

***ROBERTOMYIA* Londt, 1990a: 357. Type species: *Robertomyia lavignei* Londt, 1990, by original designation.**

*lavignei* Londt, 1990a: 358 **Type – NMSA.** Somalia.

#### Genus *SYNOLCUS* Loew

***SYNOLCUS* Loew, 1858c: 362 [1860c: 219]. Type species: *Asilus dubius* Macquart, 1846, by designation of Hull (1962: 524). [Type species not designated by Loew (1860c); statement of Hull 1962: 524) in error.]**

*acrobaptus* Wiedemann, 1828: 449 (*Asilus*) **Type – NHMW ZMHB.** South Africa; **Namibia.**  
*ammoni* Londt, 1990b: 3 **Type – NMSA.** South Africa.  
*argentius* Londt, 1990b: 3 **Type – NMSA.** South Africa; **Namibia.**  
*aurulentus* Engel, 1929a: 156 **Type – NMSA.** South Africa.  
*rufus* Hull, 1967: 260 (as ssp.). **Type – ?.** South Africa.  
*dubius* Macquart, 1846: 217 (89) (*Asilus*). **Type – ?.** South Africa.  
*signatus* Loew, 1858c: 362 [1860c: 220]. **Type – ?.** South Africa.  
*tenuiventris* Loew, 1858c: 362 [1860c: 219]. **Type – ?.** South Africa.  
*griseus* Engel, 1927b: 146 **Type – ZSMC.** South Africa.  
*incisuralis* Macquart, 1838b: 140 [1839a: 267] (*Asilus*). **Type – ?.** South Africa.  
*malawi* Londt, 1990b: 8 **Type – MRAC.** Malawi.  
*minor* Bromley, 1947: 114 (*Merogymnus*) **Type – DMSA.** South Africa.  
*spinosus* Londt, 1980a: 37 **Type – NMSA.** South Africa.

#### Genus **TORASILUS** Londt

**TORASILUS** Londt, 2005a: 57. **Type species:** *Torasilsus solus* Londt, 2005, by original designation and monotypy.

*solus* Londt, 2005a: 57. **Type – NMSA.** Namibia.

#### Genus **ZELAMYIA** Londt

**ZELAMYIA** Londt, 2005a: 58. **Type species:** *Torasilsus solus* Londt, 2005, by original designation and monotypy.

*alyctus* Londt, 2005a: 58. **Type – NMSA.** South Africa.

---

Subfamily ASILINAE Latreille, 1802

---

**Genus AFROMOCHTHERUS Lehr**

**AFROMOCHTHERUS** Lehr, 1996: 71. Type species: *Neomochtherus atrox* Tsacas, 1969, by original designation. (not *atrax* as cited by Lehr).

- anatolicus* Londt, 2002: 31. Type – NMSA. South Africa.
- astiptus* Londt, 2002: 32. Type – NMNW. Namibia.
- atrox* Tsacas, 1969: 9 (*Neomochtherus*). Type – MRAC. DR Congo.
- kolodrilus* Londt, 2002: 32. Type – NMSA. South Africa.
- malawi* Londt, 2002: 33. Type – NMSA. Malawi.
- megastylus* Londt, 2002: 34. Type – NMNW. Namibia.
- melanurus* Londt, 2002: 34. Type – NMSA. South Africa.
- mendax* Tsacas, 1969: 22 (*Neomochtherus*). Type – MNHN. South Africa; Namibia, Zimbabwe.
- mkomazi* Londt, 2002: 37. Type – NMSA. Tanzania.
- peri* Londt, 2002: 38. Type – NMSA. South Africa; Botswana, Zimbabwe.
- sathus* Londt, 2002: 39. Type – NMSA. Zimbabwe; Zambia.
- unctus* Oldroyd, 1939: 37 (*Neomochtherus*). Type – BMNH. Kenya; Malawi.
- genialis* Tsacas, 1969: 18 (*Neomochtherus*). Type – BMNH. Malawi.
- zoropegus* Londt, 2002: 40. Type – NMSA. South Africa.

**Genus ANEOMOCHTHERUS Lehr**

**ANEOMOCHTHERUS** Lehr, 1996: 75. Type species: *Neomochtherus micrasiaticus* Tsacas, 1968, by original designation.

- africanus* Ricardo, 1919: 77 (*Heligmoneura*) Type – BMNH. Kenya; Tanzania.
- signatipes* Lindner, 1955d: 41 (*Neomochtherus*) Type – SMNS. Tanzania.
- deserticolus* Karsch, 1888: 376 (*Mochtherus*) Type – ?. Tanzania.
- monobia* Speiser, 1910a: 104 (*Heligmoneura*) Type – NHRS. Tanzania.

**Genus ASTOCHIA Becker**

**ASTOCHIA** Becker, 1913b: 538. Type species: *Astochia metatarsata* Becker, 1913, by monotypy.

- africana* Ricardo, 1919: 73 (*Neoitamus*) Type – BMNH. Kenya; Uganda, Malawi.
- armata* Becker, 1909a: 114 [1910a: 22] (*Neoitamus*) Type – ?. Kenya; DR Congo Tanzania, Malawi, Zimbabwe, South Africa.
- neavensis* Ricardo, 1919: 72 (*Neoitamus*) Type – BMNH. DR Congo.
- sodalis* Wulp, 1899: 96 (*Itamus*). Type – OXUM. South Yemen; Iran.
- strachani* Oldroyd, 1970b: 312 Type – BMNH. Nigeria; DR Congo, Sierra Leone, Malawi.

**Genus CAENOURA Londt**

**CAENOURA** Londt, 2002: 44. Type species: *Mochtherus annulitarsis* Loew, 1858, by original designation.

*annulitarsis* Loew, 1858c: 366 [1860c: 241] (*Mochtherus*) Type – BMNH. South Africa; Lesotho, Zimbabwe.

*ochrapes* Hull, 1967: 259 (*Neomochtherus*). Type – MZLU. South Africa.

*sinuatus* Loew, 1858c: 366 [1860c: 240] (*Mochtherus*) Type – NHRS. South Africa.

#### Genus *CERDISTUS* Loew

*CERDISTUS* Loew, 1849: 74 (as subgenus of *Asilus*). Type species: *Asilus erythrurus* Meigen, 1820, by designation of Engel (1927a: 92).

**Note:** Geller-Grimm (2002) records an undescribed species of *Cerdistus* from Yemen (Socotra).

#### Genus *CONGOMOCHTHERUS* Oldroyd

*CONGOMOCHTHERUS* Oldroyd, 1970b: 305. Type species: *Congomochtherus lobatus* Oldroyd, 1970, by original designation.

*acuminatus* Oldroyd, 1974a: 151 Type – BMNH. Angola; Namibia.

*elferinki* Londt & Tsacas, 1987a: 32 Type – NMSA. South Africa; Transkei, Zimbabwe.

*inachus* Londt & Tsacas, 1987a: 33 Type – NMSA. South Africa; Transkei.

*lobatus* Oldroyd, 1970b: 306 Type – BMNH. Nigeria; Congo, Cameroun, DR Congo, Tanzania.

*oldroydi* Londt & Tsacas, 1987a: 36 Type – BMNH. Kenya.

*penicillatus* Speiser, 1910a: 100 (*Machimus*) Type – NHRS ZMHB. Tanzania; DR Congo, Kenya.

*potamius* Londt & Tsacas, 1987a: 39 Type – NMSA. South Africa.

#### Genus *DIKOWMYIA* Londt

*DIKOWMYIA* Londt, 2002: 47. Type species: *Dikowmyia mediorus* Londt, 2002, by original designation and monotypy.

*mediorus* Londt, 2002: 47 Type – NMSA. South Africa.

#### Genus *GONGROMYIA* Londt

*GONGROMYIA* Londt, 2002: 48. Type species: *Gongromyia bulla* Londt, 2002, by original designation and monotypy.

*bulla* Londt, 2002: 48 Type – NMSA. South Africa.

#### Genus *HELIGMONEVRA* Bigot

*HELIGMONEVRA* Bigot, 1858: 356. Type species: *Heligmonevra modesta* Bigot, 1858, by monotypy.

*CINADUS* Wulp, 1898: 139. Type species: *Cinadus spretus* Wulp, 1898, by designation of Hull (1962: 584).

*COBALOMYIA* Hull, 1962: 588. Type species: *Senoprosopis fanovanensis* Bromley, 1942, by original designation.

*HELIGMONEURA*. Variant spelling of *Heligmonevra*.

- africanus* Ricardo, 1925: 240 (*Cinadus*) **Type** – BMNH. Malawi. [as *africana*]  
*albiseta* Martin, 1964: 296. Madagascar.  
*annulata* Martin, 1964: 297. Madagascar.  
*astricta* Martin, 1964: 297. Madagascar.  
***fanovanensis* Bromley, 1942: 19** (*Senoprosopis*). Madagascar.  
*flavida* Martin, 1964: 299. Madagascar.  
*gracilis* Martin, 1964: 299. Madagascar.  
*griseola* Oldroyd, 1960c: 311. **Type** – MNHN. Madagascar.  
*insularis* Engel, 1927b: 138. **Type** – ZSMC. Seychelles.  
*laevis* Engel, 1927b: 137. **Type** – ZSMC ? Walker **Type** – BMNH. Namibia; DR Congo, Malawi.  
*lata* Martin, 1964: 301. Madagascar.  
*litoralis* Lindner, 1955d: 43 (*Neomochtherus*). **Type** – SMNS. Tanzania; Kenya.  
*macula* Martin, 1964: 301. Madagascar.  
*madagascarensis* Bromley, 1942: 19 (*Neomochtherus*). Madagascar.  
*mediana* Bromley, 1931: 290. Madagascar.  
*miniata* Oldroyd, 1960c: 312. **Type** – MNHN. Madagascar.  
*modesta* Bigot, 1858: 357. Gabon; Congo, DR Congo, Fernando Poo, Ivory Coast, Tanzania  
(Zanzibar).  
*nigra* Martin, 1964: 302. **Type** – MNHN. Madagascar.  
*nigrifascia* Martin, 1964: 303. Madagascar.  
*nuda* Bezzi, 1906c: 290. **Type** – MZUF. Ethiopia (Eritrea).  
*occidentalis* Ricardo, 1925: 241 (*Cinadus*) **Type** – BMNH. Ghana; Gambia.  
*ornata* Lindner, 1955d: 37. **Type** – SMNS. Tanzania.  
*rodhaini* Oldroyd, 1970b: 303. **Type** – MRAC. DR Congo.  
*rothkirchi* Speiser, 1913b: 142. Cameroun. **Also listed under Neomochtherus ?**  
*rubripes* Ricardo, 1922: 63 (*Tolmerus*). Malawi; Namibia.  
*rufinota* Martin, 1964: 304. Madagascar.  
*russea* Martin, 1964: 305. Madagascar.

#### Genus *HOPLOPHEROMERUS* Becker

*HOPLOPHEROMERUS* Becker, 1925b: 241. Type species: *Asilus armatipes* Macquart, 1855, by designation of Hull (1962: 539).

- brunnescens* Tsacas & Oldroyd, 1967: 318. Upper Volta.  
*flavescens* Tsacas & Oldroyd, 1967: 320. **Type** – MRAC. DR Congo.  
*nigroides* Tsacas & Oldroyd, 1967: 318. **Type** – MRAC. DR Congo.  
*nigropilosus* Tsacas & Oldroyd, 1967: 322 **Type** – BMNH. Nigeria.  
*podagricus* Bezzi, 1914a: 287 (*Neoitamus*). Nigeria; Guinea, Ivory Coast.

#### Genus *MACHIMUS* Loew

*MACHIMUS* Loew, 1849: 1 (as subgenus of *Asilus*). Type species: *Asilus chrysitis* Meigen, 1820, by designation of Coquillett (1910: 564). [Name not preoccupied by *Machimus* Billberg, 1827, *Synopsis Faunae Scandinaviae* I (I). Table A reverse side which is a *nomen nudum*.]

*TOLMERUS* Loew, 1849: 94 (as subgenus of *Asilus*). Type species: *Asilus pyragra* Zeller, 1840, by designation of Coquillett (1910: 615).

*DINOZABRUS* Hull, 1962: 573. Type species: *Dinozabrus bicolor* Hull, 1962, by original designation.

- bicolor* Hull, 1962: 574 (*Dinozabrus*). Kenya.  
*caudiculatus* Speiser, 1910a: 99 Type – ZMHB. Tanzania.  
*comans* Oldroyd, 1940a: 198 Type – BMNH. Ethiopia.  
*griseus* Oldroyd, 1940a: 200 (as var.) Type – BMNH. Ethiopia.  
*gymnus* Oldroyd, 1939: 40 Type – BMNH. Kenya.  
*hirsutus* Ricardo, 1922: 63 (*Tolmerus*) Type – BMNH. Kenya.  
*juxta* Oldroyd, 1939: 41 Type – BMNH. Kenya.  
*keniaensis* Lindner, 1961a: 10. Type – SMNS. Kenya.  
*lepturus* Gerstaecker, 1871: 362 Type – ZMHB. Tanzania (Zanzibar); Tanzania.  
*nigripes* Ricardo, 1922: 62 (*Tolmerus*) Type – BMNH. Malawi; DR Congo.  
*pammelas* Speiser, 1910a: 101 (*Tolmerus*) Type – ZMHB. Tanzania.  
*schuezi* Lindner, 1961a: 9. Type – SMNS. Tanzania.  
*ugandiensis* Ricardo, 1919: 56 Type – BMNH. Uganda; Kenya.

**Note:** The status of the genus *Tolmerus* requires clarification.

#### Genus *MELOUROMYIA* Londt

*MELOUROMYIA* Londt, 2002: 49. Type species: *Heligmoneura natalensis* Ricardo, 1919, by original designation.

- diaphorus* Londt, 2002: 49 Type – NMSA. South Africa.  
*natalensis* Ricardo, 1919: 78 (*Heligmoneura*) Type – BMNH. South Africa; Botswana, Malawi, Mozambique, Swaziland, Zimbabwe.

#### Genus *NOTOMOCHTHERUS* Londt

*NOTOMOCHTHERUS* Londt, 2002: 52. Type species: *Notomochtherus brevicauda* Londt, 2002, by original designation and monotypy.

*brevicauda* Londt, 2002: 52 Type – NMSA. South Africa.

#### Genus *SPHAGOMYIA* Londt

*SPHAGOMYIA* Londt, 2002: 53. Type species: *Sphagomyia botswana* Londt, 2002, by original designation.

- botswana* Londt, 2002: 53 Type – NMSA. Botswana; South Africa.  
*kenya* Londt, 2002: 54 Type – NMSA. Kenya.

#### Genus *TOLMERUS* Loew

*TOLMERUS* Loew, 1849: 94 (as subgenus of *Asilus*). Type species: *Asilus pyragra* Zeller, 1840, by designation of Coquillett (1910: 615).

- socotrae* Geller-Grimm, 2002: 480. Type – HLMD. Yemen (Socotra).  
*unicus* Becker, 1910b: 137 (*Cerdistus*). Type – NHMW. South Yemen & Socotra.  
*wraniki* Geller-Grimm, 2002: 482. Type – ZMHB. Yemen (Socotra).

**Note:** The status of the genus *Tolmerus* requires clarification.

### Genus *TSACASIELLA* Lehr

***TSACASIELLA* Lehr, 1996: 72.** Type species: *Heligmoneura neavei* Ricardo, 1919, by original designation.

- blanda* Tsacas, 1969: 11 (*Neomochtherus*). Type – MRAC. DR Congo; Rwanda.
- callipygus* Tsacas, 1969: 12 (*Neomochtherus*). Type – MRAC. Rwanda.
- debilis* Tsacas, 1969: 14 (*Neomochtherus*). Type – MRAC. DR Congo.
- exilis* Tsacas, 1969: 15 (*Neomochtherus*). Type – MRAC. DR Congo.
- futilis* Tsacas, 1969: 16 (*Neomochtherus*). Type – MNHN. DR Congo; Kenya, Zambia.
- notatus* Tsacas, 1969: 27 (*Neomochtherus*). Type NMHN. DR Congo.
- inornata* Londt, 2002: 58. Type – NMSA. Namibia; Botswana, Malawi, Zimbabwe.
- instabilis* Tsacas, 1969: 19 (*Neomochtherus*). Type – BMNH. DR Congo.
- kivuensis* Tsacas, 1969: 21 (*Neomochtherus*). Type – MNHN. DR Congo.
- neavei* Ricardo, 1919: 76 (*Heligmoneura*) Type – BMNH. Zambia; DR Congo.

### Genus *VALIRAPTOR* Londt

***VALIRAPTOR* Londt, 2002: 60.** Type species: *Valiraptor silvestris* Londt, 2002, by original designation.

- montanus* Londt, 2002: 61. Type – NMSA. South Africa.
- namibiensis* Londt, 2002: 62. Type – NMNW. Namibia.
- silvestris* Londt, 2002: 63. Type – NMSA. South Africa.
- vittatus* Londt, 2002: 64. Type – NMSA. South Africa.

---

Subfamily DASYPOGONINAE Macquart, 1838

---

**Genus CARONCOMA Londt**

**CARONCOMA** Londt, 1980b: 336. Type species: *Neolaparus atrimaculatus* Oldroyd, 1960, by original designation.

*atrimaculatus* Oldroyd, 1960b: 263 (*Neolaparus*) Type – MNHN. Madagascar.

**Genus PEGESIMALLUS Loew**

**LAPARUS** Loew, 1851a: 4 (as subgenus of *Dasypogon*). Type species: *Dasypogon tabidus* Loew, 1851, by monotypy. [Junior homonym, preocc. *Laparus* Billberg, 1820.]

**PEGESIMALLUS** Loew, 1858c: 344 [1860c: 141]. Type species: *Pegesimallus ursinus* Loew, 1858 [= *Dasypogon claelius* Walker, 1849], by monotypy.

**LAGODIAS** Loew, 1858c: 345 [1860c: 141]. Type species: *Lagodias albidipennis* Loew, 1858, by monotypy.

**NEOLAPARUS** Williston, 1899: 255 (replacement name for *Laparus* Loew).

*albidipennis* Loew, 1858c: 345 [1860c: 142] (*Lagodias*) Type – NHRS. South Africa; Zimbabwe; *angusticornis* Ricardo, 1925: 245 (*Neolaparus*) Type – NMBZ. Zimbabwe; Botswana, Kenya,

Malawi, Tanzania, ? Zambia, DR Congo.

*apertus* Karsch, 1886b: 72 (*Laparus*) Type – ZMHB. Gabon; Guinea, DR Congo.

*aulicus* Wiedemann, 1828: 379 (*Dasypogon*) Type – NHMW (?UZMD). South Africa; DR Congo, Kenya, Malawi, Mozambique, Namibia, Swaziland, Tanzania, Transkei, Zimbabwe.

*limbithorax* Macquart, 1846: 188 (60) (*Dasypogon*) Type – ?. South Africa.

*anaxilas* Walker, 1849: 324 (*Dasypogon*) Type – BMNH. South Africa.

*alcippe* Walker, 1849: 338 (*Dasypogon*) Type – BMNH. South Africa.

*letifer* Walker, 1851b: 89 (*Dasypogon*) Type – BMNH. South Africa.

*torridus* Walker, 1856a: 456 (*Dasypogon*) Type – BMNH. South Africa.

*maculiventris* Loew, 1858c: 343 (*Laparus*) Type – NHRS. South Africa.

*caliginosus* Loew, 1858c: 343 [1860c: 135] (*Laparus*) Type – NHRS. South Africa.

*funestus* Loew, 1858c: 343 [1860c: 136] (*Laparus*) Type – NHRS. South Africa. Lesotho.

*anticus*, Incorrect subsequent spelling of *aulicus*.

*albicinctus* Ricardo, 1900b: 161 (*Laparus*) Type – BMNH. South Africa.

*lugubris* Becker, 1909a: 114 [1910a: 23] (*Neolaparus* (*Laparus*)) Type – MNHN. Kenya.

*singularis* Bromley, 1936: 144 (*Neolaparus*) Type – NMSA. South Africa.

**banana** Curran, 1927k: 3 (*Neolaparus*) Type – AMNH. DR Congo; Namibia, Mozambique, South Africa.

**bicolor** Loew, 1858c: 344 [1860c: 136] (*Laparus*) Type – NHRS. South Africa.

*melasomus* Loew, 1858c: 344 [1860c: 137] (*Laparus*) Type – NHRS. South Africa.

*apicalis* Bromley, 1947: 110 Type – DMSA. South Africa.

*bivittatus* Curran, 1934a: 3 (*Neolaparus*) Type – AMNH. Zimbabwe.

**brunneus** Londt, 1980b: 267 Type – SAMC. South Africa.

**bulbifrons** Londt, 1980b: 268 Type – NMSA. Tanzania.

**calvifrons** Londt, 1980b: 269 Type – NMSA. South Africa.

- claelius* Walker, 1849: 351 (*Dasypteron*) **Type – BMNH.** South Africa.  
*ursinus* Loew, 1858c: 345 [1860c: 141] **Type – ZMHB.** South Africa.  
*clausus* Loew, 1860c: 138 (*Laparus*) **Type – ZMHB.** South Africa.  
*metallica* Bromley, 1936: 141 (*Neolaparus*) **Type – NMSA.** South Africa.  
*albolineatus* Hull, 1967: 248 (*Neolaparus*) **Type – MZLU.** South Africa.  
*foedus* Loew, 1863a: 10 (*Laparus*) **Type – ?.** South Africa.  
*fulvipennis* Bromley, 1936: 142 (*Neolaparus*) **Type – NMSA.** South Africa; **Botswana, Mozambique, Zimbabwe.**  
*fusticulus* Londt, 1980b: 276. **Type – NMSA.** South Africa.  
*griseus* Oldroyd, 1970b: 261 (*Lagodias*) **Type – MRAC.** DR Congo.  
*hermanni* Londt, 1980b: 278 **Type – ZSMC.** Malawi & Tanzania.  
*inermis* Hermann, 1907a: 14 [1908: 164} (*Lagodias*) **Type – ZMHB.** Namibia; **Mozambique, South Africa, Zimbabwe.**  
*irwini* Londt, 1980b: 281 **Type – NMSA.** South Africa.  
*kenyensis* Londt, 1980b: 282 **Type – MNHN.** Kenya.  
*laticornis* Loew, 1858d: 337 [1860c: 140] (*Laparus*) **Type – NHRS.** Namibia; **Botswana, Lesotho, Mozambique,** South Africa.  
*apicalis* Bromley, 1936: 144 (*Neolaparus*) **Type – NMSA.** **Zimbabwe.**  
*marginatus* Hull, 1967: 245 (*Neolaparus*) **Type – MZLU.** Lesotho.  
*limbatus* Oldroyd, 1960b: 264 (*Neolaparus*) **Type – MNHN.** Madagascar.  
*longicornis* Curran, 1927k: 2 (*Neolaparus*) **Type – AMNH.** DR Congo.  
*lubumbashi* Bromley, 1935: 413 (*Neolaparus*) **Type – MRAC MNHN.** DR Congo.  
*medius* Oldroyd, 1960b: 265 (*Neolaparus*) **Type – MNHN.** Madagascar.  
*moerens* Wiedemann, 1828: 399 (*Dasypteron*) **Type – NHMW.** Sierra Leone; **Dahomey, DR Congo, Guinea, Haute Volta, Nigeria, Senegal, Sudan.**  
*morio* Bezzi, 1914a: 286 (*Neolaparus*) **Type – ?.** Senegal.  
*saegeri* Oldroyd, 1970b: 262 **Type – MRAC.** DR Congo.  
*munroi* Bromley, 1936: 142 (*Neolaparus*) **Type – OXUM NMSA.** South Africa; **Namibia.**  
*namibiensis* Londt, 1980b: 297 **Type – NMNW.** **Namibia & Angola.**  
*niger* Bromley, 1936: 144 (*Neolaparus*) **Type – NMSA.** South Africa.  
*dimidiatus* Bromley, 1936: 144 (*Neolaparus*) **Type – NMSA.** South Africa.  
*oldroydi* Londt, 1980b: 299 **Type – MNHN.** Central African Republic.  
*oralis* Wulp, 1884: cclxxxix (*Laparus*) **Type – ISNB.** 'Guinea'; Cameroun, DR Congo, Somalia, **Haute Volta, Mozambique, Namibia, Tanzania, Zambia.**  
*ophion* Speiser, 1910a: 86 (*Neolaparus*) **Type – NHRS.** Tanzania.  
*holotaenia* Speiser, 1910a: 87 (*Neolaparus*) **Type – NHRS.** Tanzania.  
*similis* Curran, 1927k: 4 (*Neolaparus*) **Type – AMNH.** DR Congo.  
*decoratus* Oldroyd, 1970b: 259 (*Neolaparus*) **Type – MRAC.** DR Congo.  
*ornatus* Bromley, 1936: 143 (*Neolaparus*) **Type – OXUM NMSA.** South Africa; **Zimbabwe.**  
*fugax* Bromley, 1936: 142 (*Neolaparus*) **Type – NMSA.** South Africa.  
*pulchellus* Bromley, 1936: 143 (*Neolaparus*) **Type – NMSA.** South Africa.  
*pedunculatus* Loew, 1858c: 343 [1860c: 133] (*Laparus*) **Type – NHRS.** South Africa; **Mozambique, Namibia, Transkei, Zimbabwe.**  
*cuneatus* Loew, 1858c: 343 [1860c: 131] (*Laparus*) **Type – NHRS.** South Africa.  
*gracilipes* Loew, 1858c: 343 [1860c: 132] (*Laparus*) **Type – NHRS.** South Africa.  
*faustus* Karsch, 1886b: 71 (*Laparus*) **Type – ZMHB.** South Africa.  
*atrox* Bromley, 1931: 141 (*Neolaparus*) **Type – NMSA.** Transkei.  
*diasi* Oldroyd, 1959: 47 (*Neolaparus*) **Type – CPMM.** Mozambique.  
*ferroxidus* Hull, 1967: 246 (*Neolaparus*) **Type – MZLU.** Transkei.  
*polistoides* Oldroyd, 1960b: 266 (*Neolaparus*) **Type – MNHN.** Madagascar.  
*polygramma* Speiser, 1924b: 145 (*Neolaparus*) **Type – ? BMNH.** Tanzania; Kenya, Uganda.  
*trifasciatus* Oldroyd, 1939: 30 (*Neolaparus*) **Type – BMNH.** Uganda.  
*pulchriventris* Loew, 1858c: 342 [1860c: 130] (*Laparus*) **Type – NHRS.** South Africa.  
*rubrifemoratus* Bromley, 1935: 414 (*Neolaparus*) **Type – MCZC.** DR Congo; Ivory Coast, Kenya.  
*rufus* Bromley, 1936: 145 (*Neolaparus*) **Type – NMSA.** South Africa; **Lesotho, Transkei,**

**Zimbabwe.**

- sepiapennis* Hull, 1967: 247 (*Neolaparus*) Type – MZLU. Lesotho.  
*saeptus* Oldroyd, 1960b: 267 (*Neolaparus*) Type – MNHN. Madagascar.  
*silaceus* Hermann, 1907a: 66 (*Laparus*) Type – ZSMC. South Africa; ? Zimbabwe.  
*pollinosus* Bromley, 1936: 141 (*Neolaparus*) Type – NMSA. South Africa.  
*tapulus* Walker, 1849: 351 (*Dasypogon*) Type – BMNH. South Africa.  
*tabidus* Loew, 1851a: 4 (*Dasypogon*) Type – ZMHB. South Africa.  
*squalidus* Loew, 1858c: 344 [1860c: 138] (*Laparus*) Type – NHRS. South Africa.  
*solus* Bromley, 1936: 145 (*Neolaparus*) Type – NMSA. South Africa.  
*braunsi* Bromley, 1936: 145 (*Neolaparus*) Type – NMSA. South Africa.  
*esuriens* Bromley, 1936: 146 (*Neolaparus*) Type – NMSA. South Africa.  
*teratodes* Hermann, 1906: 141 (*Lagodias*) Type – ZSMC. Kenya.  
*urundianus* Janssens, 1953a: 13 (*Neolaparus*) Type – ISNB. Burundi; Tanzania.  
**vansonii Londt, 1980b: 330** Type – NMSA. Zimbabwe.  
*videns* Walker, 1851b: 93 (*Dasypogon*) Type – BMNH. ‘Africa’.

Genus *SAROPOGON* Loew

*SAROPOGON* Loew, 1847b: 439 (as subgenus of *Dasypogon*). Type species: *Dasypogon luctuosus* Wiedemann, 1820, by designation of Coquillett (1910: 603).

- elbaisensis* Efflatoun, 1937: 394. Sudan; ? Kenya.  
***greatheadi* Londt, 1997: 141.** Type – BMNH. Eritrea.  
*incisuratus* Wulp, 1899: 82. Type – OXUM. South Yemen.  
***kenyensis* Londt, 1997: 145.** Type – NMSA. Kenya.  
*melampygus* Loew, 1851a: 10 (*Dasypogon*) Type – ZMHB. Syria; Ethiopia (Eritrea), Mali, Mauritania, Niger, Senegal, South Yemen, Sudan.  
*melanopygus*. Incorrect subsequent spelling of *melampygus*.  
*pulverulentus* Wulp, 1899: 83. Type – OXUM. South Yemen; Eritrea.  
*rubriventris* Wulp, 1899: 83. Type – OXUM. South Yemen.  
***zinidi* Londt, 1997: 153.** Type – NMSA. Kenya; Tanzania.

---

Subfamily LAPHRIINAE Macquart, 1838

---

Tribe ATOMOSIARIA Lynch Arribalzaga, 1882

**Genus *DICHAETOTHYREA* De Meijere**

***DICHAETOTHYREA* De Meijere, 1914: 58.** Type species: *Atomosia punctulosa* De Meijere, 1911, by original designation.

***calvifrons* Londt, 1982: 224** Type – MNHN. Madagascar.

Genus *GONECCALYSIS* Hermann

***GONECCALYSIS* Hermann, 1912: 108.** Type species: *Atomosia argenteoviridis* Hermann, 1907, by original designation.

*argenteoviridis* Hermann, 1907a: 68 (*Atomosia*). Type – ZSMC. South Africa.  
***montanus* Londt, 1982: 228** Type – NMSA. Lesotho; South Africa.

Genus *LOEWINELLA* Hermann

***LOEWINELLA* Hermann, 1912: 104** (as *Lowinella*). Type species: *Atomosia virescens* Loew, 1871, by original designation.

*aphaea* Seguy, 1950b: 274 Type – MNHN. South Africa.  
*arcuata* Curran, 1927k: 5 (*Atractia*) Type – AMNH. DR Congo.  
***deemingi* Londt, 1982: 232** Type – BMNH. Nigeria.  
***eburacta* Londt, 1982: 234** Type – MNHN. Ivory Coast.  
***flavipes* Londt, 1982: 235** Type – SAMC. Namibia.  
*nigripes* Engel, 1929a: 161 (as var. of *virescens*) Type – BMNH. Zimbabwe; Madagascar, Mozambique, South Africa.

Tribe LAPHRIINI Macquart, 1838

**Genus *AFROMELITTODES* Oldroyd & Van Bruggen**

***AFROMELITTODES* Oldroyd & Van Bruggen, 1963: 190.** Type species: *Afromelittodes solis* Oldroyd & Van Bruggen, 1963, by original designation.

***mimos* Londt, 2003: 137** Type – NMSA. South Africa; Namibia.  
*solis* Oldroyd & Van Bruggen, 1963: 191 Type – NMSA. South Africa; Namibia.

Genus *ANDRENOSOMA* Rondani

*ANDRENOSOMA* Rondani, 1856: 160. Type species: *Laphria arta* Fabricius, 1805 [= *Asilus ater* Linnaeus, 1758], by original designation.

*boranicum* Corti, 1895: 133. Ethiopia; widespread eastern Afr. from Ethiopia to Zimbabwe, Ivory Coast.

*complexum* Oldroyd, 1970a: 256. **Type – MRAC.** DR Congo.

#### Genus *ANYPODETUS* Hermann

*ANYPODETUS* Hermann, 1907a: 69 [1908: 167]. Type species: *Anypodetus fasciatus* Hermann, 1907, by original designation.

*arachnoides* Oldroyd, 1974a: 92 **Type – BMNH.** Zimbabwe; **Namibia**, Zambia.

*fasciatus* Hermann, 1907a: 70 [1908: 167]. **Type – NHMW ZSMC ZMHB.** South Africa; Botswana; Namibia, Zimbabwe.

*rigidis* Oldroyd, 1974a: 92 **Type – BMNH.** Zimbabwe.

*fascipennis* Engel, 1924: 103. **Type – ZSMC.** South Africa; **Namibia**.

*semirufus* Engel, 1924: 104. **Type – ZSMC.** South Africa; Zimbabwe.

*maculipennis* Ricardo, 1925: 242 **Type – BMNH.** Zimbabwe.

*leucothrix* Londt, 2000a: 130. **Type – NMSA.** Namibia.

*macroceros* Londt, 2000a: 130. **Type – NMSA.** Namibia.

*nigrifacies* Ricardo, 1925: 244 **Type – BMNH.** Mozambique.

*phalaros* Londt, 2000a: 131. **Type – NMSA.** South Africa, Namibia.

*unicolor* Oldroyd, 1974a: 92 **Type – NMSA.** South Africa; Mozambique, Namibia, Zimbabwe.

#### Genus *CHOERADES* Walker

*CHOERADES* Walker, 1851b: 109. Type species: *Choerades aurigena* Walker, 1851 [= *Laphria vulcanus* Wiedemann, 1828], by monotypy.

*aureopilosa* Ricardo, 1900b: 171 (*Laphria*). South Africa; **Zimbabwe**.

*variabilis* Bromley, 1947: 112 (*Laphria*) **Type – DMSA.** South Africa.

*bella* Loew, 1858c: 356 [1860c: 190] (*Laphria*). South Africa; **Transkei**, Zimbabwe.

*flavipes* Wiedemann, 1821c: 238 (*Laphria*). **Type – MNHN (? UZMD).** South Africa; Mozambique.

*varipes* Macquart, 1834a: 286. South Africa.

*nigrapex* Bigot, 1878c: 229 (*Dasythrix*). South Africa.

*multipunctata* Oldroyd, 1974a: 102 (*Laphria*). South Africa.

*nigrescens* Ricardo, 1925: 279 (*Laphria*). Malawi; Mozambique, South Africa.

*serpentina* Bezzi, 1908e: 378 (*Laphria*). **Type – MRAC.** DR Congo; Kenya, Malawi, South Africa.

#### Genus *CTENOTA* Loew

*CTENOTA* Loew, 1873b: 136. Type species: *Ctenota molitrix* Loew, 1873, by monotypy,

*ruficornis* Wulp, 1899: 91 (*Dasythrix*). South Yemen.

**molitrix** Loew, 1873: 135. **Type – ZSMC.** Sudan.

#### Genus *DASYLLINA* Bromley

*DASYLLINA* Bromley, 1935: 412. Type species: *Dasylina fulvithorax* Bromley, 1935, by original

designation.

*DASSYLINA*. Incorrect original spelling of *Dasyllina* (Bromley, *loc. cit.*).

*fulvithorax* Bromley, 1935: 412. **Type – MRAC.** DR Congo.

Genus *GERROLASIUS* Hermann

*GERROLASIUS* Hermann, 1920: 189. Type species: *Gerrolasius meridionalis* Hermann, 1920, by original designation and monotypy.

*hermanni* Londt, 1988b: 515 **Type – NMSA.** Mozambique.

*meridionalis* Hermann, 1920: 190. **Type – ZSMC.** South Africa; Somalia.

*oldroydi* Londt, 1988b: 517 **Type – NMSA.** South Africa; Botswana.

Genus *HOPLISTOMERUS* Macquart

*HOPLISTOMERUS* Macquart, 1838b: 59 [1839a: 175]. Type species: *Laphria serripes* Fabricius, 1805, by monotypy.

*HOPLISTOMERA*. Variant spelling of *Hoplistomerus*.

*caliginosus* Wulp, 1899: 90. **Type – OXUM.** South Yemen.

*engeli* Oldroyd, 1940b: 316 **Type – BMNH.** Somalia; Kenya.

*caliginosus*, Engel, not Wulp (misident.).

*erythropus* Bezzi, 1915a: 224. **Type – MZUF.** Somalia.

*garambensis* Oldroyd, 1970b: 246. **Type – MRAC.** DR Congo.

*miniatus* Oldroyd, 1940b: 314 **Type – BMNH.** Kenya.

*nobilis* Loew, 1858c: 357 [1860c: 192] **Type – ZMHB.** Mozambique & South Africa; Lesotho, widespread Afr. south of Tanzania.

*quintillus* Oldroyd, 1940b: 317 **Type – BMNH.** Kenya.

*serripes* Fabricius, 1805: 159 (*Laphria*) **Type – UZMD.** 'Guinea', widespread savannas from W. Afr. to n.–e. Afr. & E. Afr.

ssp. *auriventris* Loew, 1858c: 356 [1860c: 191] (as sp.). **Type – ZMHB.** Sudan; eastern Afr. from Sudan & Somalia to Tanzania & Uganda.

ssp. *serripes* s. str. 'Guinea'; widespread from Gambia & Senegal to Uganda.

*maculipennis* Macquart, 1834a: 285 (*Laphria*) **Type – MNHN.** Senegal.

*zelimina* Speiser, 1910a: 92 **Type – NHRS.** Tanzania.

Genus *HYPERECHIA* Schiner

*HYPERECHIA* Schiner, 1866a: 673. Type species: *Laphria xylocopiformis* Walker, 1849, by original designation.

*albifasciata* Enderlein, 1930a: 69. **Type – ZMHB.** South Africa.

*bifasciata* Grunberg, 1907b: 519. **Type – ZMHB.** Tanzania; DR Congo, Kenya, Malawi, Mozambique.

ssp. *bifasciata* s. str. Tanzania; DR Congo, Kenya, Malawi, Mozambique.

ssp. *elmari* Lindner, 1961a: 8. Tanzania.

*bomboides* Loew, 1851a: 21 (*Laphria*) **Type – ZMHB.** Senegal.

*consimilis* Wood, 1874: 758 (*Laphria*) **Type – BMNH.** South Africa; widespread E. & sthn Afr. *usambarae* Lichtwardt, 1907: 85 (*Dasyllis*). Tanzania.

*floccosa* Bezzi, 1908e: 377. **Type – MRAC.** DR Congo.

*fuelleborni* Grunberg, 1907b: 521 **Type – ZMHB.** Tanzania.

- hirtipes* Fabricius, 1805: 158 (*Laphria*) **Type – UZMD.** `Guinea'.
- imitator* Grunberg, 1907b: 522 **Type – ZMHB.** Namibia; DR Congo.
- madagascariensis* Enderlein, 1930a: 68 **Type – ZMHB.** Madagascar.
- bequaerti* Timon-David, 1953: 214. Madagascar.
- marshalli* Austen, 1902: 541. Zimbabwe.
- nigripennis* Wiedemann, 1830: 646 (*Laphria*) **Type – ZMHB.** [No locality]; South Africa, Tanzania (Zanzibar).
- nigrita* Grunberg, 1907b: 520 **Type – ZMHB.** Cameroun; DR Congo.
- pellitiventris* Enderlein, 1930a: 69 **Type – ZMHB.** Kenya.
- subfasciata* Enderlein, 1930a: 68 (as var. of *madagascariensis* Enderlein) **Type – ZMHB.** Madagascar.
- madagascariensis* Timon-David, 1953: 215. Madagascar. [Junior homonym, preocc.]
- madagascariensis* Enderlein, 1930.]

#### Genus *KATHARMA* Oldroyd

*KATHARMA* Oldroyd, 1960b: 286. Type species: *Katharma sanguinaria* Oldroyd, 1960, by original designation.

- flagellata* Oldroyd, 1960b: 287. **Type – MNHN.** Madagascar.
- sanguinaria* Oldroyd, 1960b: 287. **Type – MNHN.** Madagascar.

#### Genus *LAMYRA* Loew

*LAMYRA* Loew, 1851a: 19 (as subgenus of *Laphria*). Type species: *Laphria gulo* Loew, 1851, by monotypy.

- greatheadi* Oldroyd, 1974a: 100 **Type – BMNH. Ethiopia; Kenya, Somalia.**
- gulo* Loew, 1851a: 19 (*Laphria*) **Type – ZMHB.** South Africa; **Angola, Botswana, Burkina Faso, DR Congo, Ethiopia, Kenya, Malawi, Mozambique, Namibia, Niger, Sudan, Swaziland, Tanzania, Uganda, Zambia, Zimbabwe.**
- rossi* Oldroyd, 1974a: 100. **Type – CASC.** Angola.
- vorax* Loew, 1858c: 355 [1860c: 186]. **Type – ZMHB.** Sudan; **Djibouti, Egypt, Ethiopia, Gambia to Sudan, Ghana, Israel, Malawi?, Mauritania, Saudi Arabia, United Arab Emirates, Yemen.**
- nobilis* Walker, 1871a: 258 (*Laphria*) **Type – BMNH. Djibouti.**

#### Genus *LAPHRIA* Meigen

- LAPRIA* Meigen, 1800: 25. Suppressed by I.C.Z.N., 1963b: 339 (Opinion 678).
- LAPHRIA* Meigen, 1803: 270. Type species: *Asilus gibbosus* Linnaeus, 1758, by designation of Latreille (1810: 443).
- DICRANOLAPHRIA* Ricardo, 1925: 282. [Unavailable name: first published as synonym.]

- albimaculata* Macquart, 1838b: 64 [1839a: 180]. **Type – MNHN.** South Africa; Madagascar, Reunion.
- atomentosa* Oldroyd, 1960b: 281. **Type – MNHN.** Madagascar.
- auricorpus* Hobby, 1948: 140 **Type – BMNH.** Malawi.
- aurifer* Ricardo, 1925: 280 **Type – BMNH.** Uganda; DR Congo, Malawi.
- bipenicillata* Bigot, 1891b: 370. Ivory Coast; Cameroun, Ghana, Malawi, Nigeria, Uganda.
- breonii* Macquart, 1838b: 65 [1839a: 181]. **Type – MNHN.** Reunion.
- coeruleescens* Macquart, 1834a: 286. Mauritius.

- consistens* Curran, 1928c: 331 (replacement name for *carbonaria* Ricardo). Malawi; DR Congo, Ghana, Uganda.
- carbonaria* Ricardo, 1925: 281 **Type – BMNH.** Malawi [Junior homonym, preocc. *carbonaria* Williston, 1896.]
- contristans* Hobby, 1948: 139. **Type – OXUM.** DR Congo.
- ctenoventris* Oldroyd, 1970b: 228. **Type – MRAC.** DR Congo.
- cyanogaster* Macquart, 1838b: 64 [1839a: 180]. **Type – MNHN.** Mauritius.
- dimidiatifemur* Oldroyd, 1960b: 282. **Type – MNHN.** Madagascar.
- fortipes* Walker, 1857: 128. South Africa.
- hera* Bromley, 1935: 408. **Type – MRAC.** DR Congo.
- iola* Bromley, 1935: 409. **Type – MRAC.** DR Congo; Ghana, Uganda.
- ivorina* Oldroyd, 1968: 386. **Type – MRAC.** Ivory Coast.
- lateralis* Fabricius, 1805: 157 **Type – UZMD.** 'Guinea'; DR Congo, Ghana, Ivory Coast, Liberia, Sierra Leone.
- decula* Walker, 1849: 352 (*Dasypogon*) **Type – BMNH.** Sierra Leone.
- bequaerti* Bromley, 1935: 409. Liberia.
- luctuosa* Macquart, 1847: 53(37). Senegal.
- maynei* Janssens, 1953c: 207. DR Congo.
- metalli* Walker, 1851b: 105. South Africa.
- nigribimba* Bromley, 1935: 406. **Type – MRAC.** DR Congo; Cameroun, Congo, Gambia, Ghana, Liberia, Malawi, Sierra Leone, Uganda.
- ricardoi* Bromley, 1935: 407. **Type – MRAC.** DR Congo; Cameroun, Ghana, Sierra Leone.
- rufitibia* Oldroyd, 1960b: 284. **Type – MNHN.** Madagascar.
- rueppelii* Wiedemann, 1828: 569 (*Dasypogon*). Sudan.
- schoutedeni* Bromley, 1935: 408. **Type – MRAC.** DR Congo; Zambia.
- stuckenbergi* Oldroyd, 1960b: 285. **Type – MNHN.** Madagascar.
- submetallica* Macquart, 1838b: 63 [1839a: 179]. **Type – MNHN.** Mauritius.

**Note:** The status of the genus *Laphria* in the Afrotropical Region required clarification.

#### Genus *LAPHYCTIS* Loew

*LAPHYCTIS* Loew, 1858d: 338 [1860c: 159]. Type species: *Stichopogon gigantella* Loew, 1852, by monotypy. [Reinstated Londt 1988: b]

- gigantella* Loew, 1852: 658 [1862d: 5] (*Stichopogon*) **Type – ZMHB.** Mozambique; Kenya, Namibia, South Africa, Zimbabwe.
- argenteofasciata* Engel, 1929a: 162 **Type – BMNH.** Kenya.
- clausicella* Engel, 1929a: 162. [Unavailable name: first published as synonym of *argenteofasciata*.]
- kochi** Lindner, 1973: 74 (*Laphystia*). **Type – SMNS.** Namibia.
- orichalcea** Lindner, 1973: 75 (*Laphystia*). **Type – SMNS.** Namibia.

#### Genus *LAPHYSTOTES* Oldroyd

*LAPHYSTOTES* Oldroyd, 1974a: 103. Type species: *Dasythrix albicans* Engel, 1932, by original designation.

- albicans* Engel, 1932a: 256 (*Dasythrix*) **Type – BMNH.** Zimbabwe; **Namibia, South Africa.**
- ariel** Londt, 2004a: 22. **Type – NMSA.** **South Africa.**

#### Genus *LAXENECERA* Macquart

- LAXENECERA* Macquart, 1838b: 77 [1839a: 193]. Type species: *Laxenecera albobarbis* Macquart, 1838, by designation of Hermann (1919: 340).
- SENOXERICERA* Macquart, 1849b: 375(71). Type species: *Senoxericera albobarbis* Macquart, 1849 [junior homonym, preocc. *albobarbis* Macquart, 1838, = *Laxenecera macquarti* Oldroyd, nom.n.], by monotypy.
- ACURANA* Walker, 1851b: 107. Type species: *Acurana sexfasciata* Walker, 1851, by monotypy.
- DYSERIS* Loew, 1858c: 357. Type species: *Laphria albicincta* Loew, 1852, by designation of Hull (1962: 344).
- abdominalis* Oldroyd, 1970b: 238. **Type – MRAC.** DR Congo.
- albicincta* Loew, 1852: 659 [1862d: 9] (*Laphria*). **Type – ZMHB.** Mozambique; eastern & sthn. Afr. from Ethiopia to South Africa, also Congo basin.
- apiformis* Walker, 1855: 571 **Type – BMNH.** South Africa.
- nigrocuprea* Walker, 1855: 572 **Type – BMNH.** South Africa.
- zonata* Loew, 1858c: 358 (*Dysseris*) [1860c: 195 (*Laxenecera*)]. South Africa.
- stuhlmanni* Röder, 1893: 205. Mozambique.
- splendida* Hermann, 1919: 341 (as var.). Malawi.
- andrenoides* Macquart, 1846: 204(76). South Africa; Botswana.
- auribarba* Karsch, 1879: 378 **Type – ZMHB.** Angola.
- auricomata* Hermann, 1919: 351 **Type – BMNH ZSMC.** Kenya; DR Congo, Uganda.
- auripes* Hermann, 1919: 354 **Type – BMNH ZSMC.** Sierra Leone; Ivory Coast.
- chapini* Curran, 1927k: 9 **Type – AMNH.** DR Congo.
- chrysonema* Oldroyd, 1970b: 242. **Type – MRAC.** DR Congo.
- cooksoni* Oldroyd, 1974a: 106 **Type – NMSA.** Mozambique.
- dasypoda* Speiser, 1910a: 94. Tanzania; Angola, Malawi, Mozambique, Zambia, Zimbabwe.
- dimidiata* Curran, 1927k: 7 **Type – AMNH.** DR Congo.
- engeli* Oldroyd, 1974a: 106 **Type – BMNH.** Zimbabwe; Zambia.
- andrenoides*, Engel, not Macquart (misident.).
- francoisi* Oldroyd, 1970b: 240. **Type – ISNB.** DR Congo.
- gymna* Oldroyd, 1970b: 242. **Type – ISNB.** DR Congo.
- heteronevra* Macquart, 1838b: 70 [1839a: 186] (*Laphria*). **Type – MNHN.** [Arabia.]
- langi* Curran, 1927k: 10 **Type – AMNH.** DR Congo.
- macquarti* Oldroyd, 1980: 353 [nom. n. for *albobarbis* Macquart. Senegal.
- albobarbis* Macquart, 1849b: 375(71) (*Senoxericera*). **Type – OXUM.** Senegal. [Junior homonym, preocc. *albobarbis* Macquart, 1838.]
- misema* Oldroyd, 1970b: 239. **Type – MRAC.** DR Congo.
- moialeana* Seguy, 1939: 128. Ethiopia.
- mollis* Loew, 1858c: 358 (*Dysseris*) [1860c: 195 (*Laxenecera*)]. South Africa; Botswana.
- nigrociliata* Hermann, 1919: 356 **Type – BMNH ZSMC.** Ethiopia & Kenya; DR Congo.
- niveibarba* Hermann, 1919: 357 **Type – BMNH ZSMC.** Nigeria & Senegal; South Africa.
- pulchella* Oldroyd, 1970b: 239 **Type – BMNH.** Somalia; Kenya.
- rufitarsis* Bezzi, 1908e: 377. DR Congo; Angola, Burundi.
- funditor* Curran, 1927k: 8 **Type – AMNH.** DR Congo.
- scopifera* Speiser, 1910a: 95. **Type – MNHN ZMHB.** Tanzania; Ethiopia, Kenya, Uganda.
- serpentina* Hermann, 1919: 350. **Type – ZSMC.** Ethiopia.
- sororcula* Karsch, 1888: 374 **Type – ZMHB.** Kenya/Tanzania.
- tristis* Bigot, 1858: 352. **Type – MNHN.** Gabon.

#### Genus *NANNOLAPHRIA* Londt

***NANNOLAPHRIA* Londt, 1977: 47. Type species: *Nannolaphria niger* Londt, 1977, by original designation.**

*nigra* Londt, 1977: 48 (as *niger*) Type – NMSA. South Africa & Transkei.

#### Genus *NOTIOLAPHRIA* Londt

*NOTIOLAPHRIA* Londt, 1977: 50. Type species: *Laphria macra* Bigot, 1859, by original designation.

*africana* Londt, 1977: 53 Type – NMSA. South Africa & Zimbabwe.

*macra* Bigot, 1859d: 415 (*Laphria*). Type – OXUM. Madagascar; Mauritius.

*nusoides* Bromley, 1931: 287 (*Laphria*). Madagascar.

#### Genus *NUSA* Walker

*NUSA* Walker, 1851b: 105. Type species: *Nusa aequalis* Walker, 1851, by designation of Hermann (1912: 243).

*DASYTHRIX* Loew, 1851a: 21 (as subgenus of *Laphria*). Type species: *Laphria infumata* Loew, 1851, by designation of Engel (1928: 236).

*HALICTOSOMA* Rondani, 1873: 298. Type species: *Halictosoma puella* Rondani, 1873, by monotypy.

*eos* Londt, 2006a: 116. Type – BMNH. Kenya; Ethiopia, Somalia, Tanzania.

*infumata* Loew, 1851a: 21 (*Laphria*) Type – ZMHB. South Africa; eastern & sthn. Afr. from Kenya to Namibia, Yemen (Socotra).

*brachyptera* Loew, 1851a: 21 (*Laphria*) Type – ZMHB. South Africa.

*stenura* Loew, 1858c: 358 [1860c: 197] (*Dasythrix*). South Africa.

*dispar* Gerstaecker, 1871: 362 (*Dasythrix*) Type – ZMHB. Tanzania (Zanzibar).

*vittipes* Bezzi, 1915a: 226 (*Dasythrix*) Type – MZUF. Somalia.

*gaerdesi* Lindner, 1973: 79 Type – SMNS. Namibia.

*ingwavuma* Oldroyd, 1974a: 109 Type – NMSA. South Africa.

#### Genus *ORTHOGONIS* Hermann

*ORTHOGONIS* Hermann, 1914: 132. Type species: *Laphria scapularis* Wiedemann, 1828, by original designation.

*madagascarensis* Bromley, 1942: 16. Madagascar.

#### Genus *PERASIS* Hermann

*PERASIS* Hermann, 1905: 37. Type species: *Perasis sareptana* Hermann, 1905, by monotypy.

*SAUCROPOGON* Hull, 1962: 103. Type species: *Perasis transvaalensis* Ricardo, 1925, by original designation.

*carpenteri* Oldroyd, 1970b: 245 Type - BMNH. Uganda; Burundi.

*transvaalensis* Ricardo, 1925: 245 (as *transvalensis*) Type – SAMC.

*maura* Engel, not Macquart (misident.).

*capensis* Engel, 1929a: 162 [Unavailable name: first published as synonym.] Type – NMSA.

*meridionalis* Engel, 1929a: 162. [Unavailable name: first published as synonym.]

#### Genus *PILOPHONEUS* Londt

**PILOPHONEUS** Londt, 1988b: 518. Type species: *Gerrholasius krugeri* Oldroyd, 1974, by original designation and monotypy.

*krugeri* Oldroyd, 1974a: 93 (*Gerrholasius*) Type – BMNH. South Africa.

#### Genus *PROAGONISTES* Loew

*PROAGONISTES* Loew, 1858c: 367 [1860c: 242]. Type species: *Proagonistes validus* Loew, 1858 [= *Laphria praeceps* Walker, 1855], by monotypy.

*africanus* Ricardo, 1925: 278 (*Nusa*) Type – BMNH. Malawi; Mozambique.  
*apicalis* Curran, 1927k: 6 (*Lamyra*) Type – AMNH. DR Congo; Congo, Nigeria.  
*athletes* Speiser, 1907b: 356. Type – ZSMC. Tanzania; Malawi, Mozambique.  
*austeni* Bromley, 1930: 221 Type – BMNH. Malawi; Zimbabwe.  
*flammipennis* Tsacas & Menier, 1979: 91. Type – MNHN. Cameroun.  
*gigantipes* Bromley, 1930: 219 Type – BMNH. Madagascar.  
*igniferus* Engel & Cuthbertson, 1937: 12 (*Andrenosoma*) Type – NMBZ. Zimbabwe.  
*lampyroides* Oldroyd, 1970b: 254. Type – MNHN. Gabon; DR Congo,  
*leoninus* Bromley, 1930: 216 Type – BMNH. Sao Tome.  
*mystaceus* Bromley, 1930: 218 Type – BMNH. Kenya.  
*neavei* Bromley, 1930: 230 Type – BMNH. Uganda; DR Congo.  
*oldroydi* Tsacas & Menier, 1979: 93. Type – MNHN. Congo; Gabon.  
*piomelas* Speiser, 1907b: 358. Cameroun; Congo, DR Congo, Ghana, Ivory Coast.  
*praeceps* Walker, 1855: 542 (*Laphria*) Type – BMNH. South Africa; Zimbabwe.  
*validus* Loew, 1858c: 367 [1860c: 242]. South Africa.  
*praedo* Austen, 1909d: 87 Type – BMNH. Uganda; Gabon.  
*redimiculum* Speiser, 1914: 7. Cameroun; DR Congo.  
*rufibarbis* Fabricius, 1805: 157 (*Laphria*) Type – UZMD. 'Guinea'; DR Congo, Ghana, Ivory Coast.  
*fulviceps* Macquart, 1850a: 376(72) (*Laphria*). 'Nouvelle-Hollande' [error].  
*saliodes* Bromley, 1930: 221 Type – BMNH. Malawi.  
*seyrigi* Timon-David, 1951: 161. Type – MNHN. Madagascar.  
*superbiens* Bezzi, 1908e: 378 (*Laphria*). Gabon; Congo, DR Congo.  
*ufens* Walker, 1849: 372 (*Laphria*) Type – BMNH. Sierra Leone.  
*vulpinus* Bromley, 1930: 219 Type – BMNH. Sao Tome.

#### Genus *PRYTANIA* Oldroyd

*PRYTANIA* Oldroyd, 1974a: 113. Type species: *Prytania albida* Oldroyd, 1974, by original designation.

*albida* Oldroyd, 1974a: 114 Type – BMNH. Namibia; Angola.

#### Genus *SMERYNGOLAPHRIA* Hermann

*SMERYNGOLAPHRIA* Hermann, 1912: 226. Type species: *Laphria melanura* Wiedemann, 1828, by original designation.

*bicolorala* Tomasovic, 2003: 50 Type – USAG. Madagascar.  
*pallida* Bromley, 1935: 410 Type – MCZC. DR Congo.  
*bromleyi* Londt, 1989b: 153 Type – NMWC. Nigeria.

Genus *STIPHROLAMYRA* Engel

*STIPHROLAMYRA* Engel, 1928: 231. Type species: *Lamyra bipunctata* Loew, 1858, by original designation.

*albibarbis* Engel, 1928: 232. **Type – ZSMC.** South Yemen.

*angularis* Loew, 1858d: 338 [1860c: 188] (*Lamyra*). South Africa; **Mozambique, Namibia, Zimbabwe.**

*versicolor* Ricardo, 1925: 277 (*Lamyra*). South Africa.

*rubra* Bromley, 1935: 413 (*Lamyra*). **Type – MRAC.** DR Congo.

*anna* Londt, 1983a: 417 **Type – NMSA.** South Africa.

*apicalis* Curran, 1927k: 6 (*Lamyra*) **Type – AMNH.** DR Congo.

*bipunctata* Loew, 1858d: 338 [1860c: 187] (*Lamyra*) **Type – ZMHB.** Namibia; **South Africa.**

*comans* Hobby, 1939: 254 **Type – BMNH.** Kenya; Uganda.

*dixanthia* Hermann, 1907a: 72 [1908: 168] (*Lamyra*) **Type – ZSMC ZMHB.** Namibia.

*hermanni* Londt, 1983a: 423 **Type – NMSA.** South Africa.

*schoemani* Londt, 1983a: 425 **Type – NMSA.** South Africa; Namibia.

*vincenti* Londt, 1983a: 426 **Type – SAMC.** South Africa; Botswana.

Genus *STORTHYNGOMERUS* Hermann

*STORTHYNGOMERUS* Hermann, 1919: 337. Type species: *Dasypogon tridentatus* Fabricius, 1805, by original designation.

*NUSINA* Curran, 1927k: 7. Type species: *Laphria dymes* Walker, 1849 [= *Dasypogon tridentatus* Fabricius, 1805], by original designation.

*minor* Lindner, 1955d: 35. **Type – SMNS.** Tanzania; Kenya.

*potanodrilus* Londt, 1998: 160. **Type – NMSA.** South Africa.

*toroensis* Oldroyd, 1970b: 233 **Type – BMNH.** Uganda; DR Congo.

*tridentatus* Fabricius, 1805: 167 (*Dasypogon*) **Type – UZMD.** 'Guinea'; Botswana, Cameroon, DR Congo, Gabon, Gambia, Ghana, Ivory Coast Kenya, Liberia, Madagascar, Malawi, Mozambique, Nigeria, Sierra Leone, South Africa, Uganda, Zimbabwe.

*dymes* Walker, 1849: 377 (*Laphria*) **Type – BMNH.** Sierra Leone.

*aurea* Bromley, 1935: 411 (*Nusina*). **Type – MRAC.** DR Congo.

Genus *SYSTROPALPUS* Hull

*SYSTROPALPUS* Hull, 1962: 355. Type species: *Systropalpus aurivulpes* Hull, 1962, by original designation.

*aurivulpes* Hull, 1962: 356. Ethiopia.

Genus *TRICHARDIS* Hermann

*Trichardis* Hermann, 1906: 137. Type species: *Laphria testacea* Macquart, 1838, by designation of Hermann (1920: 177).

*STROBILOTHRIX* Becker, 1907b: 42. Type species: *Strobilothrix albipila* Becker, 1907 [= *Hoplistomera leucocoma* Wulp, 1899], by monotypy.

*apicalis* Oldroyd, 1974a: 120 **Type – BMNH.** Mozambique; South Africa.

*cribrata* Loew, 1858c: 357 [1860c: 193] (*Hoplistomera*). South Africa; Zimbabwe.

- erythrogaster* Hermann, 1920: 178. *Nomen nudum*.  
*grisescens* Engel, 1924: 108 **Type – BMNH**. Gambia; Kenya.  
    *grisescens* Hermann, 1920: 178. *Nomen nudum*.  
*katangaensis* Oldroyd, 1970b: 248. **Type – MRAC**. DR Congo; Tanzania.  
*leucocoma* Wulp, 1899: 90 (*Hoplistomera*). **Type – ZSMC**. South Yemen; Egypt, N. Afr., Arabia.  
    *albipila* Becker, 1907b: 43 (*Strobilothrix*). Algeria.  
*lucifera* Oldroyd, 1974a: 120 **Type – BMNH**. Namibia.  
*nigrescens* Ricardo, 1903: 362 (*Hoplistomera*) **Type – BMNH**. Yemen (Socotra).  
*picta* Hermann, 1906: 139. **Type – ZSMC**. South Africa.  
***pohli* Geller-Grimm, 2002: 472.** **Type – HLMD**. Yemen (Socotra).  
*terminalis* Oldroyd, 1974a: 118 **Type – NMSA**. Zimbabwe; Botswana.  
*testacea* Macquart, 1838b: 63 [1839a: 179] (*Laphria*). **Type – MNHN**. South Africa; Namibia.  
    *testacea* Hermann, 1906: 137. **Type – ZSMC**. South Africa. [Junior synonym and junior  
        homonym, preocc. *testacea* Macquart, 1838.]  
*turneri* Oldroyd, 1974a: 120 **Type – BMNH**. South Africa.

---

Subfamily LEPTOGASTRINAE Schiner, 1862

---

Genus *AMMOPHILOMIMA* Enderlein

*AMMOPHILOMIMA* Enderlein, 1914d: 155. Type species: *Ammophilomima imitatrix* Enderlein, 1914, by original designation.

- aequinoctialis* Janssens, 1953b: 9. **Type – ISBNB.** DR Congo.
- auripennis* Janssens, 1953b: 5. **Type – ISBNB.** DR Congo.
- basilewskyi* Janssens, 1953b: 10. DR Congo.
- eumenoides* Janssens, 1953b: 4. **Type – ISBNB.** DR Congo.
- evanescens* Janssens, 1953b: 7. **Type ISBN MRAC.** DR Congo.
- ghesquierei* Janssens, 1953b: 8. **Type – ISBNB.** DR Congo.
- imitatrix* Enderlein, 1914d: 155. Cameroun; Nigeria.
- montana* Janssens, 1955: 303. **Type – MRAC.** Burundi.
- straeleni* Janssens, 1953b: 6. **Type – ISBNB.** DR Congo.

Genus *EUSCELIDIA* Westwood

*EUSCELIDIA* Westwood, 1850: 232. Type species: *Euscelidia rapax* Westwood, 1850, by monotypy.

***DOLICHOSCIUS* Janssens, 1953a: 2. [1954b: 120]. Type species: *Dolichoscius francoisi* Janssens, 1953, by monotypy.**

- acuminata* Dikow, 2003: 16. **Type – NMSA.** Namibia; Angola.
- adusta* Dikow, 2003: 18. **Type – ZMHB.** Cameroon; Uganda.
- anthrax* Janssens, 1957: 2 **Type – lost.** Botswana; Malawi, South Africa.
- artaphernes* Speiser, 1910a: 83 (*Leptogaster*). **Type – NHRS.** Tanzania; Burundi, Cameroon, DR Congo, Ethiopia, Kenya, Mozambique, Malawi, South Africa, Tanzania, Togo, Uganda, Zambia, Zimbabwe.
- atrata* Dikow, 2003: 27. **Type – BMNH.** DR Congo.
- bechuana* Dikow, 2003: 21. **Type – NMSA.** Botswana; Namibia, South Africa, Zimbabwe.
- bequaerti* Janssens, 1957: 5. **Type – ISBNB.** DR Congo; Cameroon, Ivory Coast, Malawi, Mali.
- bicolor* Janssens, 1954b: 123. **Type – MRAC.** DR Congo; Angola, Malawi, Namibia, Zimbabwe.
- bishariensis* Efflatoun, 1937: 420. **Type – ?.** Sudan; Eritrea.
- brunnea* Loew, 1858c: 353 [1860c: 175] (*Leptogaster*). **Type – NHRS.** South Africa; Botswana.
- cacula* Dikow, 2003: 40. **Type – BMNH.** Angola.
- cana* Dikow, 2003: 32. **Type – NMSA.** South Africaca.
- capensis* Dikow, 2003: 34. **Type – BMNH.** South Africa.
- castanea* Janssens, 1954b: 124. **Type – MRAC.** DR Congo; Uganda.
- crena* Dikow, 2003: 43. **Type – NMSA.** Kenya.
- datis* Walker, 1849: 483 (*Leptogaster*). **Type – BMNH.** Sierra Leone; Burkina Faso, Cameroon, Central African Republic, DR Congo, Ghana, Ivory Coast, Kenya, Nigeria, Senegal, Sierra Leone, Tanzania, Uganda.
- pilipes* Curran, 1927k: 2 (*Lasiocnemus*) **Type – AMNH.** DR Congo.
- discors* Speiser, 1913b: 141. **Type – ?.** Cameroun.
- dorata* Oldroyd, 1970b: 220. **Type – MRAC.** DR Congo; Angola, DR Congo, Ethiopia, Gambia,

- Zambia, Zimbabwe.**
- erichthenii* Dikow, 2003: 57. Type – SMNS. Ethiopia.
- fastigium* Martin, 1964: 276. Type – NHMB. Madagascar.
- festiva* Janssens, 1954b: 123. Type – MRAC. DR Congo; Cameroon, DR Congo, Malawi, Nigeria, Uganda, Zambia.
- fistula* Dikow, 2003: 61. Type – ISBN. South Africa; Zimbabwe.
- francoisi* Janssens, 1953a: 2 (*Dolichoscius*) Type – ISBN. Burundi; DR Congo, Mozambique, Rwanda.
- longipes* Janssens, 1954b: 120. Type – MRAC. DR Congo.
- herperia* Dikow, 2003: 68. Type – NMSA. Gambia; Senegal.
- hyalina* Dikow, 2003: 69. Type – USNM. Chad.
- insolita* Dikow, 2003: 71. Type – ISBN. DR Congo.
- kasungu* Dikow, 2003: 72. Type – NMSA. Malawi.
- lata* Dikow, 2003: 51. Type – NMSA. Ivory Coast; Cameroon, Liberia.
- longibifida* Dikow, 2003: 75. Type – NMSA. South Africa, Mozambique.
- lucida* Oldroyd, 1939: 28 Type – BMNH. Uganda; DR Congo, Nigeria, Uganda.
- lucioides* Dikow, 2003: 79. Type – USNM. Kenya.
- milva* Dikow, 2003: 52. Type – NMSA. Ghana; Nigeria, Uganda.
- moyoensis* Oldroyd, 1970b: 222. Type MRAC. DR Congo; Burundi, Cameroon.
- mucronata* Dikow, 2003: 84. Type – BMNH. Kenya.
- natalensis* Dikow, 2003: 35. Type – NMSA. South Afriva; Mozambique.
- nenemusha* Speiser, 1910a: 84. (*Leptogaster*) Type – NHRS. Tanzania.
- nitida* Wiedemann, 1828: 535 (*Leptogaster*). Type – ZMHB. Sudan/Egypt; Arabia.
- notialis* Dikow, 2003: 36. Type – NMSA. South Africa.
- obtusa* Dikow, 2003: 88. Type – NMSA. Kenya; Zimbabwe.
- obudu* Dikow, 2003: 89. Type – BMNH. Nigeria.
- ochricornis* Loew, 1859c: 352 [1860c: 173] (*Leptogaster*). Type – NHRS. South Africa; Swaziland.
- peteraxi* Dikow, 2003: 92. Type – NMSA. Namibia.
- picta* Dikow, 2003: 94. Type – ZMHB. Tanzania
- pipinna* Dikow, 2003: 94. Type – NMSA. Botswana.
- procula* Walker, 1849: 482 (*Leptogaster*) Type – BMNH. Sierra Leone; Angola, Botswana, Burundi, Cameroon, DR Congo, Gambia, Ghana, Guinea, Kenya, Liberia, Malawi, Mozambique, Namibia, Nigeria, South Africa, Tanzania, Uganda, Zimbabwe.
- melanostoma* Janssens, 1953a: 6 (as var.). Burundi.
- oldroydi* Lindner, 1955d: 28. Type – SMNS. Tanzania.
- stigmatical* Loew, 1852: 658 [1862d: 5] Type – ZMHB. (*Leptogaster*). Mozambique; South Africa.
- pulchra* Dikow, 2003: 102. Type – NMSA. South Africa; Angola, Botswana, Kenya, Namibia, Swaziland, Tanzania, Uganda.
- rapax* Westwood, 1850: 232. Type – OXUM. `Africa tropicali ?'
- schoutedeni* Janssens, 1954c: 401. Type – MRAC. DR Congo; Cameroon.
- senegalensis* Dikow, 2003: 108. Type – MZLU. Senegal.
- trifoliata* Janssens, 1953a: 4. Type – ISBN. Burundi; Malawi.
- tsavo* Dikow, 2003: 112. Type – NMSA. Kenya, Zimbabwe.
- valida* Loew, 1858c: 352 [1860c: 171] (*Leptogaster*). Type – NHRS. South Africa; Kenya, Mali, Nigeria, Tanzania, Zambia, Zimbabwe.
- vallis* Dikow, 2003: 39. Type – NMSA. South Africa.
- venusta* Dikow, 2003: 115. Type – NMSA. South Africa; Kenya, Zimbabwe.
- zumpti* Janssens, 1957: 3. Type – ? South Africa.

#### Genus *LASIOCNECUS* Loew

*LASIOCNECUS* Loew, 1851a: 2 (as subgenus of *Leptogaster*). Type species: *Leptogaster*

*obscuripennis* Loew, 1851, by original designation.  
*LASIOCNEFIS*. Incorrect subsequent spelling of *Lasiocnemus*.

***chapini* Curran, 1927: 7. Type – AMNH. DR Congo.**

***fascipennis* Engel & Cuthbertson, 1939: 185. Type – ZSMC. Kenya; DR Congo, Malawi, Somalia, South Africa, Tanzania, Zimbabwe.**

*fascipennis* Hermann, 1926: 149 *in litt. Nomen nudum*.

***griseicinctipes* Speiser, 1913b: 141. Type – MZHF. Cameroun; Ivory Coast, Nigeria.**

***anthracinus* Janssens, 1952: 9. Type – ISNB. DR Congo.**

*hermanni* Janssens, 1952: 7. Type – ZSMC. Malawi; Mozambique, Tanzania, Zambia.

*hyalipennis* Janssens, 1952: 6. Type – MRAC. DR Congo; South Africa, Zimbabwe.

***londti* Dikow, 2007: 69. Type – NMSA. Kenya; Somalia, South Africa, Tanzania.**

*lugens* Loew, 1858c: 353 [1860c: 178]. Type – NHRS. South Africa; Botswana, Mozambique, Swaziland, Zimbabwe.

*obscuripennis* Loew, 1851a: 2 (*Leptogaster*) Type – ZMHB. Mozambique; Tanzania.

#### Genus *LEPTOGASTER* Meigen

*LEPTOGASTER* Meigen, 1803: 269. Type species: *Asilus tipuloides* Linnaeus, 1758, sensu Fabricius [misident., = *Asilus cylindricus* De Geer, 1776], by monotypy.

*GONYPES* Latreille, [1805]: 309. Type species: *Asilus tipuloides* Linnaeus, 1758, sensu Fabricius [misident., = *Asilus cylindricus* De Geer, 1776], by monotypy.

*MESOLEPTOGASTER* Frey, 1937: 40 (as subgenus). Type species: *Leptogaster fuscatipennis* Frey, 1937, by original designation.

*acanthozona* Janssens, 1954a: 2. Type – MNHN. Madagascar.

*aganniphe* Janssens, 1957: 7. Type – ISNB. Zimbabwe.

*agrionina* Speiser, 1910a: 85. Tanzania.

*albitarsis* Macquart, 1846: 224 (96) (*Gonypes*). South Africa.

*angustilineola* Martin, 1964: 277. Type – MNHN. Madagascar.

*antennalis* Janssens, 1954a: 6. Type – MNHN. Madagascar.

*antiquaria* Martin, 1964: 278. Madagascar.

*apicalis* Janssens, 1954b: 132. Type – MRAC. DR Congo. [Junior homonym, preocc. *apicalis* Enderlein, 1914.]

*aristalis* Janssens, 1957: 10. Type – ISNB. DR Congo.

*basilewskyi* Janssens, 1955: 304. Type – MRAC. DR Congo.

*bianulata* Martin, 1964: 279. Madagascar.

*calvimacula* Martin, 1964: 280. Type – MNHN. Madagascar.

*canuta* Martin, 1964: 280. Type – MNHN. Madagascar.

*collata* Martin, 1964: 281. Madagascar.

*concava* Martin, 1964: 281. Madagascar.

*coniata* Oldroyd, 1960c: 294. Type – MNHN. Madagascar.

*cracens* Martin, 1964: 282. Madagascar.

*cressoni* Bromley, 1942: 13. Madagascar.

*dasyphlebia* Martin, 1964: 283. Type – MNHN. Madagascar.

*decellei* Oldroyd, 1968: 382. Type – MRAC. Ivory Coast.

*diluta* Martin, 1964: 284. Madagascar.

*ealensis* Janssens, 1954d: 303. Type – MRAC. DR Congo.

*elbaiensis* Efflatoun, 1937: 424. Sudan.

*elongata* Martin, 1964: 284. Madagascar.

*entebbensis* Oldroyd, 1939: 26 Type – BMNH. Uganda.

*evanescens* Janssens, 1954b: 127. Type – MRAC. DR Congo.

*faragi* Efflatoun, 1937: 427. Sudan.

*flavobrunnea* Hull, 1967: 253. South Africa.

- freyi* Bromley, 1951: 5 (replacement name for *madagascarensis* Bromley). Madagascar.  
*madagascarensis* Bromley, 1942: 12. Madagascar. [Junior homonym, preocc.  
*madagascariensis* Frey, 1937.]  
*fumosa* Janssens, 1954d: 302. **Type – MRAC.** DR Congo.  
*fuscifacies* Martin, 1964: 285. **Type – MNHN.** Madagascar.  
*galbicepsa* Martin, 1964: 286. Madagascar.  
*globopyga* Hull, 1967: 250. South Africa.  
*hermelina* Janssens, 1954b: 130. **Type – MRAC.** DR Congo.  
***hieroglyphica* Janssens, 1954b: 8. Madagascar.**  
*insularis* Janssens, 1954a: 5. **Type – MNHN.** Madagascar.  
*keiseri* Martin, 1964: 287. Madagascar.  
*krada* Oldroyd, 1960c: 295. **Type – MNHN.** Madagascar.  
*lambertoni* Bromley, 1942: 11. Madagascar.  
*longicrinita* Martin, 1964: 288. **Type – MNHN.** Madagascar.  
*longitibialis* Efflatoun, 1937: 431. Sudan: **Yemen (Socotra).**  
*ludens* Curran, 1927k: 1. **Type – AMNH.** DR Congo.  
*maculipennis* Janssens, 1957: 4. South Africa.  
*madagascariensis* Frey, 1937: 45. Madagascar.  
*masaica* Lindner, 1955d: 27. Tanzania.  
*medicesta* Martin, 1964: 289. Madagascar.  
*megafemur* Hull, 1967: 251. South Africa.  
*melanomystax* Janssens, 1954b: 133. **Type – MRAC.** DR Congo.  
*nerophana* Oldroyd, 1960c: 296. **Type – MNHN.** Madagascar.  
*nitens* Bromley, 1947: 109. South Africa.  
*odostata* Oldroyd, 1960c: 296. **Type – MNHN.** Madagascar.  
*pellucida* Janssens, 1954b: 132. **Type – MRAC.** DR Congo.  
*penicillata* Janssens, 1954b: 130. **Tyoe – MRAC.** DR Congo.  
*petiola* Martin, 1964: 290. Madagascar.  
*pictipennis* Loew, 1858c: 353 [1860c: 176]. South Africa; widespread W. Afr. to E. Afr., Rwanda, & sthn Afr.  
*pilicnemis* Janssens, 1954b: 129. **Type – MRAC.** DR Congo.  
*plebeja* Janssens, 1957: 9. **Type – ISBN.** DR Congo.  
*puella* Janssens, 1953a: 6. **Type – ISBN.** Burundi.  
*pyragra* Janssens, 1957: 8. **Type – ISBN.** DR Congo.  
*radialis* Janssens, 1954a: 5. **Type – MNHN.** Madagascar.  
*revurva* Martin, 1964: 291. **Type – MNHN.** Madagascar.  
*rufa* Janssens, 1953a: 9. **Type – ISBN.** Burundi.  
*rufescens* Janssens, 1954b: 125. **Type – MRAC.** DR Congo.  
*ruficepsa* Martin, 1964: 292. Madagascar.  
*rufirostris* Loew, 1858c: 353 [1860c: 175]. South Africa.  
*schoutedeni* Janssens, 1954c: 401. **Type – MRAC.** DR Congo.  
*sericea* Janssens, 1954b: 131. **Type – MRAC.** DR Congo.  
*seyrigi* Janssens, 1954a: 4. **Type – MNHN.** Madagascar.  
*stichosoma* Janssens, 1957: 6. DR Congo.  
*tarsalis* Janssens, 1954b: 129. **Type – MRAC.** DR Congo.  
*tenuis* Loew, 1858c: 353 [1860c: 177]. South Africa.  
*ungula* Martin, 1964: 293. Madagascar.  
*upembana* Janssens, 1954b: 128. **Type – MRAC.** DR Congo.  
*urundiana* Janssens, 1953a: 7. **Type – ISBN.** Burundi.  
*velutina* Janssens, 1954b: 127. **Type – MRAC.** DR Congo.

#### Genus *LOBUS* Martin

*LOBUS* Martin, 1972: 8. Type species: *Leptogaster pallipes* Janssens, 1953, by original designation.

*NANILOBUS* Martin, 1972: 15 (as subgenus). Type species: *Lobus himalayae* Martin, 1972, by original designation.

*bicingulatus* Bezzi, 1906c: 279 (*Leptogaster*). **Type – MZUF.** Ethiopia (Eritrea).

*janssensi* Martin, 1972: 11. **Type – MRAC.** DR Congo.

*kenyae* Martin, 1972: 12. Kenya.

*liberiae* Martin, 1972: 14. Liberia.

*pallipes* Janssens, 1953a: 9 (*Leptogaster*). **Type – ISNB.** Rwanda.

*unilineatus* Martin, 1972: 14. **Type – MRAC.** DR Congo.

*vindex* Janssens, 1954b: 125 (*Leptogaster*). **Type – MRAC.** DR Congo.

---

Subfamily OMMATIINAE Hardy, 1927

---

**Genus AFROESTRICUS Scarbrough**

**AFROESTRICUS** Scarbrough, 2005: 14. Type species: *Ommatius macroscelis* Bezzii, 1906, by original designation.

*abyssinia* Scarbrough, 2005: 16. Type – BMNH. Ethiopia.

*chiastoneurus* Speiser, 1910a (*Ommatius*): 105. Type – NHRS. Tanzania: Burundi, DR Congo, Ethiopia, South Africa.

*senex* Bromley, 1936: 127 (*Ommatius*). Type – NMSA. South Africa.

*eminentis* Scarbrough, 2005: 20. Type – NMSA. Malawi: Mozambique.

*fulaui* Scarbrough, 2005: 23. Type – BMNH. Gambia: Senegal.

*hamulus* Scarbrough, 2005: 25. Type – NMSA. Malawi.

*insectaris* Scarbrough, 2005: 28. Type – CASC. Uganda: Kenya, Rwanda.

*kimerus* Scarbrough, 2005: 30. Type – BMNH. Uganda: Kenya.

*macroscelis* Bezzii, 1906c: 292 (*Ommatius*). Type – MZUF. Eritrea.

*minutus* Bromley, 1936: 129 (*Ommatius*). Type – NMSA. South Africa: Botswana, Mali, Namibia, Zimbabwe.

*morani* Scarbrough, 2005: 39. Type – BMNH. Uganda: Tanzania.

*persuasus* Oldroyd, 1960c: 306 (*Ommatius*). Type – MNHN. Madagascar.

*sadaukii* Scarbrough, 2005: 44. Type – BMNH. Nigeria: Ghana.

*sankofa* Scarbrough, 2005: 47. Type – BMNH. Ghana.

*variabilis* Engel, 1929a: 158 (*Ommatinus*). Type – ZSMC. South Africa: Mozambique, Zambia.

*bevisi* Bromley, 1947: 113 (*Ommatius*). Type – ??. South Africa.

*munroi* Bromley, 1936: 127 (*Ommatius*). Type – NMSA. South Africa.

*varipes* Curran, 1927k: 14 (*Ommatius*). Type – AMNH. DR Congo: Angola, Burundi, Cameroon, Congo, Nigeria, Rwanda, Uganda.

*garambensis* Oldroyd, 1970b: 323 (*Ommatius*). Type – MRAC. DR Congo.

*velatus* Scarbrough, 2005: 57. Type – BMNH. Nigeria: Angola, DR Congo, Namibia.

*verutus* Scarbrough, 2005: 61. Type – MRAC. DR Congo.

*victus* Scarbrough, 2005: 63. Type – CASC. Tanzania: Kenya.

*vittatus* Curran, 1927k: 13 (*Ommatius*). Type – AMNH. DR Congo: Angola, Chad, Gabon, Mali, Senegal, Uganda, Yemen.

*vorax* Scarbrough, 2005: 68. Type – MRAC. Niger: Uganda.

**Genus COPHINOPODA Hull**

**COPHINOPODA** Hull, 1958b: 251. Type species: *Asilus chinensis* Fabricius, 1794, by original designation.

*aldabraensis* Tsacas & Artigas, 1994: 467. Type – BMNH. Aldabra Is; Cosmoledo Is.

*borbonica* Tsacas & Artigas, 1994: 469. Type – MNHN. Reunion Is.

*matilei* Tsacas & Artigas, 1994: 470. Type – MNHN. Maurice Is.

*pulchripes* Bigot, 1859d: 419 (*Ommatius*). Madagascar; ? Aldabra, Comoro Is., Europa Is., Sainte-Marie Is., Seychelles, Yemen (Socotra).

*mayottae* Bigot, 1859d: 422 (*Ommatius*). Comoro Is.

### Genus *EMPHYSOMERA* Schiner

***EMPHYSOMERA* Schiner, 1866a: 845.** Type species: *Ommatius conopsooides* Wiedemann, 1828, by original designation.

*atrogaster* Bigot, 1859d: 420 (*Ommatius*). Type – OXUM. Madagascar.

*auribarbis* Wiedemann, 1828: 423 (*Ommatius*). Type – ZMHB. Sierra Leone; DR Congo, Guinea, Ivory Coast, Mozambique, Uganda.

*pallidapex* Bigot, 1891b: 372 (*Ommatius*). Type – OXUM. Ivory Coast; Botswana, Chad, Congo, DR Congo, Gabon, Ghana, Ivory Coast, Liberia, Senegal, Sierra Leone, Swaziland, Uganda, Zambia, Zimbabwe.

*macquarti* Bezzi, 1908e: 379 (*Ommatius*). Type – ISBN. DR Congo; South Africa.

*haemorrhoidalis* Lindner, 1955d: 44 (*Ommatius*). Type – SMNS. Tanzania.

*spinalis* Scarbrough & Marascia, 1996: 209. Type – NMSA. Kenya; Chad, Malawi, Mozambique, Zimbabwe

### Genus *MICHOTAMIA* Macquart

*MICHOTAMIA* Macquart, 1838b: 72 [1839c: 188]. Type species: *Michotamia analis* Macquart, 1838, by monotypy.

*ALLOCOTOSIA* Schiner, 1866a: 845. Type species: *Asilus auratus* Fabricius, 1794, by original designation.

*ALLOCOTASIA*. Variant spelling of *Allocotosia*.

*coarctata* Macquart, 1855: 80 (60) (*Ommatius*). Type – OXUM. Madagascar.

*cothurnata* Bigot, 1875: 242 (*Allocotosia*). Type – OXUM. Madagascar.

### Genus *OMMATIUS* Wiedemann

*OMMATIUS* Wiedemann, 1821c: 213. Type species: *Asilus marginellus* Fabricius, 1781, by designation of Coquillett (1910: 579).

*OMMATINUS* Becker, 1925a: 78, 80. Type species: *Ommatius pinguis* Wulp, 1872, by designation of Engel (1926: 37).

*abdelkuriensis* Scarbrough, 2002: 684 Type – BMNH. Yemen (Socotra).

*acornutus* Scarbrough, Marasci & Hill, 2003: 235 Type – NMSA. Malawi.

*albovittatus* Wiedemann, 1824: 25 Type UZMD. Mauritius.

*angustus* Scarbrough, 2003: 615 Type – BMNH. Angola.

*annulitarsis* Curran, 1927k: 10 Type – AMNH. DR Congo.

*bicolor* Martin, 1964: 313. Madagascar.

*bifidus* Martin, 1964: 314. Madagascar.

*callidus* Scarbrough, 2003: 616 Type – MRAC. DR Congo.

*canicoxa* Speiser, 1913b: 142. Cameroun; DR Congo, Ivory Coast.

*heterochaeta* Speiser, 1913b: 143 (as var.) Cameroun.

*carbonarius* Scarbrough, Marasci & Hill, 2003: 239. Type – CNCI. Tanzania.

*concavus* Martin, 1964: 315. Madagascar.

*confusus* Martin, 1964: 316. Madagascar.

*cornutus* Scarbrough, Marasci & Hill, 2003: 240. Type – CASC. DR Congo; Uganda.

*curtus* Scarbrough, Marasci & Hill, 2003: 243. Type – NMSA. Malawi; Tanzania.

*densus* Martin, 1964: 316. Madagascar.

*digitus* Scarbrough, Marasci & Hill, 2003: 246. Type – BMNH. Uganda; DR Congo, Rwanda.

- discus* Martin, 1964: 317. Madagascar.
- drusus* Oldroyd, 1970b: 327 **Type – BMNH.** Uganda; DR Congo.
- erythropygus* Curran, 1927k: 12 **Type – AMNH.** DR Congo.
- fallax* Bigot, 1859d: 421. Madagascar; ? South Africa, ? Tanzania.
- fallax* Bigot, 1875: 247. **Type – OXUM.** South Africa (?). [Junior homonym, preocc. *fallax* Bigot, 1859.]
- fanovana* Bromley, 1942: 16. Madagascar.
- flavipennis* Scarbrough, 2003: 619 Type – MNBZ. Zambia; DR Congo, Zimbabwe.**
- flavipes* Macquart, 1834a: 314. Senegal.
- flavipes* Loew, 1858c: 367 [1860c: 243]. South Africa, [Junior homonym, preocc. *flavipes* Macquart, 1834.]
- furcinus* Martin, 1964: 319. Madagascar.
- fuscovittatus* Ricardo, 1900b: 177. South Africa; Angola.
- geminus* Martin, 1964: 320. Madagascar.
- harlequin* Oldroyd, 1974a: 140 **Type – NMSA.** Mozambique.
- imperator* Oldroyd, 1939: 45 **Type – BMNH OXUM.** Uganda; DR Congo.
- lambertoni* Bromley, 1942: 17. Madagascar.
- lineatus* Martin, 1964: 321. Madagascar.
- longiforceps* Bromley, 1942: 17. Madagascar.
- longinquus* Martin, 1964: 323. Madagascar.
- longipennis* Lindner, 1955d: 45. **Type – SMNS.** Tanzania; DR Congo **Kenya, Tanzania.**
- lurismus* Oldroyd, 1968: 393. **Type – MRAC.** Ivory Coast.
- madagascariensis* Macquart, 1838b: 133 [1839a: 249]. **Type – MNHN.** Madagascar.
- marginosus* Scarbrough, Marasci & Hill, 2003: 251. Type – NMSA. Malawi.**
- nealus* Oldroyd, 1960c: 304. **Type – MNHN.** Madagascar.
- neofimbriatus* Martin, 1964: 324. Madagascar.
- neotenellus* Bromley, 1936: 128 **Type – NMSA.** South Africa.
- nirgantus* Scarbrough, 2003: 621 Type – BMNH. Tanzania; DR Congo.**
- ornatus* Scarbrough, Marasci & Hill, 2003: 254. Type – CASC. Cameroon.**
- orus* Oldroyd, 1968: 392 **Type – BMNH MNHN.** Ghana; Ivory Coast, Nigeria.
- otorus* Oldroyd, 1960c: 305. Madagascar.
- pallidicoxa* Curran, 1927k: 11 **Type – AMNH.** DR Congo.
- pernecessarius* Scarbrough, 2003: 623 Type – CNCI. Uganda; Burundi, DR Congo, Ethiopia, Kenya, Malawi, Nigeria, Rwanda, Tanzania, Zambia.**
- perscientus* Scarbrough, 2003: 626 Type – OXUM. Zimbabwe; Zambia.**
- pisinnus* Martin, 1964: 325. Madagascar.
- planatus* Scarbrough & Marascia, 2000: 166 (sub. gen. *Metommatius*) Type – NMSA. South Africa.**
- politus* Scarbrough & Marascia, 2000: 169 (sub. gen. *Metommatius*) Type – NMSA. Namibia; Botswana, Malawi, South Africa, Tanzania, Zimbabwe.**
- pulchellus* Bromley, 1936: 126 (sub. gen. *Metommatius*) Type – NMSA. South Africa; Ghana, Namibia, Swaziland, Tanzania, Togo, Zimbabwe.**
- puniceus* Martin, 1964: 325. Madagascar.
- pygmaeus* Wiedemann, 1824: 26. **Type – NHMW** (? UZMD). `Guinea'.
- recurvus* Martin, 1964: 326. Madagascar.
- satius* Oldroyd, 1960c: 306. **Type – MNHN.** Madagascar.
- seticrista* Martin, 1964: 328. Madagascar.
- setiger* Martin, 1964: 328. Madagascar.
- sinuatus* Scarbrough, Marasci & Hill, 2003: 256. Type – CNCI. Tanzania.**
- striatus* Efflatoun, 1934: 73 (*Ommatinus*). Sudan.
- tarchetinus* Walker, 1849: 476 **Type – BMNH.** Mauritius.
- tenellus* Wulp, 1899: 97. **Type – OXUM & BMNH.** South Yemen; **Algeria, Chad, Ethiopia** (Eritrea), Niger, Egypt, **Senegal, Sudan.**
- terminalis* Bromley, 1936: 129 **Type – NMSA.** South Africa.
- tibialis* Ricardo, 1903: 129 **Type – BMNH.** South Africa.

*tinctipennis* Curran, 1927k: 13 **Type – AMNH.** DR Congo.  
*tridens* Martin, 1964: 328. Madagascar.  
*triniger* Martin, 1964: 329. Madagascar.  
*tumidus* Martin, 1964: 330. Madagascar.  
*tumulatus* Oldroyd, 1960c: 307. **Type – MNHN.** Comoro Is.  
*upertelus* Oldroyd, 1960c: 307. **Type – MNHN.** Madagascar.  
*venator* Speiser, 1910a: 106. Tanzania.  
*virgulatus* Martin, 1964: 331. Madagascar.

### Genus *PYGOMMATIUS* Scarbrough & Marascia

***PYGOMMATIUS* Scarbrough & Marascia, 2003: 46** (as subgenus of *Ommatius*). Type species: *Ommatius neglectus* Bromley, 1936, by original designation.

*alatipes* Scarbrough & Marascia, 2003: 16 (as sub. gen. *Pygommatius*) Type – NMSA. South Africa; Malawi, Mozambique, Nigeria, Senegal, Swaziland, Tanzania, Zambia, Zimbabwe.  
*albatus* Martin, 1964: 312 (as sub. gen. *Pygommatius*) Type – NHMB. Madagascar.  
*bingeri* Oldroyd, 1968: 390. (as sub. gen. *Pygommatius*) Type – MRAC. Ivory Coast; Ghana, Guinea, Senegal, Sierra Leone.  
*brevicornis* Curran, 1927k: 12 (as sub. gen. *Pygommatius*) Type – AMNH. DR Congo; Congo, Ghana, Guinea, Ivory Coast, Malawi, Nigeria, Sierra Leone.  
*caligula* Oldroyd, 1970b: 324. (as sub. gen. *Pygommatius*) Type – MRAC. DR Congo; Namibia.  
*cingulatus* Bromley, 1936: 128 (as sub. gen. *Pygommatius*) Type – NMSA. Mozambique; South Africa.  
*comosus* Scarbrough & Marascia, 2003: 28 (as sub. gen. *Pygommatius*) Type – CNCI. Uganda; DR Congo.  
*dasypogon* Oldroyd, 1939: 44 (as sub. gen. *Pygommatius*) Type – BMNH. Uganda; Ethiopia, Kenya, Tanzania.  
*digittatus* Oldroyd, 1970b: 321 (as sub. gen. *Pygommatius*) Type – MRAC. DR Congo.  
*fluvius* Scarbrough & Marascia, 2003: 34 (as sub. gen. *Pygommatius*) Type – MNHN. Gabon.  
*grossus* Scarbrough & Marascia, 2003: 35 (as sub. gen. *Pygommatius*) Type – MRAC. DR Congo.  
*imaginus* Scarbrough & Marascia, 2003: 37 (as sub. gen. *Pygommatius*) Type – NMSA. Cameroon; Congo.  
*jaculator* Walker, 1851b: 152 (as sub. gen. *Pygommatius*) Type – BMNH. 'Africa'.  
*limbus* Scarbrough & Marascia, 2003: 40 (as sub. gen. *Pygommatius*) Type – CASC. Zambia.  
*litoreus* Scarbrough & Marascia, 2003: 41 (as sub. gen. *Pygommatius*) Type – CASC. Kenya.  
*lulua* Scarbrough & Marascia, 2003: 43 (as sub. gen. *Pygommatius*) Type – MRAC. DR Congo.  
*magnipes* Scarbrough & Marascia, 2003: 44 (as sub. gen. *Pygommatius*) Type – MNHN. Chad; Cameroon, Nigeria.  
*neglectus* Bromley, 1936: 128 (as sub. gen. *Pygommatius*) Type – NMSA. South Africa; Kenya, Mozambique, Namibia, Zimbabwe.  
*ornatipes* Engel, 1929a: 159 (*Ommatinus*). Type – ZSMC. Zimbabwe; South Africa.  
*pectinus* Scarbrough & Marascia, 2003: 50 (as sub. gen. *Pygommatius*) Type – MZLU. Senegal; Benin, DR Congo, Gambia, Ghana, Nigeria, Sierra Leone.  
*porticus* Scarbrough & Marascia, 2003: 52 (as sub. gen. *Pygommatius*) Type – NMSA. Ivory Coast; Guinea, Nigeria.  
*renudus* Scarbrough & Marascia, 2003: 54 (as sub. gen. *Pygommatius*) Type – CMNH. Cameroon; Nigeria, Central African Republic.  
*segouensis* Scarbrough & Marascia, 2003: 55 (as sub. gen. *Pygommatius*) Type – ZMAN. Mali.  
*strigiatus* Scarbrough & Marascia, 2003: 56 (as sub. gen. *Pygommatius*) Type – NMSA. South Africa; Botswana.  
*talus* Scarbrough & Marascia, 2003: 58 (as sub. gen. *Pygommatius*) Type – NMSA. Ivory Coast;

**Benin, Congo, Ghana, Nigeria.**

***vultus* Scarbrough & Marascia, 2003: 60 (as sub. gen. *Pygommatius*) Type – BMNH. Tanzania.**

Genus *THALLOSIA* Oldroyd

*THALLOSIA* Oldroyd, 1970b: 315. Type species: *Thallosia congoicola* Oldroyd, 1970, by original designation.

*congoicola* Oldroyd, 1970b: 315. **Type – MRAC.** DR Congo; Gambia.

---

Subfamily STENOPOGONINAE Hull, 1962

---

Genus *ACNEPHALUM* Macquart

*ACNEPHALUM* Macquart, 1838b: 51 [1839a: 167]. Type species: *Acnephulum olivieri* Macquart, 1838, by designation of Engel (1929c: 276).

***SPORADOTHRIX* Hermann, 1907a: [1908: 165]. Type species: *Sporadothrix gracilis* Hermann, 1907, by original designation.**

*andrenoides* Wiedemann, 1828: 403 (*Dasypogon*). **Type – NHMW ZMHB.** South Africa.

*cockerelli* Curran, 1934a: 5 **Type – Curran.** South Africa.

*cylindricum* Oldroyd, 1974a: 26 **Type – NMSA.** Namibia.

*dorsale* Macquart, 1838b: 52 [1839a: 168]. South Africa.

*futile* Wulp, 1899: 87. **Type – OXUM.** South Yemen.

*gracilis* Hermann, 1907a: 10 (*Sporadothrix*). **Type – ZMHB.** Botswana; Namibia, South Africa.

*platygaster* Loew, 1858d: 338 [1860c: 170]. Namibia.

*quadratum* Wiedemann, 1828: 404 (*Dasypogon*). **Type – NHMW ZMHB.** South Africa.

Genus *AFROHOLOPOGON* Londt

***AFROHOLOPOGON* Londt, 1994a: 63. Type species: *Holopogon vumba* Oldroyd, 1974, by original designation.**

***CYRTOPOGON* Loew, 1847: 516. Type species: *Asilus ruficornis* Fabricius, 1794, by designation of Rondani (1856: 157). Afrotropical species only.**

***HETEROPOGON* Loew, 1847: 488 (as subgenus of *Dasypogon*). Type species: *Dasypogon manicatus* Meigen, 1820, by designation of Back (1909: 318). Afrotropical species only.**

***HOLOPOGON* Loew, 1847: 473 (as subgenus of *Dasypogon*). Type species: *Dasypogon nigripennis* Meigen, 1820, by designation of Coquillett (1910: 522). Afrotropical species only.**

*africanus* Ricardo, 1925: 275 (*Cyrtopogon*) **Type – SAMC.** South Africa; Namibia.

*anassa* Londt, 2005b: 209 **Type – NMSA.** South Africa; Swaziland.

*argos* Londt, 2005b: 210 **Type – NMSA.** South Africa.

*aspros* Londt, 2005b: 211 **Type – NMSA.** South Africa.

*capensis* Lindner, 1961a: 6 (*Heteropogon*). **Type – SMNS.** South Africa.

*tomentosus* Oldroyd, 1974a: 49 (*Holopogon*) **Type – NMSA.** South Africa.

*chirundu* Londt, 2005b: 215 **Type – NMSA.** Zimbabwe; South Africa.

*dasys* Londt, 2005b: 216 **Type – BMNH.** Oman; Eritrea; South Africa.

*fugax* Loew, 1858c: 350 [1860c: 166] (*Holopogon*). South Africa; Namibia.

*mauros* Londt, 2005b: 218 **Type – NMSA.** South Africa; Botswana, Namibia.

*meilloni* Oldroyd, 1974a: 67 (*Rhabdogaster*) **Type – BMNH.** South Africa.

*melas* Londt, 2005b: 221 **Type – NMSA.** South Africa.

*pardosoros* Londt, 2005b: 221 **Type – NMSA.** South Africa.

*peregrinus* Engel, 1929a: 168 (*Heteropogon*). **Type – ZSMC.** South Africa.

*tanystylos* Londt, 2005b: 224 **Type – NMSA.** South Africa.

*uranopia* Londt, 2005b: 225 **Type – NMSA.** South Africa.

*vumba* Oldroyd, 1974a: 47 (*Holopogon*). Type – NMSA. Zimbabwe.  
*xeros* Londt, 2005b: 227 Type – NMSA. Namibia; South Africa.

#### Genus *AFROSCLEROPOGON* Londt

***AFROSCLEROPOGON* Londt, 1999b: 50.** Type Species: *Dasypogon dilutus* Walker, 1851, by original designation.

*armatus* Oldroyd, 1974a: 77 (*Stenopogon*). Type – NMSA. South Africa; Botswana, Namibia.  
*braunsi* Oldroyd, 1974a: 77 (*Stenopogon*). Type – NMSA. South Africa.  
*bullingtoni* Londt, 1999b: 51. Type – SAMC. South Africa; Namibia.  
*clementsi* Londt, 1999b: 57. Type – SAMC. South Africa.  
*dilutus* Walker, 1851b: 98 (*Dasypogon*) Type – BMNH. South Africa.  
*holoxanthus* Hermann, 1907a: 1. Type – ZSMC. South Africa.  
*pygmaeus* Hull, 1967: 244 (as ssp. of *holoxanthus*). Type – MZLU. South Africa.  
*lavignei* Londt, 1999b: 54. Type – NMSA. Namibia; South Africa.  
*nagatomii* Londt, 1999b: 55. Type – SAMC. South Africa.

#### Genus *AGROSTOMYIA* Londt

***AGROSTOMYIA* Londt, 1994b: 77.** Type species: *Agrostomyia dimorpha* Londt, 1994b, by monotypy and original designation.

*dimorpha* Londt, 1994b: 78 Type – NMSA. South Africa; Namibia.

#### Genus *AMMODAIMON* Londt

***AMMODAIMON* Londt, 1985c: 497.** Type species: *Ammodaimon acares* Londt, 1985c, by monotypy and original designation.

*acares* Londt, 1985c: 497 Type – NMSA. Namibia.

#### Genus *ANASILLOMOS* Londt

***ANASILLOMOS* Londt, 1983c: 284.** Type species: *Anasillomos chrysopos* Londt, 1983, by original designation.

*chrysopos* Londt, 1983c: 284 Type – NMSA. Botswana; Namibia, South Africa.

#### Genus *ANCYLORHYNCHUS* Berthold

*ANCYLORHINQUE* Latreille, 1825: 490. Vernacular name without status in nomenclature.  
***ANCYLORHYNCHUS*** Berthold, 1827: 498 (Latinisation of *Ancylorhinque* Latreille). Type species: *Asilus glaucius* Rossi, 1790, by designation of Engel (1930a: 363). [*Ancylorhynchus* originally proposed without included species: Engel's designation from first six included species (Bezzi, 1903a: 117–118).]  
*XIPHOCERA* Macquart, 1834a: 279. Type species: *Xiphocera percheronii* Macquart, 1934, by monotypy.  
*ANCILORHYNCHUS*, *ANCYLORRHYNCHUS*. Variant spellings of *Ancylorhynchus*.  
*XIPHOCEERA*, *XYPHOCERA*, *XYPHOCERUS*. Variant spellings of *Xiphocera*.

- braunsi* Bromley, 1936: 136 **Type – NMSA.** South Africa; Lesotho.  
*cruciger* Loew, 1858c: 154 (*Xiphocerus*). South Africa; ? Zimbabwe.  
*crux* Beazzi, 1908e: 377. **Type – MRAC.** DR Congo; Malawi, South Africa, Zambia.  
*apicalis* Curran, 1934a: 7 **Type – AMNH.** Zimbabwe.  
*splendens* Bromley, 1936: 137 **Type – NMSA.** South Africa.  
*elbaiensis* Efflatoun, 1937: 274. Sudan.  
*fulvicollis* Bigot, 1879a: 429 (*Xiphocerus*). **Type – OXUM.** South Africa.  
*funebris* Bromley, 1936: 135 **Type – NMSA.** Mozambique.  
*humeralis* Wiedemann, 1821c: 225 (*Dasypogon*). **Type – NHMW (? UZMD).** South Africa.  
*hylaeiformis* Speiser, 1910a: 88 **Type – ZMHB.** Tanzania.  
*insignis* Bromley, 1936: 137 **Type – NMSA.** South Africa.  
*maculatus* Bigot, 1879a: 428 (*Xiphocerus*). **Type – OXUM.** South Africa.  
*magnificus* Bromley, 1936: 136 **Type – NMSA.** South Africa; Malawi, Zimbabwe.  
*munroi* Bromley, 1936: 135 **Type – NMSA.** South Africa.  
*nomadus* Wiedemann, 1828: 397 (*Dasypogon*) [No locality]; Nigeria.  
*nyukinus* Speiser, 1910a: 89. Tanzania.  
*oldroydi* Lindner, 1961a: 3. **Type – SMNS.** Tanzania.  
*pretoriensis* Bromley, 1936: 135 **Type – NMSA.** South Africa.  
*prunus* Oldroyd, 1974a: 32 **Type – NMSA.** Mozambique.  
*quadrimaculatus* Loew, 1858c: 348 [1860c: 155] (*Xiphocerus*) **Type – ZMHB.** South Africa.  
*reynaudii* Macquart, 1838b: 48 [1839a: 164] (*Xiphocera*). **Type – MNHN.** South Africa.  
*striatus* Oldroyd, 1970b: 274. **Type – ISNB.** Burundi.  
*susurrus* Karsch, 1879: 380 (*Xiphocerus*) **Type – ZMHB.** Angola.  
*tricolor* Loew, 1863a: 11 (*Xiphocerus*). South Africa.  
*unifasciatus* Loew, 1858c: 349 [1860c: 156] (*Xiphocerus*). South Africa.  
*variegatus* Bigot, 1879a: 429 (*Xiphocerus*). **Type – OXUM.** South Africa.  
*zonalis* Bromley, 1936: 137 **Type – NMSA.** South Africa.

#### Genus *BANA* Londt

*BANA* Londt, 1992a: 91. Type species: *Bana apicida* Londt, 1992, by monotypy and original designation.

*apicida* Londt, 1992a: 92. Type – NMSA. Namibia.

#### Genus *CONNOMYIA* Londt

*CONNOMYIA* Londt, 1992c: 101. Type Species *Scylaticus leoninus* Engel, 1932 by original designation.

*annae* Londt, 1993: 109. Type – NMSA. Malawi; Mozambique, South Africa, Zimbabwe.

*argyropodus* Londt, 1993: 110. Type – NMSA. Namibia; Zimbabwe.

*argyropus* Engel, 1932a: 278 (*Scylaticus*) **Type – ZSMC.** South Africa; ? Ethiopia, Kenya, Tanzania.

*barkeri* Bromley, 1947: 110 (*Scylaticus*) **Type – DMSA.** Zimbabwe; Botswana, Namibia, South Africa.

*briani* Londt, 1993: 115. Type – NMSA. Namibia.

*callima* Londt, 1993: 116. Type – NMSA. Namibia; South Africa.

*compressa* Karsch, 1886b: 56 (*Spanurus*) **Type – ZMHB.** Angola.

*elliotti* Londt, 1993: 117. Type – NMSA. Botswana; Zimbabwe.

*leonina* Engel, 1932a: 280 (*Scylaticus*) **Type – ZSMC.** South Africa. Lesotho.

*lindneri* Oldroyd, 1980: 368 (*Scylaticus*) **Type – SMNS.** Tanzania. (New name for *engeli* Lindner,

- 1961). Tanzania: **Malawi, South Africa.**  
*engeli* Lindner, 1961a: 4 (*Scylaticus*) Type – SMNS. Tanzania. [Junior homonym, preocc.  
*engeli* Bromley, 1947.]  
**mali** Londt, 1993: 121. Type – NMWC. Mali: Upper Volta.  
**midas** Londt, 1993: 122. Type – NMSA. Malawi.  
**oropegia** Londt, 1993: 123. Type – NMSA. South Africa: Namibia.  
*pallida* Ricardo, 1925: 276 (*Spanurus*) Type – SAMC. Namibia.  
**perata** Londt, 1993: 126. Type – AUWN. Senegal: Mali.  
*punctata* Engel, 1932a: 281 (*Scylaticus*) Type – BMNH. Zimbabwe.  
*tellinii* Bezzii, 1906c: 282. (*Spanurus*) Type – ?. Ethiopia (Eritrea).  
**tsacasi** Londt, 1993: 129. Type – MNHN. DR Congo.  
*varipennis* Ricardo, 1925: 272 (*Scylaticus*) Type – SAMC. South Africa.  
**zeus** Londt, 1993: 132. Type – NMWC. Nigeria: Upper Volta.

#### Genus *CORYMYIA* Londt

***CORYMYIA*** Londt, 1994b: 79. Type species: *Corymyia melas* Londt, 1994b, by original designation.

- antimelas* Londt, 1994b: 80. Type – NMSA. South Africa.  
*euryops* Londt, 1994b: 80. Type – NMSA. South Africa.  
*melas* Londt, 1994b: 80. Type – NMSA. South Africa.  
*xantha* Londt, 1994b: 80. Type – NMSA. South Africa.

#### Genus *DANOMYIA* Londt

***DANOMYIA*** Londt, 1993: 133. Type species: *Scylaticus habrus* Londt, 1993, by original designation.

- aethiops* Londt, 1993: 135. Type – NMSA. Zimbabwe.  
*albibasis* Becker, 1922b: 67 (*Scylaticus*) Type – NHMW. Sudan.  
*exquisita* Engel, 1932a: 279 (*Scylaticus*) Type – BMNH. Zimbabwe.  
*forchhameri* Londt, 1993: 138. Type – NMSA. Botswana.  
*habra* Londt, 1993: 140. Type – NMSA. South Africa.  
*hepsocrene* Londt, 1993: 141. Type – NMSA. South Africa.  
*pachyphallus* Londt, 1993: 142. Type – NMSA. Botswana: South Africa, Zimbabwe.  
*sathos* Londt, 1993: 143. Type – NMSA. Botswana: Zimbabwe.  
*tanaos* Londt, 1993: 145. Type – NMSA. Botswana.

#### Genus *DASPLETIS* Loew

***DASPLETIS*** Loew, 1858d: 337. Type species: *Daspletis vulpes* Loew, 1858, by monotypy.  
***NEODYSMACHUS*** Ricardo, 1925: 263. Type species: *Neodysmachus setithoracicus* Ricardo, 1925, by original designation.

- hermanni* Ricardo, 1925: 249 (*Microstylum*) Type – BMNH. South Africa.  
*vespertilio* Engel, 1932a: 267 (as var. of *Microstylum hermanni*). South Africa.  
*salicior* Oldroyd, 1974a: 37 Type – NMSA. South Africa.  
*hirtus* Ricardo, 1925: 263 Type – BMNH. Zimbabwe; Namibia, South Africa.  
*lykos* Londt, 1985a: 68 Type – NMSA. Namibia.  
*placodes* Londt, 1983c: 293 Type – NMSA. South Africa.  
*setithoracicus* Ricardo, 1925: 264 (*Neodysmachus*) Type – BMNH. South Africa.

***stenoura* Londt, 1983c: 295 Type – NMSA. South Africa.**  
***vulpes* Loew, 1858d: 337 [1860c: 163]. Botswana.**

Genus *DIOCTOBROMA* Hull

*DIOCTOBROMA* Hull, 1962: 162. Type species: *Dioctobroma flavoterminatus* Hull, 1962, by original designation.

*flavoterminatum* Hull, 1962: 163 **Type – BMNH.** Botswana; **Namibia.**

Genus *DOGONIA* Oldroyd

*DOGONIA* Oldroyd, 1970b: 269. Type species: *Dogonia saegeri* Oldroyd, 1970, by original designation.

*nigra* Oldroyd, 1970b: 270. **Type – MRAC.** DR Congo.  
*saegeri* Oldroyd, 1970b: 269. **Type – MRAC.** DR Congo.

Genus *EMPODIODES* Oldroyd

*EMPODIODES* Oldroyd, 1972b: 635. Type species: *Empodiodes greatheadi* Oldroyd, 1972, by original designation.

*greatheadi* Oldroyd, 1972b: 637 **Type – BMNH.** South Africa.  
***melanoscopaeus* Londt, 1992b: 59 Type – NMSA. South Africa.**  
***whittingtoni* Londt, 1992b: 62 Type – NMSA. South Africa.**

Genus *GONIOSCELIS* Schiner

*GONIOSCELIS* Schiner, 1866a: 670. Type species: *Dasypogon hispidus* Wiedemann, 1819, by original designation.

***ammoni* Londt, 2004b: 32. Type – NMSA. Kenya; Cameroon, Tanzania, Tchad.**  
***batyleon* Londt, 2004b: 33. Type – BMNH. Kenya.**  
***bykanistes* Londt, 2004b: 34. Type – NMSA. Namibia; South Africa.**  
*ceresae* Oldroyd, 1974a: 39. **Type – BMNH.** South Africa.  
***chloris* Londt, 2004b: 38. Type – NMSA. South Africa.**  
*congoensis* Oldroyd, 1970b: 277. **Type – MRAC.** DR Congo.  
***cuthbertsoni* Londt, 2004b: 40. Type – NMSA. Zimbabwe.**  
***engeli* Londt, 2004b: 42. Type – NMSA. South Africa.**  
***exouros* Londt, 2004b: 43. Type – NMSA. South Africa.**  
***fejeni* Londt, 2004b: 44. Type – NMSA. Mozambique.**  
***francoisi* Oldroyd, 1970b: 278. Type – ISNB. Burundi.**  
*genitalis* Ricardo, 1925: 271 **Type – BMNH.** Namibia; Angola, Zambia, Zimbabwe.  
***hadrocantha* Londt, 2004b: 48. Type – BMNH. Angola.**  
*haemorhous* Schiner, 1867b: 362. **Type – NHMW.** South Afrika.  
*hispidus* Wiedemann, 1819a: 37 (*Dasypogon*). **Type – NHMW.** South Africa.  
*melanocephalus* Schiner, 1867b: 363. **Type – NHMW.** South Afrika.  
*setosus* Wiedemann, 1824: 26 (*Dasypogon*). **Type – NHMW.** South Africa.  
***iota* Londt, 2004b: 54. Type – NMSA. South Africa.**  
***kedros* Londt, 2004b: 55. Type – NMSA. South Africa.**

*lacertosus* Engel, 1925c: 166 **Type – NMSA.** South Africa.  
*oculatus* Engel, 1925c: 175. **Type – ZSMC.** South Africa.  
*longulus* Ricardo, 1925: 270 **Type – BMNH.** South Africa; Lesotho.  
*denticulatus* Hull, 1967: 243. **Type – MZLU.** Lesotho.  
*macquartii* Jaennicke, 1867: 358 (*Stenopogon*). **Type – SMFD.** Ethiopia; Kenya, Tanzania, Uganda, Zimbabwe.  
*xanthopogon* Speiser, 1910a: 91. **Type – NHRS.** DR Congo.  
*maculiventris* Bigot, 1879a: 441. **Type – OXUM.** South Africa; Namibia.  
*mantis* Loew, 1852: 659 [Loew, 1862d: 8] (*Stenopogon*) **Type – ZMHB.** Mozambique; South Africa.  
*calopus* Bigot, 1879a: 441. **Type – OXUM.** South Africa.  
***melas* Londt, 2004b: 72.** **Type – NMSA. South Africa.**  
*nigripennis* Ricardo, 1925: 269 **Types – SAMC & BMNH.** Namibia.  
*occipitalis* Oldroyd, 1970b: 275. **Type – MRAC.** DR Congo.  
*phacopterus* Schiner, 1867b: 362. **Type – NHMW.** South Afrika.  
***pickeri* Londt, 2004b: 77.** **Type – NMSA. South Africa.**  
*pruinosus* Ricardo, 1925: 267 **Type – BMNH.** Kenya; Tanzania, Uganda.  
*punctipennis* Engel, 1925c: 170 **Type – ZMHB.** South Africa.  
***ramphis* Londt, 2004b: 83.** **Type – NMSA. South Africa; Botswana, ? Zimbabwe.**  
*scapularis* Macquart, 1838b: 44 [1839a: 160] (*Dasyopogon*) **Type – MNHN.** South Africa.  
*submaculatus* Speiser, 1910a: 90. **Type – NHRS.** Tanzania; Kenya, Malawi, Zimbabwe.  
*tomentosus* Oldroyd, 1970b: 276. **Type – MRAC.** DR Congo; Angola, Malawi, Zambia, Zimbabwe.  
*truncatus* Oldroyd, 1974a: 40 **Type – NMSA.** Lesotho; South Africa.  
*ventralis* Schiner, 1867b: 363. **Type – NHMW.** South Afrika; Botswana, Mozambique, Zimbabwe.  
*femoralis* Ricardo, 1925: 266 **Type – BMNH.** South Africa.  
*maculipennis* Engel, 1925c: 169. **Type – ZSMC.** South Africa.  
*rufescens* Ricardo, 1925: 268 **Type – BMNH.** Zimbabwe.  
***whittingtoni* Londt, 2004b: 98.** **Type – NMSA. Kenya; Eritrea, Ghana, Malawi, Zambia, Zimbabwe.**  
***xanthochaites* Londt, 2004b: 100.** **Type – NMSA. Namibia.**  
***zulu* Londt, 2004b: 101.** **Type – NMSA. South Africa.**

#### Genus *HABROPOGON* Loew

*HABROPOGON* Loew, 1847b: 463 (as subgenus of *Dasyopogon*). Type species: *Dasyopogon exquisitus* Meigen, 1820, by designation of Coquillett (1910: 548).

*aerivagus* Séguy, 1953: 81 **Type – ?.** “Sahara espagnol: Aouletis” (West Sahara).  
*capensis* Londt, 1981a: 72 **Type – NMSA.** South Africa.  
*cochraneae* Londt, 2000b: 144 **Type – SAMC.** South Africa.  
*hessei* Londt, 2000b: 141 **Type – SAMC.** South Africa; Namibia.  
*hilaryae* Londt, 2000b: 144 **Type – NMSA.** South Africa.  
*karooensis* Londt, 2000b: 143 **Type – SAMC.** South Africa.  
*namibiensis* Londt, 1999a: 72. **Type – NMNW.** Namibia.  
*senilis* Wulp, 1899: 89. **Type – OXUM.** South Yemen.

#### Genus *HAROLDIA* Londt

*HAROLDIA* Londt, 1999b: 58. **Type Species:** *Stenopogon trivialis* Oldroyd, 1974a: 75, by original designation.

*oldroydi* Londt, 1999b: 60. **Type – NMSA. South Africa.**  
*trivialis* Oldroyd, 1974a: 75 (*Stenopogon*). **Type – NMSA. South Africa.**

Genus *HERMANNOMYIA* Oldroyd

*HERMANNELLA* Hull, 1962: 34. Type species: *Hermannella engeli* Hull, 1962, by original designation. [Junior homonym, preocc. *Hermannella* Canu, 1891].

*HERMANNOMYIA* Oldroyd, 1980: 372. [Replacement name for *Hermannella* Hull]

*engeli* Hull, 1962: 35 (*Hermannella*) **Type** – BMNH. Zimbabwe; South Africa.

*oldroydi* Londt, 1981a: 74 **Type** – NMSA. Lesotho; South Africa.

Genus *HYNIRHYNCHUS* Lindner

*HYNIRHYNCHUS* Lindner, 1955d: 32. Type species: *Hynirhynchus zebra* Lindner, 1955, by monotypy.

*pantherinus* Bigot, 1879a: 434 (*Scylaticus*) **Type** – OXUM. Senegal.

*zebra* Lindner, 1955d: 32 **Type** – SMNS. Tanzania; Kenya.

Genus *HYPENETES* Loew

*HYPENETES* Loew, 1858c: 349 [1860c: 161]. Type species: *Hypenetes stigmatius* Loew, 1858, by monotypy.

*CLAVATOR* Philippi, 1865: 699. Type species: *Clavator punctipennis* Philippi, 1865, by designation of Hull (1962: 152).

*aegialodes* Londt, 1985b: 379 **Type** – NMSA. South Africa.

*argothrix* Londt, 1985b: 380 **Type** – NMSA. South Africa.

*cryodes* Londt, 1985b: 381 **Type** – NMSA. South Africa.

*dicranus* Londt, 1985b: 382 **Type** – NMSA. South Africa.

*dorattina* Londt, 1985b: 383 **Type** – NMSA. South Africa.

*galactodes* Oldroyd, 1974a: 51 **Type** – NMSA. South Africa; Transkei.

*greatheadi* Oldroyd, 1974a: 54 **Type** – BMNH. South Africa.

*grisescens* Engel, 1929a: 166. **Type** – ZSMC. South Africa.

*hessei* Londt, 1985b: 388 **Type** – SAMC. South Africa.

*irwini* Oldroyd, 1974a: 51 **Type** – NMSA. South Africa.

*loewi* Londt, 1985b: 391 **Type** – NMSA. South Africa.

*macrocercus* Londt, 1985b: 393 **Type** – BMNH. South Africa.

*morosus* Oldroyd, 1974a: 50 **Type** – NMSA. South Africa.

*oldroydi* Londt, 1985b: 395 **Type** – NMSA. South Africa.

*pylochrysites* Londt, 1985b: 396 **Type** – NMSA. South Africa.

*rexi* Londt, 1985b: 397 **Type** – SAMC. South Africa.

*rotundus* Oldroyd, 1974a: 50 **Type** – NMSA. South Africa.

*miles* Oldroyd, 1974a: 54 **Type** – BMNH. South Africa.

*stigmatias* Loew, 1858c: 350 [1860c: 161] **Type** – ZMHB. South Africa.

*nigrispina* Oldroyd, 1974a: 51 **Type** – BMNH. South Africa.

*stuckenbergi* Londt, 1985b: 400 **Type** – NMSA. South Africa.

*sturmias* Oldroyd, 1974a: 54 **Type** – NMSA. South Africa.

*turneri* Londt, 1985b: 403 **Type** – BMNH. South Africa.

Genus *IRWINOMYIA* Londt

*IRWINOMYIA* Londt, 1994b: 82. Type species: *Irwinomyia argentea* Londt, 1994b, by original

designation.

*argentea* Londt, 1994b: 83. Type – NMSA. Namibia.  
*aurea* Londt, 1994b: 83. Type – NMSA. Namibia.

#### Genus *ISCHIOLOBOS* Londt

*ISCHIOLOBOS* Londt, 2005b: 231. Type species: *Heteropogon holcocephalooides* Lindner, 1955, by original designation.

*holcocephalooides* Lindner, 1955d: 30 (*Heteropogon*). Type – SMNS. Tanzania.  
*mesotopos* Londt, 2005b: 234 Type – NMSA. South Africa.  
*niveoscutum* Hull, 1967: 239 (*Holopogon*). Lesotho; South Africa.  
*notios* Londt, 2005b: 236 Type – NMSA. South Africa.

#### Genus *LYCOSTOMMYIA* Oldroyd

*LYCOSTOMUS* Hermann, 1907a: 4. Type species: *Lycostomus albifacies* Hermann, 1907, by original designation. [Junior homonym, preocc. *Lycostomus* Motschoulsky, 1891.]  
*LYCOSTOMMYIA* Oldroyd, 1980: 363. (Replacement name for *Lycostomus* Hermann).

*albifacies* Hermann, 1907a: 5 (*Lycostomus*) Type – ZSMC. South Africa.  
*atrifrons* Londt, 1992b: 73 Type – NMSA. South Africa.  
*mopani* Londt, 1992b: 74 Type – NMSA. Namibia.  
*ornithopus* Londt, 1992b: 75 Type – NMSA. Namibia.  
*rhabdotus* Londt, 1992b: 76 Type – NMSA. Namibia.  
*trichotus* Londt, 1992b: 77 Type – NMSA. Namibia.

#### Genus *MACROETRA* Londt

*MACROETRA* Londt, 1994b: 84. Type species: *Macroetra damara* Londt, 1994b, by original designation.

*angola* Londt, 1994b: 84. Type – NMSA. Angola.  
*cera* Londt, 1994b: 84. Type – NMSA. Namibia; South Africa.  
*damara* Londt, 1994b: 84. Type – NMSA. Namibia.

#### Genus *MICROPHONTES* Londt

*MICROPHONTES* Londt, 1994b: 86. Type species: *Microphontes whittingtoni* Londt, 1994b, by original designation.

*megoura* Londt, 1994b: 87. Type – NMSA. South Africa.  
*safra* Londt, 1994b: 86. Type – NMSA. Namibia.  
*whittingtoni* Londt, 1994b: 86. Type – NMSA. South Africa.

#### Genus *MICROSTYLOM* Macquart

*MICROSTYLOM* Macquart, 1838b: 26 [1839a: 142]. Type species: *Dasypogon venosum* Wiedemann, 1821, by designation of Back (1909: 213).

- MEGAPOLLYON* Walker, 1851b: 85. *Nomen nudum*.
- MEGAPOLLYON* Walker, 1854: 452. Type species: *Microstylum acutirostre* Loew, 1852, by designation of Coquillett (1910: 566).
- ECLIPSIS* Bezzi, 1908e: 375. Type species: *Eclipsis maculiventris* Bezzi, 1908, by monotypy.
- EPIBLEPHARIS* Bezzi, 1908e: 375. Type species: *Epiblepharis pedunculata* Bezzi, 1908, by monotypy.
- acutirostre* Loew, 1852: 658 [1862d: 7]. **Type – NHMW ZMHB.** Mozambique; Chad, Kenya, Malawi, Tanzania, Zambia, Zimbabwe.
- albimystaceum* Macquart, 1855: 69 (49). [No locality.]
- anovense* Oldroyd, 1980: 363. (new name for *aterrimum* Oldroyd, 1960). Madagascar.
- aterrimum* Oldroyd, 1960b: 255. **Type – MNHN.** Madagascar. [Junior homonym, preocc. *aterrimum* Loew, 1858.]
- appendiculatum* Macquart, 1847: 49 (33). Madagascar.
- atrorubens* Timon–David, 1952: 207. **Type – MNHN.** Madagascar.
- barbarossa* Wiedemann, 1828: 370 (*Dasypogon*). [No locality]; South Africa.
- biggsi* Oldroyd, 1960b: 256. **Type – BMNH.** Madagascar.
- bloesum* Walker, 1849: 309 (*Dasypogon*) **Type – BMNH.** South Africa.
- braunsi* Engel, 1932a: 263. **Type – ZSMC.** South Africa.
- bromleyi* Timon–David, 1952: 212. **Type – MNHN.** Madagascar.
- capense* Fabricius, 1805: 154 (*Asilus*). **Type – NHMW.** South Africa; Zimbabwe.
- serranus* Walker, 1849: 308 (*Dasypogon*) **Type – BMNH.** South Africa.
- capucinum* Bigot, 1879a: 408. **Type – OXUM.** South Africa.
- ciliipes* Macquart, 1838b: 28 [1839a: 144]. **Type – MNHN.** Madagascar.
- cinctum* Bromley, 1931: 283. Madagascar.
- difficile* Wiedemann, 1828: 378 (*Dasypogon*). [No locality, ? Afrotropical.]
- dispar* Loew, 1858c: 348 [1860c: 150] **Type – ZMHB.** South Africa.
- elongatum* Bigot, 1879a: 409. South Africa.
- fenestratum* Wiedemann, 1828: 377 (*Dasypogon*). [No locality]; Angola, South Africa.
- flavipenne* Macquart, 1846: 187 (59). South Africa.
- fulvicaudatum* Bigot, 1879a: 409. **Type – OXUM.** South Africa.
- gigas* Wiedemann, 1821c: 216 (*Dasypogon*) **Type – UZMD.** South Africa; Madagascar, Namibia.
- gladiator* Bromley, 1927: 205. Madagascar.
- griseum* Bromley, 1927: 206. Madagascar.
- gulosum* Loew, 1858c: 347 [1860c: 148]. South Africa.
- ignobile* Loew, 1858c: 347 [1860c: 148]. South Africa.
- glabrum* Ricardo, 1900b: 168 **Type – BMNH.** South Africa.
- rufineurum* Engel, not Macquart (misident.).
- helenae* Bezzi, 1914b: 3. Mozambique; DR Congo, Kenya, Malawi, Nigeria, Tanzania, Zimbabwe.
- hirtipes* Ricardo, 1925: 259 **Type – BMNH.** South Africa.
- hobbyi* Bromley, 1947: 111. Lesotho.
- insigne* Bromley, 1927: 206. Madagascar.
- lacteipenne* Wiedemann, 1828: 371 (*Dasypogon*). **Type – NHMW ZMHB.** South Africa.
- afer* Wiedemann, 1828: 374 (*Dasypogon*). South Africa.
- lambertoni* Bromley, 1931: 284. Madagascar.
- leucacanthum* Bezzi, 1908e: 377. DR Congo.
- lituratum* Loew, 1863a: 10. South Africa.
- elegans* Ricardo, 1900b: 168 **Type – BMNH.** South Africa.
- luciferum* Bromley, 1931: 285. Madagascar.
- luciferooides* Bromley, 1942: 14. Madagascar.
- lugubre* Wiedemann, 1828: 384 (*Dasypogon*). **Type – NHMW.** [No locality.]
- maculiventris* Bezzi, 1908e: 375 (*Eclipsis*). **Type – MRAC.** DR Congo.
- magnum* Bromley, 1927: 205. Madagascar.
- miles* Karsch, 1879: 379 **Type – ZMHB.** Angola; DR Congo, Gabon.
- mydas* Engel, 1932a: 270. **Type – ZSMC.** Madagascar; South Africa.

- nigrescens* Ricardo, 1900b: 169 **Type – BMNH.** Angola.  
*nigribarbatum* Bigot, 1879a: 408. **Type – OXUM.** South Africa.  
*nigrimystaceum* Ricardo, 1925: 258 **Type – BMNH.** Mozambique.  
*nigrisetosum* Efflatoun, 1937: 280. Sudan.  
*nigritarse* Bromley, 1927: 207. Madagascar.  
*nigrostriatum* Hobby, 1933a: 108. **Type – OXUM.** Zimbabwe.  
*nigrum* Bigot, 1859d: 426. **Type – OXUM.** Madagascar.  
*parcum* Karsch, 1888: 373 **Type – ZMHB.** Tanzania; Malawi, South Africa, Zambia, Zimbabwe.  
*attenuatum* Ricardo, 1925: 257 **Type – BMNH.** Malawi.  
*partitum* Walker, 1856a: 456 (*Dasypogon*) **Type – BMNH.** 'Africa'; South Africa.  
*pauliania* Timon–David, 1952: 209. **Type – MNHN.** Madagascar.  
*pedunculata* Bezzi, 1908e: 375 (*Epiblepharis*). **Type – MRAC.** DR Congo.  
*pica* Macquart, 1846: 187 (59). South Africa.  
*aterrimum* Loew, 1858c: 347 [1860c: 149]. South Africa.  
*pollex* Oldroyd, 1970b: 266. **Type – MRAC.** DR Congo.  
*proximum* Oldroyd, 1960b: 254. **Type – MNHN.** Madagascar.  
*pulchrum* Bromley, 1927: 205. Madagascar.  
*fulvotibiale* Engel, 1932a: 273 (as var.). Madagascar.  
*rabodae* Karsch, 1884: 172 **Type – ZMHB.** Madagascar.  
*radamae* Karsch, 1884: 172. Madagascar.  
*hildebrandti* Karsch, 1885: 345. Madagascar.  
*remicorne* Loew, 1863a: 10. South Africa.  
*ricardoae* Oldroyd, 1970b: 268 **Type – BMNH.** DR Congo.  
*rubigenis* Bromley, 1927: 207. Madagascar.  
*rubripes* Macquart, 1838b: 28 [1839a: 144]. **Type – MNHN.** South Africa.  
*rufianale* Macquart, 1850a: 367 (67) (*Dasypogon*). **Type – OXUM.** Senegal.  
*rufinevrum* Macquart, 1855: 68 (48). Gabon; South Africa.  
*rufum* Ricardo, 1925: 254 **Type – BMNH.** Malawi.  
*sagitta* Bigot, 1879a: 406. South Africa.  
*saverrio* Walker, 1849: 309 (*Dasypogon*) **Type – BMNH.** South Africa. ? **Synonym of ?**  
*seguyi* Timon–David, 1952: 211. **Type – MNHN.** Madagascar.  
*sessile* Bezzi, 1908e: 376. **Type – MRAC.** DR Congo.  
*simplicissimum* Loew, 1852: 658 [1862d: 7] **Type – ZMHB.** Mozambique; South Africa.  
*spinipes* Ricardo, 1925: 255 **Type – BMNH.** Malawi; Mozambique, Zimbabwe.  
*spurinum* Walker, 1849: 323 (*Dasypogon*) **Type – BMNH.** [No locality]; South Africa.  
*taeniatum* Wiedemann, 1828: 373 (*Dasypogon*). **Type – NHMW.** [No locality]; Madagascar.  
*tananarivense* Bromley, 1931: 286. Madagascar.  
*umbrosum* Bromley, 1931: 285. Madagascar.  
*unicolor* Ricardo, 1925: 256 **Type – BMNH.** Nigeria; Zimbabwe.  
*ustulatum* Engel & Cuthbertson, 1938: 133 **Type – BMNH.** Zimbabwe. ? **Synonym of ? – Hobby sp.**  
*validum* Loew, 1858c: 347 [1860c: 147]. South Africa.  
*varipennatum* Bigot, 1879a: 407. South Africa.  
*venosum* Wiedemann, 1821c: 215 (*Dasypogon*). South Africa.  
*villosum* Bigot, 1879a: 406. **Type – OXUM.** South Africa.

#### Genus *OLIGOPOGON* Loew

*OLIGOPOGON* Loew, 1847b: 497 (as subgenus of *Dasypogon*). Type species: *Dasypogon hybotinus* Loew, 1847, by monotypy.

- ater* Bigot, 1879a: 438. **Type – OXUM.** South Africa.  
*enigmatus* Oldroyd, 1974a: 124. South Africa.  
*harlequini* Oldroyd, 1970b: 296 **Type – BMNH.** Nigeria; Ghana.

*hyalipennis* Oldroyd, 1960b: 277 (*Rhipidocephala*). **Type – MNHN.** Madagascar.  
*hybotinus* Loew, 1847b: 497 (*Dasypogon*). **Type – ZSMC ZMHB.** Rhodes [? Rhodesia = Zimbabwe]; DR Congo, E. Afr.  
*nigripennis* Engel & Cuthbertson, 1937: 14. Zimbabwe; ? Botswana; Lesotho.  
*nitidus* Efflatoun, 1937: 290. Sudan; Egypt.  
*penicillatus* Loew, 1858c: 350 [1860c: 165]. South Africa; Zimbabwe.  
**hyacinthina Bigot, 1877a: lxxxvi (*Emphysomera*). South Africa.**  
*pollinosus* Engel, 1932a: 282 **Type – BMNH.** Zimbabwe.  
*superciliatus* Oldroyd, 1970b: 297. **Type – MRAC.** DR Congo.

#### Genus *ONTOMYIA* Dikow & Londt

*ONTOMYIA* Dikow & Londt, 2000: 111. Type species: *Oratostylum ricardoi* Londt, 1985a, by original designation.

**ricardoi Londt, 1985a: 69 (*Oratostylum*). Type – NMSA. Namibia.**

#### Genus *ORATOSTYLUM* Ricardo

*ORATOSTYLUM* Ricardo, 1925: 260. Type species: *Oratostylum lepidum* Ricardo, 1925, by original designation.

**crenum Dikow & Londt, 2000: 113. Type – NMSA. South Africa.**  
*lepidum* Ricardo, 1925: 261. **Type – BMNH.** Zimbabwe; Botswana, Namibia, South Africa.  
**zebra Dikow & Londt, 2000: 115. Type – NMSA. South Africa.**

#### Genus *OXYNOTON* Janssens

*OXYNOTON* Janssens, 1951: 1. Type species: *Oxynoton francoisi* Janssens, 1951, by monotypy.

**arnaudi Oldroyd, 1974a: 170. Type – CASC.** Zimbabwe; **Chad, DR Congo, Kenya, Tanzania, Zambia.**  
*francoisi* Janssens, 1951: 3. **Type – ISNB.** Burundi; **Kenya, Tanzania;**

#### Genus *PEDOMYIA* Londt

**PEDOMYIA** Londt, 1994b: 88. Type species: *Pedomyia epidema* Londt, 1994b, by original designation.

**astroptica** Londt, 1994b: 92. **Type – NMSA. South Africa.**  
**dryopolis** Londt, 1994b: 92. **Type – NMSA. South Africa.**  
**epidema** Londt, 1994b: 89. **Type – NMSA. South Africa.**  
**melanothrix** Londt, 1994b: 89. **Type – NMSA. South Africa; Namibia.**  
**namaqua** Londt, 1994b: 92. **Type – NMSA. South Africa.**  
**namibia** Londt, 1994b: 89. **Type – NMSA. Namibia.**  
**simba** Londt, 1994b: 92. **Type – NMSA. South Africa.**  
**xanthocera** Londt, 1994b: 89. **Type – NMSA. South Africa.**  
**zela** Londt, 1994b: 92. **Type – NMSA. South Africa.**

#### Genus *PYCNOMERINX* Hull

*PYCNOMERINX* Hull, 1962: 145. Type species: *Pycnomerinx annulatus* Hull, 1962 [= *Habropogon rhodesii* Ricardo, 1925], by original designation.

*cogani* Oldroyd, 1974a: 62 Type – BMNH. Botswana; **Namibia**.

*moremensis* Oldroyd, 1974a: 62 Type – BMNH. Botswana.

*gweta* Oldroyd, 1974a: 65 Type – BMNH. Botswana; **Namibia**.

*rhodesii* Ricardo, 1925: 274 (*Habropogon*) Type – BMNH. Zimbabwe; **Namibia**.

*annulatus* Hull, 1962: 146. Zimbabwe.

#### Genus *REMOTOMYIA* Londt

***REMOTOMYIA* Londt, 1983c: 301.** Type species: *Daspletis albosetatus* Hull, 1967, by original designation.

*albosetatus* Hull, 1967: 240 (*Daspletis*) Type – MZLU. Namibia.

*brunales* Londt, 1983c: 303 Type – NMNW. Namibia; South Africa.

*longipalpus* Londt, 1983c: 304 Type – NMSA. Botswana; Zimbabwe.

*penrithae* Londt, 1983c: 306 Type – NMNW. Namibia; Botswana, South Africa.

#### Genus *RHABDOGASTER* Loew

***RHABDOGASTER* Loew, 1858c: 351 [1860c: 167].** Type species: *Rhabdogaster nudus* Loew, 1858, by monotypy.

***SPANURUS* Loew, 1858c: 350 [1860c: 164].** Type species: *Spanurus pulverulentus* Loew, 1858, by monotypy.

***PSILINUS* Wulp, 1899: 85.** Type species: *Psilinus cinerascens* Wulp, 1899, by monotypy.

*atropalpus* Londt, 2006b: 248. Type – NMSA. South Africa.

*bicolour* Londt, 2006b: 249. Type – NMSA. South Africa.

*charma* Londt, 2006b: 250. Type – NMSA. South Africa.

*cinerascens* Wulp, 1899: 86 (*Psilinus*). Type – OXUM. Yemen; Eritrea, Oman, Saudi Arabia.

*cornuata* Londt, 2006b: 252. Type – NMSA. South Africa.

*cuthbertsoni* Londt, 2006b: 253. Type – NMSA. Zimbabwe.

*eremia* Londt, 2006b: 254. Type – NMSA. Namibia.

*etheira* Londt, 2006b: 255. Type – NMSA. South Africa; Namibia.

*flavida* Lindner, 1973: 77 (*Heteropogon*). Type – SMNS. Namibia.

*glabra* Londt, 2006b: 257. Type – NMSA. Namibia.

*gracilis* Engel & Cuthbertson, 1937: 13 (*Heteropogon*). Type – NMBZ. Zimbabwe; Botswana, Kenya, Namibia, South Africa, Sudan, Tanzania, Zambia, Zimbabwe.

*kalyptos* Londt, 2006b: 261. Type – NMSA. Namibia.

*karoo* Londt, 2006b: 261. Type – NMSA. South Africa.

*kosmos* Londt, 2006b: 262. Type – NMSA. Namibia.

*lindneri* Londt, 2006b: 263. Type – NMSA. Kenya; Ivory Coast, Uganda.

*maculipennis* Engel, 1929a: 169. Type – BMNH. Zimbabwe.

*major* Oldroyd, 1970b: 280. Type – MRAC. DR Congo.

*melas* Londt, 2006b: 267. Type – NMSA. South Africa.

*nitida* Hull, 1967: 237. Type – MZLU. South Africa.

*nuda* Loew, 1858c: 351 [1860c: 167] Type – NMSA. South Africa.

*nyx* Londt, 2006b: 270. Type – SAMC. South Africa.

*oldroydi* Lindner, 1973: 78 (*Heteropogon*). Type – SMNS. Namibia.

*oresbios* Londt, 2006b: 272. Type – NMSA. South Africa.

*oribi* Londt, 2006b: 274. Type – NMSA. South Africa.

- pedion* Londt, 2006b: 275. Type – NMSA. South Africa; Lesotho, Swaziland.  
*pellos* Londt, 2006b: 276. Type – NMSA. South Africa.  
*poa* Londt, 2006b: 277. Type – NMSA. South Africa, Botswana.  
*pulverulentus* Loew, 1858c: 350 [1860c: 164] (*Spanurus*) Type – NHRS. South Africa.  
*quasinuda* Londt, 2006b: 280. Type – NMSA. South Africa.  
*rustica* Oldroyd, 1974a: 67 Type – BMNH. South Africa; Mozambique, Swaziland.  
*sinis* Londt, 2006b: 283. Type – NMSA. South Africa.  
*tanylabis* Londt, 2006b: 284. Type – NMSA. South Africa; Namibia.  
*theroni* Londt, 2006b: 285. Type – NMSA. South Africa.  
*xanthokelis* Londt, 2006b: 286. Type – NMSA. South Africa.  
*yeti* Londt, 2006b: 287. Type – NMSA. Namibia; South Africa.  
*zebra* Londt, 2006b: 288. Type – NMSA. Angola.  
*zilla* Londt, 2006b: 289. Type – NMSA. Botswana; South Africa.  
*zopheros* Londt, 2006b: 290. Type – BMNH. Angola.

#### Genus *RHACHOLAEMUS* Hermann

*RHACHOLAEMUS* Hermann, 1907a: 12. Type species: *Rhacholaemus variabilis* Hermann, 1907, by original designation.

- antigenes* Walker, 1849: 312 (*Dasyopogon*) Type – BMNH. South Africa.  
*artigasi* Londt, 1999b: 64. Type – SAMC. South Africa.  
*fisheri* Londt, 1999b: 68. Type – NMSA. South Africa; Namibia.  
*grimmi* Londt, 1999b: 66. Type – NMSA. South Africa.  
*hradskyi* Londt, 1999b: 66. Type – NMSA. South Africa.  
*josephi* Londt, 1999b: 68. Type – SAMC. South Africa.  
*nelsoni* Londt, 1999b: 61. Type – NMSA. South Africa.  
*tsacasi* Londt, 1999b: 65. Type – SAMC. South Africa.  
*variabilis* Hermann, 1907a: 13 Type – ZSMC. South Africa.  
*atrox* Oldroyd, 1974a: 77. Type – NMSA. South Africa.  
*confrontus* Oldroyd, 1974a: 77. Type – NMSA. South Africa.

#### Genus *SCYLATICUS* Loew

*SCYLATICUS* Loew, 1858c: 349 [1860c: 156], Type species: *Scylaticus zonatus* Loew, 1858, by designation of Engel (1930a: 369).

- albofasciatus* Engel, 1932a: 278 Type – ZSMC ? BMNH. Malawi.  
*braunsi* Londt, 1992c: 107 Type – NMSA. South Africa.  
*bromleyi* Londt, 1992c: 109 Type – NMSA. Lesotho; South Africa.  
*bunohippus* Londt, 1992c: 112 Type – NMSA. South Africa.  
*callimus* Londt, 1992c: 114 Type – NMSA. South Africa.  
*camptus* Londt, 1992c: 116 Type – NMSA. South Africa; Botswana, Namibia.  
*ceratitus* Londt, 1992c: 118 Type – NMSA. Botswana.  
*chrysotus* Londt, 1992c: 119 Type – NMSA. South Africa; Botswana, Namibia  
*costalis* Wiedemann, 1819a: 6 (*Dioctria*). Type – NHMW (? UZMD). South Africa; Lesotho, Zimbabwe.  
*laticinctus* Loew, 1858c: 349 Type – ZMHB. South Africa.  
*rufescens* Ricardo, 1900b: 170 Type – BMNH. South Africa.  
*nigrescens* Engel, 1932a: 279 (as var.). Lesotho.  
*xiphocerus* Bromley, 1952: 19 Type – DMSA. Lesotho.  
*cuthbertsoni* Londt, 1992c: 126 Type – BMNH. Zimbabwe.  
*danus* Londt, 1992c: 127 Type – NMSA. South Africa.

- engeli* Bromley, 1947: 111 **Type – DMSA.** South Africa.  
*entrichus* Londt, 1992c: 131 **Type – NMSA. South Africa.**  
*gongrocercus* Londt, 1992c: 133 **Type – BMNH.** South Africa; Namibia.  
*gymnosternum* Londt, 1992c: 135 **Type – NMSA.** South Africa.  
*hadromedus* Londt, 1992c: 137 **Type – NMSA.** South Africa.  
*iota* Londt, 1992c: 139 **Type – NMSA.** South Africa.  
*irwini* Londt, 1992c: 141 **Type – NMSA.** South Africa; Namibia.  
*laevinus* Walker, 1849: 358 (*Dasypogon*) **Type – BMNH.** South Africa.  
*loewi* Londt, 1992c: 145 **Type – NMSA.** South Africa.  
*marginatus* Engel, 1932a: 281 **Type – ZSMC.** South Africa.  
*melanus* Londt, 1992c: 149 **Type – NMSA.** Namibia.  
*midas* Londt, 1992c: 151 **Type – NMSA.** South Africa.  
*namibiensis* Londt, 1992c: 153 **Type – NMSA.** Namibia; South Africa.  
*pardalotus* Londt, 1992c: 155 **Type – NMSA.** South Africa.  
*phaeus* Londt, 1992c: 157 **Type – BMNH.** South Africa.  
*quadrifasciatus* Engel & Cuthbertson, 1934: 44. **Type – NMBZ.** Zimbabwe; Kenya, Malawi, Zambia.  
*ricardoae* Londt, 1992c: 161 **Type – NMSA.** South Africa.  
*thecarus* Londt, 1992c: 163 **Type – SAMC.** South Africa.  
*tigrinus* Londt, 1992c: 164 **Type – BMNH.** South Africa.  
*trophus* Londt, 1992c: 166 **Type – SAMC.** South Africa.  
*tylismus* Londt, 1992c: 168 **Type – SAMC.** South Africa.  
*whiteheadi* Londt, 1992c: 170 **Type – SAMC.** Namibia.  
*zirconius* Londt, 1992c: 172 **Type – SAMC.** South Africa.  
*zonatus* Loew, 1858c: 349 [1860c: 157]. **Type – NHRS.** South Africa; Zimbabwe.

#### Genus *SISYRNODYTES* Loew

*SISYRNODYTES* Loew, 1856a: 40. Type species: *Sisyrnodytes floccus* Loew, 1856 [*Acnephala* *nilicola* Rondani, 1850], by monotypy.

- apicalis* Oldroyd, 1957b: 82 **Type – BMNH.** South Africa.  
*aterrimus* Engel, 1929a: 170. Zimbabwe; Malawi, Zambia.  
*brevis* Macquart, 1838b: 52 [1839a: 168] (*Acnephala*). South Africa; Namibia.  
*curtus* Wiedemann, 1819a: 6 (*Dasypogon*). **Type – NHMW (? UZMD).** South Africa.  
*defusus* Oldroyd, 1974a: 74 **Type – BMNH.** South Africa.  
*diplocus* Oldroyd, 1974a: 74. South Africa.  
*erebus* Oldroyd, 1957b: 85 **Type – BMNH.** Nigeria; Gambia.  
*irwini* Oldroyd, 1974a: 73. South Africa.  
*luscinius* Walker, 1849: 360 (*Dasypogon*) **Type – BMNH.** South Africa.  
*major* Adams, 1905: 155. Zimbabwe; Ethiopia (Eritrea), Kenya, Mozambique, Tanzania.  
*niger* Bezzi, 1906c: 283. **Type – MNHN.** Ethiopia (Eritrea).  
*disjunctus* Seguy, 1931a: 654. **Type – MNHN.** Mozambique.  
*nilicola* Rondani, 1850a: 186 (*Acnephala*). Egypt; widespread N. Africa from Morocco to Egypt & South Yemen.  
*floccus* Loew, 1856a: 40 **Type – ZMHB.** Egypt.  
*contrarius* Walker, 1871a: 257 (*Dasypogon*). Egypt.  
*rufus* Seguy, 1931a: 566. **Type – MNHN.** Algeria.  
*brevis*, authors, not Macquart (misident.).  
*niveipilosus* Ricardo, 1925: 247 **Type – BMNH.** Zimbabwe; Botswana, South Africa.  
*sericeus* Oldroyd, 1974a: 72. South Africa.  
*subater* Oldroyd, 1957b: 87 **Type – BMNH.** Zimbabwe.  
*vestitus* Oldroyd, 1974a: 73. South Africa.

Genus *STENOPOGON* Loew

*STENOPOGON* Loew, 1847b: 453 (as subgenus of *Dasypogon*). Type species: *Asilus sabaudus* Fabricius, 1794, by designation of Rondani (1856: 158).

*coxalis* Becker, 1922b: 65 (*Stenoprosopis*) Type – NHMW. Sudan.  
*lehri* Londt, 1999b: 69. Type – NMSA. Kenya; Somalia.

Genus *TERATOPOMYIA* Oldroyd

*TERATOPUS* Loew, 1858c: 348 [1860c: 153]. Type species: *Asilus cyaneus* Fabricius, 1781, by monotypy. [Junior homonym, preocc, *Teratopus* Agassiz, 1847.]

*TERATOPOMYIA* Oldroyd, 1980: 369 (replacement name for *Teratopus* Loew).

*cyanea* Fabricius, 1781: 465 (*Asilus*). South Africa; Lesotho.

Genus *TRICHOURA* Londt

*TRICHOURA* Londt, 1994b: 92. Type species: *Trichoura torynopoda* Londt, 1994b, by original designation.

*krugeri* Londt, 1994b: 95. Type – NMSA. South Africa.  
*mesochora* Londt, 1994b: 95. Type – NMSA. South Africa.  
*proctomeces* Londt, 1994b: 95. Type – NMSA. South Africa.  
*tankwa* Londt, 1994b: 95. Type – SAMC. South Africa.  
*torynopoda* Londt, 1994b: 93. Type – NMSA. South Africa.  
*tyligma* Londt, 1994b: 95. Type – NMSA. South Africa.

---

Subfamily STICHOPOGONINAE Hardy, 1930

---

Genus *CLINOPOGON* Bezzi

*CLINOPOGON* Bezzi, 1910: 153. Type species: *Clinopogon sauteri* Bezzi, 1910, by original designation.

*nicobarensis* Schiner, 1868: 161 (*Stichopogon*). 'Kondué'; Madagascar, Mascarene Is., coastal E. Afr. & sthn Afr. from Kenya to Natal, **Yemen (Socotra)**.

*grossus* Bromley, 1947: 112 (*Stichopogon*). **Type – DMSA.** South Africa.  
*reginaldi* Seguy, 1955d: 9 (*Stichopogon*). **Type – MNHN.** Tromelin I.

Genus *RHADINUS* Loew

*RHADINUS* Loew, 1856a: 38. Type species: *Rhadinus ungulinus* Loew, 1856, by designation of Engel (1929c: 269).

*megalonyx* Loew, 1856a: 39 **Type – ZMHB.** Egypt; South Yemen, Sudan, Libya.

**socotrae** Geller-Grimm, 2002: 476 **Type HLMD.** **Yemen (Socotra)**.

*ungulinus* Loew, 1856a: 38 **Type – ZMHB.** Egypt; South Yemen, Yemen (Socotra).

Genus *STICHOPOGON* Loew

*STICHOPOGON* Loew, 1847b: 499 (as subgenus of *Dasypogon*). Type species: *Dasypogon elegantulus* Wiedemann, 1820, by designation of Back (1909: 332).

**DISCODAMALIS** Karsch, 1888: 374. Type species: *Discodamalis debilis* Karsch, 1888, by original designation and monotypy ('gen.n., sp.n.').

*aequitinctus* Becker, 1910b: 138. **Type – NHMW.** South Yemen; E. Afr., Yemem (Socotra).

*caffer* Hermann, 1907a: 3. **Type – ZSMC.** South Africa; **Botswana, DR Congo, Lesotho, Mozambique, Namibia, Transkei, Zimbabwe.**

*flaviventris* Efflatoun, 1937: 335. Egypt & Sudan.

*hermanni* Bezzi, 1910: 145. **Type – ZSMC.** South Africa; DR Congo, **Namibia, Transkei.**

*engeli* Lindner, 1973: 76. **Type – SMNS.** **Namibia.**

*maculipennis* Engel & Cuthbertson, 1939: 188. **Zimbabwe.**

*inconstans* Wiedemann, 1828: 558 (*Thereva*) **Type – ZMHB.** Egypt; Ethiopia, South Yemen.

**irwini** Londt, 1979b: 840 **Type – NMSA.** **South Africa.**

**moremiensis** Londt, 1979b: 841 **Type – NMSA.** **Botswana; Zimbabwe.**

*parvulus* Bigot, 1859d: 427 (*Ysopogon*). Madagascar.

*punctiferus* Bigot, 1879a: 439. Madagascar.

*punctus* Loew, 1851a: 15 [1852: 657, 1862d: 6, as *punctatum*] **Type – ZMHB.** **Mozambique; Angola, Botswana, DR Congo, Lesotho, Namibia, South Africa, Transkei, Zimbabwe.** E. Afr.

*punctatum*. Incorrect subsequent spelling of *punctus*.

*debilis* Karsch, 1887: 373 (*Discodamalis*) **Type – ZMHB.** **E. Africa (? Tanzania).**

*pygmaeus* Macquart, 1849: 437 (*Dasypogon*). **Type – MNHN.** Algeria; Niger, N. Afr.

*septemcinctus* Becker, 1908: 28. **Type** – NHMW. Canary Is.; E.–central Afr.  
*umkomaasensis* Oldroyd, 1974a: 85 **Type** – NMSA. South Africa; Transkei.  
*unicolor* Ricardo, 1925: 276 **Type** – BMNH. Zimbabwe; South Africa.  
*villiersi* Seguy, 1955a: 161. **Type** – MNHN. Mauritania.

---

Subfamily TRIGONOMIMINAE Enderlein, 1914

---

**Genus *DAMALIS* Fabricius**

***DAMALIS* Fabricius, 1805: 147.** Type species: *Damalis planiceps* Fabricius, 1805, I.C.Z.N  
**Opinion 1342 (1985).**

*XENOMYZA* Wiedemann, 1817a: 60. Type species: *Damalis planiceps* Fabricius, 1805, by designation of Coquillett (1910: 620).

*CHALCIDIMORPHA* Westwood, 1835c: 684. Type species: *Chalcidimorpha fulvipes* Westwood, 1835, by monotypy.

*CHALCIDOMORPHA* Agassiz, 1847: 76. Unjustified emendation of *Chalcidimorpha* Westwood.

*ICARIOMIMA* Enderlein, 1914d: 163. Type species: *Icariomima coeruleiventris* Enderlein, 1914, by original designation.

*LASIODAMALIS* Hermann, 1926: 186. Type species: *Damalis capensis* Wiedemann, 1828 [= *Dioctria heterocera* Wiedemann, 1821], by original designation.

*LOPHURODAMALIS* Hermann, 1926: 188. Type species: *Damalis hirtiventris* Macquart, 1846, by original designation.

***AIREINA* Frey, 1934: 312.** Type species: *Aireina paradoxa* Frey, 1934, by original designation.

***PROTODAMALIS* Hull, 1962: 55.** Type species: *Protodamalis elongatus* Hull, 1962, by original designation.

***ZYGOCOLON* Hull, 1962: 56.** Type species: *Zygocolon compactus* Hull, 1962, by original designation.

***achilles* Londt, 1989a: 65.** Type – NMSA. South Africa.

***angola* Londt, 1989a: 67.** Type – BMNH. Angola.

***annulata* Loew, 1858d: 338 [1860c: 183]** Type – NHRS. South Africa.

***chelomakolon* Londt, 1989a: 72.** Type – NMSA. Zimbabwe, Mozambique & South Africa.

***coeruleiventris* Enderlein, 1914d: 163 (*Icariomima*)** Type – ?. Cameroun; Central African Republic, DR Congo, Nigeria.

***amphora* Oldroyd, 1970b: 290 (*Xenomyza*)** Type – MRAC. DR Congo.

***complecta* Oldroyd, 1968: 383 (*Xenomyza*)** Type – MRAC. Ivory Coast; Cameroun, Ghana, Guinea, Liberia, Nigeria.

***conspicua* Curran, 1934a: 10** Type – AMNH. South Africa.

***cylindrica* Hull, 1967: 235** Type – MZLU. South Africa.

***beta* Oldroyd, 1960b: 271 (*Xenomyza*)** Type – MNHN. Madagascar.

***clavigera* Bromley, 1942: 13.** Madagascar.

***crypta* Oldroyd, 1960b: 273 (*Xenomyza*)** Type – MNHN. Madagascar.

***dimidiata* Oldroyd, 1960b: 274 (*Xenomyza*)** Type – MNHN. Madagascar.

***doryphorus* Londt, 1989a: 83.** Type – NMSA. South Africa.

***drilus* Londt, 1989a: 86.** Type – BMNH. Uganda.

***elongatus* Hull, 1962: 55** Type – BMNH. South Africa.

***femoralis* Ricardo, 1925: 247** Type – BMNH. South Africa.

***furcula* Londt, 1989a: 92.** Type – NMSA. South Africa.

***heterocera* Wiedemann, 1821c: 182 (*Dioctria*)** Type – ZMHB. South Africa.

***anomalus* Wiedemann, 1821c: 232 (*Dasypogon*)** Type – ?. South Africa.

***capensis* Wiedemann, 1828: 416** Type – UZMD. South Africa.

***hirtiventris* Macquart, 1846: 222** Type – NHRS. South Africa.

***imbuta* Walker, 1854: 498 (*Discocephala*)** Type – BMNH. South Africa.

- natalensis* Curran, 1934a: 8 (*Lophurodamalis*) **Type – AMNH.** South Africa.  
*hyalipennis* Macquart, 1846: 223 (95). South Africa. **Mozambique.**  
*knysna* Londt, 1989a: 104. **Type – NMSA. South Africa.**  
*longipennis* Loew, 1858c: 354 [1860c: 181] **Type – NHRS.** South Africa.  
*monocheates* Londt, 1989a: 107. **Type – NMSA. South Africa; Transkei.**  
*neavei* Londt, 1989a: 109. **Type – BMNH.** Malawi; Mozambique, Zambia, Zimbabwe.  
*pollinosa* Ricardo, 1925: 249 **Type – BMNH.** Malawi; Angola, Benin, Cameroun, Central African Republic, DR Congo, Kenya, Nigeria, South Africa, Tanzania, Uganda, Zambia, Zimbabwe.  
*pallinota* Hermann, 1926: 184 **Type – BMNH.** Malawi, Nigeria, Sierra Leone, Tanzania.  
*pollinosa* Hermann. (*Nomen nudum*).  
*maxima* Hermann, 1926: 185 **Type – ZSMC ? BMNH.** Malawi & Nigeria.  
*taciturna* Oldroyd, 1970b: 289 (*Xenomyza*) **Type – MRAC.** DR Congo.  
*poseidon* Oldroyd, 1970b: 291 (*Xenomyza*) **Type – MRAC.** DR Congo.  
*pulchella* Bromley, 1952: 20 **Type – DMSA.** South Africa; Malawi, Mozambique, Zimbabwe.  
*quasimodo* Oldroyd, 1960b: 275 (*Xenomyza*) **Type – BMNH MNHN.** Madagascar.  
*scutellata* Oldroyd, 1970b: 292 (*Xenomyza*) **Type – MRAC.** DR Congo; Cameroun, Central African Republic, Ghana, Ivory Coast, Nigeria, Sierra Leone.  
*simplex* Curran, 1934a: 9 **Type – AMNH.** Zimbabwe; Malawi.  
*speciosa* Loew, 1858c: 353 [1860c: 180] **Type – NHRS.** South Africa.  
*sphekodes* Londt, 1989a: 128. **Type – BMNH. Tanzania & DR Congo.**  
*turneri* Londt, 1989a: 129. **Type – BMNH. South Africa.**  
*venustus* Bertoloni, 1861: 28 [1862: 49] **Type – IZBI.** Mozambique; Tanzania, South Africa.  
*brauni* Speiser, 1924b: 146 **Type – ?.** Tanzania.  
*xaniomerus* Londt, 1989a: 133. **Type – SAMC. South Africa.**

#### Genus *RHIPIDOCEPHALA* Hermann

*RHIPIDOCEPHALA* Hermann, 1926: 174. Type species: *Discocephala analis* Macquart, 1846, sensu Hermann [misident., = *Rhipidocephala angustior* Oldroyd, 1966], by original designation.

- PAROXYNOTON* Janssens, 1953a: 11. Type species: *Paroxynoton tigrinum* Janssens, 1953, by monotypy.  
*MARGARITOLA* Hull, 1958b: 255. Type species: *Margaritola mirabilis* Hull, 1958, by original designation.

- angustior* Oldroyd, 1966: 170 **Type – BMNH.** South Africa.  
*analis*, Hermann, not Macquart (misident.).  
*caffra* Macquart, 1846: 198 (70) (*Discocephala*). **Type – MNHN ?.** South Africa; Lesotho, Mozambique, Tanzania.  
*congoiensis* Oldroyd, 1966: 164. **Type – MRAC.** DR Congo.  
*distincta* Oldroyd, 1966: 157 **Type – BMNH.** Mozambique.  
*divestita* Oldroyd, 1966: 156 **Type – BMNH.** Tanzania (Zanzibar).  
*doornensis* Oldroyd, 1966: 169 **Type – BMNH.** South Africa.  
*engeli* Oldroyd, 1966: 166 **Type – BMNH.** South Africa.  
*fimbriata* Oldroyd, 1966: 167 **Type – BMNH.** South Africa.  
*flavipes* Hermann, 1926: 177. **Type – ZSMC.** South Africa ['Mexico' error].  
*fulva* Oldroyd, 1966: 158 **Type – BMNH.** South Africa; Botswana, Zimbabwe.  
*inconspicua* Oldroyd, 1966: 157 **Type – BMNH.** Kenya; Tanzania.  
*lambertoni* Bromley, 1942: 14 (*Holcocephala*). Madagascar.  
*manicata* Oldroyd, 1966: 167 **Type – BMNH.** South Africa.  
*mirabilis* Hull, 1958b: 256 (*Margaritola*). Mozambique; South Africa; Zimbabwe.  
*morio* Hermann, 1926: 180. **Type – ZSMC.** Ethiopia; DR Congo, Gambia, Ghana, Nigeria.  
*obscurata* Oldroyd, 1966: 154 **Type – BMNH.** Zimbabwe.

- quadrifaria* Hermann, 1926: 179. **Type – ZSMC.** South Africa.  
*scutata* Oldroyd, 1966: 166. **Type – MRAC.** DR Congo.  
*semitestacea* Loew, 1863a: 11 (*Discocephala*). South Africa; Somalia, South Yemen, Tanzania.  
*punctulata* Wulp, 1899: 88 (*Holcocephala*). South Yemen.  
*caligata* Speiser, 1910a: 112 (*Holcocephala*). Tanzania.  
*signata* Hermann, 1907a: 11. **Type – ZSMC.** South Africa.  
*speciosa* Oldroyd, 1966: 168 **Type – BMNH.** South Africa.  
*tenera* Oldroyd, 1966: 161 **Type – BMNH.** South Africa.  
*thoracica* Engel, 1946: 113. **Type – ZSMC.** Ethiopia.  
*tigrina* Janssens, 1953a: 12. **Type – ISNB.** Burundi.  
*umbripennis* Loew, 1858c: 351 [1860c: 169] (*Discocephala*) **Type – ZMHB.** South Africa.  
*zumpti* Oldroyd, 1966: 161 **Type – BMNH.** South Africa.

## UNPLACED APOCLEINAE / ASILINAE

- albiciliatus* Loew, 1854: 6 (*Lophonotus*) **Type** – **ZMHB**. Egypt; Sudan.
- breonii* Macquart, 1838b: 129 [1839a: 245] (*Lophonotus*) **Type** – **MNHN**. Reunion. [Not **Afrotropical**]
- dubius* Bezz, 1892: 187 (*Lophonotus*) **Type** – ?. Somalia.
- forficula* Macquart, 1846: 218 (90) (*Asilus*) **Type** – ?. South Africa.
- gabonicus* Macquart, 1855: 80 (60) (*Asilus*) **Type** – ?. Gabon.
- incisuralis* Macquart, 1838b: 140 [1839a: 256]. South Africa. [? duplicated under *Synolcus*]
- ladon* Walker, 1849: 412 (*Asilus*) **Type** – **BMNH**. [Not **Afrotropical**]
- leucotaenia* Bezz, 1906c: 286 (*Lophonotus*) **Type** – ?. Ethiopia (Eritrea).
- macropterus* Loew, 1854: 7 (*Lophonotus*) **Type** – **ZMHB** & **SMFD** (syntypes). ‘Nubien’ (Sudan). (Apocleinae).
- natalicus* Macquart, 1855: 81 (61) (*Asilus*) **Type** – **OXUM**. South Africa.
- nigribarbis* Macquart, 1846: 216 (88) (*Asilus*) **Type** – **MNHN**. South Africa. [Not **Afrotropical**]
- schedius* Walker, 1849: 430 (*Asilus*) **Type** – ?. South Africa.

## UNPLACED DASYPOGONINAE

- aequalis* Walker, 1857: 127 (*Dasypogon*). South Africa.
- atripennis* Macquart, 1834a: 295 (*Dasypogon*). Senegal.
- caffer* Wiedemann, 1828: 394 (*Dasypogon*) **Type** – **UZMD**. South Africa.
- fossius* Walker, 1849: 366 (*Dasypogon*). [No locality]; South Africa.
- lenticepsa* Thomson, [1869]: 464 (*Dasypogon*). South Africa.
- morio* Fabricius, 1794: 388 (*Asilus*) **Type** – **UZMD**. ‘Guinea’.
- reinhardi* Wiedemann, 1824: 27 (*Dasypogon*) **Type** – **UZMD**. South Africa.
- stigmatizans* Fabricius, 1805: 152 (*Diocria*) **Type** – **UZMD**. Mauritius.
- tragicus* Wiedemann, 1828: 400 (*Dasypogon*) **Type** – **UZMD**. South Africa.

## UNPLACED ASILIDAE

- bombylius* Lichtenstein, 1796: 212 (*Asilus*). South Africa.
- melanotarsus* Lichtenstein, 1796: 213 (*Asilus*). South Africa.
- nigellus* Lichtenstein, 1796: 213 (*Asilus*). South Africa.

**REFERENCES NOT IN OLDRROYD (1980) CATALOGUE**  
**(With taxonomic additions and adjustments)**

- Dikow, T. 2003. Revision of the genus *Euscelidia* Westwood, 1850 (Diptera: Asilidae: Leptogastrinae). *African Invertebrates* **44** (2): 1–131.
- Dikow, T. 2007. Taxonomic revision of the genus *Lasiocnemus* (Loew, 1851) (Diptera: Asilidae: Leptogastrinae). *African Entomology* **15** (1): 57–74.
- Dikow, T. & Londt, J. G. H. 2000. A review of the genera *Anasillomos* Londt, 1983, *Oratostylum* Ricardo, 1925, and *Remotomyia* Londt, 1983 with the description of a new genus and two new species (Diptera: Asilidae: Stenopogoninae). *Annals of the Natal Museum* **41**: 107–121.
- Geller-Grimm, F. 2002. Robber flies (Diptera: Asilidae) of the Socotra Archipelago, Yemen. *Fauna of Arabia* **19**: 467–489.
- Lehr, P. A. 1996. Robber Flies of subfamily Asilinae (Diptera, Asilidae) of Palaearctic. Ecological and morphological analysis, taxonomy and evolution. Institute of Biology and Pedology. Russian Academy of Sciences, Far Eastern Branch. Vladivostok: Dalnauka, 1996. 184 p.
- Londt, J. G. H. 1979a. The genus *Dysclytus* Loew (Diptera: Asilidae). *Journal of the Entomological Society of Southern Africa* **42** (2): 217–223.
- Londt, J. G. H. 1979b. Afrotropical Asilidae (Diptera) 3. The tribe Stichopogonini. *Annals of the Natal Museum* **23** (3): 833–852.
- Londt, J. G. H. 1980a. The genus *Synolcus* Loew (Diptera: Asilidae). *Journal of the Entomological Society of Southern Africa* **43** (1): 23–40.
- Londt, J. G. H. 1980b. Afrotropical Asilidae (Diptera) 4. The genus *Pegesimallus* Loew, 1858 (= *Lagodias* Loew, 1858; *Neolaparus* Williston, 1889) including species from other zoogeographical regions and the descriptions of two new genera *Brevirostrum* and *Caroncoma*. *Annals of the Natal Museum* **24** (1): 233–347.
- Londt, J. G. H. 1981a. The genera *Habropogon* Loew and *Hermannomyia* Oldroyd in southern Africa (Diptera: Asilidae: Dasypogoninae). *Journal of the Entomological Society of Southern Africa* **44** (1): 69–78.
- Londt, J. G. H. 1981b. Afrotropical Asilidae (Diptera) 5. The genus *Dasophrys* Loew, 1858 (= *Hobbyus* Bromley, 1952) (Asilinae: Asilini). *Annals of the Natal Museum* **24** (2): 635–699.
- Londt, J. G. H. 1982. Afrotropical Asilidae (Diptera) 6. The tribe Atomosiini (Laphriinae). *Annals of the Natal Museum* **25** (1): 221–240.
- Londt, J. G. H. 1983a. Afrotropical Asilidae (Diptera) 8. The genus *Stiphrolamyra* Engel, 1928, in southern Africa (Laphriinae: Laphriini). *Annals of the Natal Museum* **25** (2): 413–430.
- Londt, J. G. H. 1983b. Afrotropical Asilidae (Diptera) 9. The genus *Hippomachus* Engel, 1927 (Asilinae: Asilini). *Annals of the Natal Museum* **25** (2): 441–448.
- Londt, J. G. H. 1983c. The genus *Daspletis* Loew, 1858 and the description of two new genera, *Anasillomos* and *Remotomyia* (Diptera: Asilidae: Stenopogoninae). *Journal of the Entomological Society of Southern Africa* **46** (2): 283–308.
- Londt, J. G. H. 1985a. New species of *Daspletis*, *Oratostylum*, *Dasophrys* and *Hippomachus* (Diptera: Asilidae). *Cimbebasia* (A) **7** (5): 67–76.
- Londt, J. G. H. 1985b. Afrotropical Asilidae (Diptera) 10. The genus *Hypenetes* Loew, 1858 (Dasypogoninae). *Annals of the Natal Museum* **26** (2): 377–405.
- Londt, J. G. H. 1985c. Afrotropical Asilidae (Diptera) 11. *Ammodaimon acares*, a new genus and species from southern Namibia (Stenopogoninae). *Annals of the Natal Museum* **26** (2): 497–501.
- Londt, J. G. H. 1985d. Afrotropical Asilidae (Diptera) 12. The genus *Neolophonotus* Engel, 1925. Part 1. The *chionthrix*, *squamosus* and *angustibarbus* species-groups (Asilinae: Asilini). *Annals of the Natal Museum* **27** (1): 39–114.
- Londt, J. G. H. 1986a. *Gibbasilus arenaceus*, a new genus and species from the western Cape Province of South Africa (Diptera: Asilidae: Asilinae). *Journal of the Entomological Society of Southern Africa* **49** (1): 1–6.
- Londt, J. G. H. 1986b. Afrotropical Asilidae (Diptera) 13. The genus *Neolophonotus* Engel, 1925. Part 2. The *suillus* species-group (Asilinae: Asilini). *Annals of the Natal Museum* **27** (2): 513–600.
- Londt, J. G. H. 1987. Afrotropical Asilidae (Diptera) 14. The genus *Neolophonotus* Engel, 1925. Part 3.

- The *pellitus* species-group (Asilinae: Asilini). *Annals of the Natal Museum* **28** (2): 383–454.
- Londt, J. G. H. 1988a. Afrotropical Asilidae (Diptera) 15. The genus *Neolophonotus* Engel, 1925. Part 4. The *comatus* species-group (Asilinae: Asilini). *Annals of the Natal Museum* **29** (1): 1–166.
- Londt, J. G. H. 1988b. Afrotropical Asilidae (Diptera) 16. An illustrated key to the genera of the subfamily Laphriinae, a revision of *Gerrolasius* Hermann, 1920 and the description of a new genus *Pilophoneus*. *Annals of the Natal Museum* **29** (2): 509–521.
- Londt, J. G. H. 1989a. Afrotropical Asilidae (Diptera) 17. The genus *Damalis* Fabricius, 1805 in subsaharan Africa (Trigonomiminae). *Annals of the Natal Museum* **30**: 53–145.
- Londt, J. G. H. 1989b. Afrotropical Asilidae (Diptera) 18. The genus *Smeryngolaphria* Hermann, 1912 (Laphriinae). *Annals of the Natal Museum* **30**: 147–157.
- Londt, J. G. H. 1990a. A new genus, *Robertomyia*, and two new species of *Neolophonotus* Engel from Somalia (Diptera: Asilidae: Apocleinae). *Journal of African Zoology* **104**: 357–365.
- Londt, J. G. H. 1990b. Afrotropical Asilidae (Diptera) 19. New species and records of *Synolcus* Loew, 1858 and *Gibbasilus* Londt, 1986 (Diptera: Asilidae: Asilinae). *Annals of the Natal Museum* **31**: 1–17.
- Londt, J. G. H. 1992a. *Bana*, a new genus of bee-mimicking assassin flies from southern Namibia (Diptera: Asilidae: Stenopogoninae). *Cimbebasia* **13** (1991): 91–97.
- Londt, J. G. H. 1992b. Revision of three small Afrotropical asilid genera, *Empodiodes* Oldroyd, *Hynirhynchus* Lindner and *Lycostommyia* Oldroyd (Diptera: Asilidae: Stenopogoninae). *Journal of African Zoology* **106** (1): 55–79.
- Londt, J. G. H. 1992c. Afrotropical Asilidae (Diptera) 22. The genus *Scylaticus* Loew, 1858 (Stenopogoninae). *Annals of the Natal Museum* **33**: 95–187.
- Londt, J. G. H. 1993. Afrotropical Asilidae (Diptera) 23. The genera *Conomyia* Londt, 1992 and *Danomyia* gen. n. (Stenopogoninae). *Annals of the Natal Museum* **34** (1): 103–151.
- Londt, J. G. H. 1994a. Afrotropical Asilidae (Diptera) 24. *Afroholopogon*, a new genus for Afrotropical species previously allocated to *Cyrtopogon* Loew, *Heteropogon* Loew and *Holopogon* Loew (Stenopogoninae). *Annals of the Natal Museum* **35**: 61–69.
- Londt, J. G. H. 1994b. Afrotropical Asilidae (Diptera) 25. A key to the genera of the subfamily Stenopogoninae with new synonymy and descriptions of six new genera. *Annals of the Natal Museum* **35**: 71–96.
- Londt, J. G. H. 1997. Afrotropical Asilidae (Diptera) 29. A review of the genus *Saropogon* Loew, 1847 (Dasypogoninae). *Annals of the Natal Museum* **38**: 137–157.
- Londt, J. G. H. 1998. Afrotropical Asilidae (Diptera) 30. A review of the genus *Storthyngomerus* Hermann, 1919 (Laphriinae: Laphriini). *Annals of the Natal Museum* **39**: 149–164.
- Londt, J. G. H. 1999a. A species of *Habropogon* Loew from Namibia (Diptera: Asilidae: Stenopogoninae). *Cimbabasia* **15**: 71–75.
- Londt, J. G. H. 1999b. Afrotropical Asilidae (Diptera) 31. A review of the genera *Stenopogon* Loew, 1847 and *Rhacholaemus* Hermann, 1907 with the description of new genera and species (Stenopogoninae). *Annals of the Natal Museum* **40**: 47–82.
- Londt, J. G. H. 2000a. Afrotropical Asilidae (Diptera) 32. A revision of *Anypodetus* Hermann, 1907 with the description of three new species (Laphriinae). *Annals of the Natal Museum* **41**: 123–138.
- Londt, J. G. H. 2000b. A revision of Afrotropical *Habropogon* Loew, 1847 (Diptera: Asilidae: Stenopogoninae) with the description of four new species. *Annals of the Natal Museum* **41**: 139–150.
- Londt, J. G. H. 2002. Afrotropical Asilinae (Asilidae): A provisional key to genera, with a review of the status of *Neomochtherus* Osten Sacken, 1878, and descriptions of new genera and species. *African Invertebrates* **43**: 11–92.
- Londt, J. G. H. 2003. Afrotropical Asilinae (Asilidae): A revision of the afrotropical genus *Afromelittodes* Oldroyd & Van Bruggen, 1963 (Diptera: Asilidae: Laphriinae) and discussion of its possible mimetic resemblance to bees of the genus *Megachile*. *African Invertebrates* **44** (2): 11–92.
- Londt, J. G. H. 2004a. A revision of *Laphystotes* Oldroyd, with the description of a new species, and a key to the genera of Afrotropical Laphriinae (Diptera: Asilidae). *African Entomology* **12** (1): 19–28.

- Londt, J. G. H. 2004b. A review of the afrotropical genus *Gonioscelis* Schiner, 1866 (Diptera: Asilidae), with descriptions of new species. *African Invertebrates* **45**: 21–124.
- Londt, J. G. H. 2005a. An annotated key to the genera of afrotropical Apocleinae, with descriptions of six new genera (Diptera: Asilidae). *Tijdschrift voor Entomologie* **148**: 39–62.
- Londt, J. G. H. 2005b. A review of afrotropical *Afroholopogon* Londt, 1994 with the description of a new genus and new species (Diptera: Asilidae: Stenopogoninae). *African Invertebrates* **46**: 203–252.
- Londt, J. G. H. 2006a. A review of the afrotropical species of *Nusa* Walker, 1851 (Diptera: Asilidae: Laphriinae). *Tijdschrift voor Entomologie* **149**: 101–120.
- Londt, J. G. H. 2006b. A review of afrotropical *Rhabdogaster* Loew, 1858 including descriptions of new species (Diptera: Asilidae: Stenopogoninae). *African Invertebrates* **47**: 243–313.
- Londt, J. G. H. & Tsacas, L. 1987. The genus *Congomochtherus* Oldroyd, 1970 (Diptera, Asilidae, Asilinae). *Annals Soc. ent. Fr. (N.S.)* **23** (1): 29–42.
- Scarbrough, A. G. 2002. Redescriptions of two species of *Ommatius* Wiedemann, with lectotype and paralectotype designations for *Ommatius tenellus* van der Wulp and range extension, and a replacement name for *Ommatius tibialis* Ricardo (Diptera: Asilidae). *Proceedings of the Entomological Society of Washington* **104**(3): 680–686.
- Scarbrough, A. G. 2003. The Afrotropical *Ommatius flavipennis* species group (Diptera: Asilidae), with descriptions of six new species. *Proceedings of the Entomological Society of Washington* **105** (3): 611–629.
- Scarbrough, A. G. 2005. *Afroestricus*, a new Afrotropical Ommatine (Diptera: Asilidae) genus with twenty species and two species groups. *Zootaxa* **1041**: 1–76.
- Scarbrough, A. G. & Hill, H. 2005. *Pygommatius* Scarbrough & Marascia, a valid ommatiine genus (Diptera: Asilidae) with new combinations and new species from the Philippines. *Zootaxa* **1055**: 1–22.
- Scarbrough, A. G. & Marascia, C. G. 1996. Status of the genus *Emphysomera* Schiner, 1866 (Diptera: Asilidae), with a synopsis of Afrotropical species. *Annals of the Natal Museum* **37**: 191–213.
- Scarbrough, A. G. & Marascia, C. G. 2000. Revision of *Ommatius* Wiedemann (Diptera: Asilidae): subgenus *Metommatus* Hull, 1962. *Annals of the Natal Museum* **41**: 157–179.
- Scarbrough, A. G. & Marascia, C. G. 2003. Revision of *Ommatius* Wiedemann (Diptera: Asilidae). IV. *Pygommatius* subgen. Nov. with twenty–fine Afrotropical species. *Zootaxa* **228**: 1–94.
- Scarbrough, A. G., Marascia, C. & Hill, H. N. 2003. The Afrotropical species of the genus *Ommatius* Wiedemann, 1821 (Diptera: Asilidae): *longipennis* and *sinuatus* species-groups. *African Entomology* **11** (2): 233–259.
- Tomasovic, G. 2003. *Smeryngolaphria bicolorala*, nouvelle espèce d'Asilidae de Madagascar (Diptera: Laphriinae, Laphriini). *Notes fauniques de Gembloux* **51**: 49–52.
- Tsacas, L. & Artigas, J. N. 1994. Le genre *Cophinopoda* Hull, 1958 (Diptera : Asilidae) a repartition subcosmopolite inhabituelle. *Ann. Soc. Entomol. Fr. (N.S.)* **30**(1): 447–479.

#### OTHER USEFUL REFERENCES

(Taxonomic papers not containing changed or new names)

- Dikow, T. & Londt, J. G. H. 2000. A review of *Lamyra* Loew, 1851 (Diptera, Asilidae, Laphriinae). *African Entomology* **8**(2): 189–200.
- Londt, J. G. H. 1977. Afrotropical Asilidae (Diptera) 1. The genus *Choerades* Walker, 1851 and the descriptions of two new genera, *Nannolaphria* and *Notiolaphria*, from southern Africa and Malagasy Republic. *Annals of the Natal Museum* **23** (1): 43–55.
- Londt, J. G. H. 1982. Afrotropical Asilidae (Diptera) 7. The genus *Astochia* Becker, 1913 (Asilinae: Asilini). *Annals of the Natal Museum* **25** (1): 241–251.
- Londt, J. G. H. 1990. Afrotropical Asilidae (Diptera) 20. The genus *Pycnomerinx* Hull, 1962 (Stenopogoninae). *Annals of the Natal Museum* **31**: 19–32.
- Londt, J. G. H. 1993. *Psilinus* Wulp, 1899 and *Spanurus* Loew, 1858 - new synonyms of *Rhabdogaster* Loew, 1858 (Diptera: Asilidae: Stenopogoninae). *Journal of African Zoology* **107** (4): 383–392.

- Londt, J. G. H. 1996. Afrotropical Asilidae (Diptera) 28. A review of the genus *Oxynoton* Janssens, 1951 and its transfer from the subfamily Trigonomiminae to the Stenopogoninae. *Annals of the Natal Museum* **37**:173-181.
- Londt, J. G. H. 1999. Transfer of *Stenopogon arabicus* (Macquart, 1838) to *Perasis* Hermann, 1905 (Diptera: Asilidae: Laphystiinae). *African Entomology* **7**: 165-168.
- Londt, J. G. H. 2002. The status of *Senoprosopis* MACQUART, 1838 in the afrotropical asilid fauna (Diptera: Asilidae). *Studia Dipterologica* **8**(2)(2001): 469-473.
- Londt, J. G. H. 2004. The status of *Neolophonotus* Engel, 1929 and *Megadrillus* Bigot, 1857 within the afrotropical asilid fauna (Diptera: Asilidae: Apocleinae). *Studia Dipterologica* **10**(2): 393-394.
- Londt, J. G. H. 2007. A review of Afrotropical *Perasis* (Hermann, 1905) (Diptera: Asilidae: Laphriinae). *Zootaxa* **1521**: 9-18.

**AFROTROPICAL ASILIDAE**  
(Figures in brackets = number of species)

- |   |  |
|---|--|
| <p>Family ASILIDAE Kirby &amp; Spence, 1817</p> <p>Subfamily APOCLEINAE Papavero, 1973<br/>(453)</p> <ol style="list-style-type: none"> <li>1. <i>ACASILUS</i> Londt (1)</li> <li>2. <i>ALCIMUS</i> Loew (18)</li> <li>3. <i>APOCLEA</i> Macquart (3)</li> <li>4. <i>BACTRIA</i> Meigen (3)</li> <li>5. <i>DASOPHRYS</i> Loew (32)</li> <li>6. <i>DYSCLYTUS</i> Loew (1)</li> <li>7. <i>ERAX</i> Scopoli (3)</li> <li>8. <i>GIBBASILUS</i> Londt (3)</li> <li>9. <i>HIPPOMACHUS</i> Engel (8)</li> <li>10. <i>JUXTASILUS</i> Londt (1)</li> <li>11. <i>LABARUS</i> Londt (1)</li> <li>12. <i>LYCOPROSOPA</i> Hull (2)</li> <li>13. <i>MEGADRILLUS</i> Bigot (2)</li> <li>14. <i>MILLENARIUS</i> Londt (1)</li> <li>15. <i>NEOLOPHONOTUS</i> Engel (251)</li> <li>16. <i>PHILODICUS</i> Loew (23)</li> <li>17. <i>PROMACHUS</i> Loew (88)</li> <li>18. <i>ROBERTOMYIA</i> Londt (1)</li> <li>19. <i>SYNOLCUS</i> Loew (10)</li> <li>20. <i>TORASILUS</i> Londt (1)</li> <li>21. <i>ZELAMYIA</i> Londt (1)</li> </ol> <p>Subfamily ASILINAE Latreille, 1802 (96)</p> <ol style="list-style-type: none"> <li>1. <i>AFROMOCHTHERUS</i> Lehr (13)</li> <li>2. <i>ANEOMOCHTHERUS</i> Lehr (3)</li> <li>3. <i>ASTOCHIA</i> Becker (5)</li> <li>4. <i>CAENOURA</i> Londt (2)</li> <li>5. <i>CERDISTUS</i> Loew (0)</li> <li>6. <i>CONGOMOCHTHERUS</i> Oldroyd (7)</li> <li>7. <i>DIKOWMYIA</i> Londt (1)</li> <li>8. <i>GONGROMYIA</i> Londt (1)</li> <li>9. <i>HELIGMONEVRA</i> Bigot (27)</li> <li>10. <i>HOPLOPHEROMERUS</i> Becker (5)</li> <li>11. <i>MACHIMUS</i> Loew (12)</li> <li>12. <i>MELOUROMYIA</i> Londt (2)</li> <li>13. <i>NOTOMOCHTHERUS</i> Londt (1)</li> <li>14. <i>SPHAGOMYIA</i> Londt (2)</li> <li>15. <i>TOLMERUS</i> Loew (3)</li> <li>16. <i>TSACASIELLA</i> Lehr (8)</li> <li>17. <i>VALIRAPTOR</i> Londt (4)</li> </ol> <p>Subfamily DASYPOGONINAE Macquart, 1838 (53)</p> <ol style="list-style-type: none"> <li>1. <i>CARONCOMA</i> Londt (1)</li> <li>2. <i>PEGESIMALLUS</i> Loew (44)</li> </ol> | <p>3. <i>SAROPOGON</i> Loew (8)</p> <p>Subfamily LAPHRIINAE Macquart, 1838</p> <p>Tribe ATOMOSIARIA Lynch Arribalzaga, 1882 (9)</p> <ol style="list-style-type: none"> <li>1. <i>DICHAETOTHYREA</i> De Meijere (1)</li> <li>2. <i>GONECCALYSIS</i> Hermann (2)</li> <li>3. <i>LOEWINELLA</i> Hermann (6)</li> </ol> <p>Tribe LAPHRIINI Macquart, 1838 (175)</p> <ol style="list-style-type: none"> <li>1. <i>AFROMELITTODES</i> Oldroyd &amp; Van Bruggen (2)</li> <li>2. <i>ANDRENOSOMA</i> Rondani (2)</li> <li>3. <i>ANYPODETUS</i> Hermann (8)</li> <li>4. <i>CHOERADES</i> Walker (6)</li> <li>5. <i>CTENOTA</i> Loew (2)</li> <li>6. <i>DASYLLINA</i> Bromley (1)</li> <li>7. <i>GERROLASIUS</i> Hermann (3)</li> <li>8. <i>HOPLISTOMERUS</i> Macquart (9)</li> <li>9. <i>HYPERECHIA</i> Schiner (14)</li> <li>10. <i>KATHARMA</i> Oldroyd (2)</li> <li>11. <i>LAMYRA</i> Loew (4)</li> <li>12. <i>LAPHRIA</i> Meigen (27)</li> <li>13. <i>LAPHYCTIS</i> Loew (3)</li> <li>14. <i>LAPHYSTOTES</i> Oldroyd (2)</li> <li>15. <i>LAXENECERA</i> Macquart (28)</li> <li>16. <i>NANNOLAPHRIA</i> Londt (1)</li> <li>17. <i>NOTIOLAPHRIA</i> Londt (2)</li> <li>18. <i>NUSA</i> Walker (3)</li> <li>19. <i>ORTHOGONIS</i> Hermann (1)</li> <li>20. <i>PERASIS</i> Hermann (2)</li> <li>21. <i>PILOPHONEUS</i> Londt (1)</li> <li>22. <i>PROAGONISTES</i> Loew (22)</li> <li>23. <i>PRYTANIA</i> Oldroyd (1)</li> <li>24. <i>SMERYNGOLAPHRIA</i> Hermann (3)</li> <li>25. <i>STIPHROLAMYRA</i> Engel (10)</li> <li>26. <i>STORTHYNGOMERUS</i> Hermann (4)</li> <li>27. <i>SYSTROPALPUS</i> Hull (1)</li> <li>28. <i>TRICHARDIS</i> Hermann (11)</li> </ol> <p>Subfamily LEPTOGASTRINAE Schiner, 1862 (153)</p> <ol style="list-style-type: none"> <li>1. <i>AMMOPHILOMIMA</i> Enderlein (9)</li> <li>2. <i>EUSCELIDIA</i> Westwood (55)</li> <li>3. <i>LASIOCNEMUS</i> Loew (8)</li> <li>4. <i>LEPTOGASTER</i> Meigen (74)</li> <li>5. <i>LOBUS</i> Martin (7)</li> </ol> |
|---|--|

Subfamily OMMATIINAE Hardy, 1927  
(127)

1. *AFROESTRICUS* Scarbrough (20).
2. *COPHINOPODA* Hull (5)
3. *EMPHYSOMERA* Schiner (4)
4. *MICHOTAMIA* Macquart (2)
5. *OMMATIUS* Wiedemann (70)
6. *PYGOMMATICUS* Scarbrough & Marascia (25)
7. *THALLOSIA* Oldroyd (1)

Subfamily STENOPOGONINAE Hull, 1962  
(415)

1. *ACNEPHALUM* Macquart (8)
2. *AFROHOLOPOGON* Londt (17)
3. *AFROSCLEROPOGON* Londt (7)
4. *AGROSTOMYIA* Londt (1)
5. *AMMODAIMON* Londt (1)
6. *ANASILLOMOS* Londt (1)
7. *ANCYLORHYNCHUS* Berthold (25)
8. *BANA* Londt (1)
9. *CONNOMYIA* Londt (20)
10. *CORYMYIA* Londt (4)
11. *DANOMYIA* Londt (9)
12. *DASPLETIS* Loew (7)
13. *DIOCTOBROMA* Hull (1)
14. *DOGONIA* Oldroyd (2)
15. *EMPODIODES* Oldroyd (3)
16. *GONIOSCELIS* Schiner (38)
17. *HABROPOGON* Loew (8)
18. *HAROLDIA* Londt (2)
19. *HERMANNOMYIA* Oldroyd (2)
20. *HYNIRHYNCHUS* Lindner (2)
21. *HYPENETES* Loew (21)
22. *IRWINOMYIA* Londt (2)
23. *ISCHILOBOS* Londt (4)
24. *LYCOSTOMMYIA* Oldroyd (6)
25. *MACROETRA* Londt (3)
26. *MICROPHONTES* Londt (3)
27. *MICROSTYLM* Macquart (79)
28. *OLIGOPOGON* Loew (10)
29. *ONTOMYIA* Dikow & Londt (1)
30. *ORATOSTYLM* Ricardo (3)
31. *OXYNOTON* Janssens (2)
32. *PEDOMYIA* Londt (9)
33. *PYCNOMERINX* Hull (3)
34. *REMOTOMYIA* Londt (4)
35. *RHABDOGASTER* Loew (38)
36. *RHACHOLAEMUS* Hermann (9)
37. *SCYLATICUS* Loew (35)
38. *SISYRNODYTES* Loew (15)
39. *STENOPOGON* Loew (2)
40. *TERATOPOMYIA* Oldroyd (1)

41. *TRICHOURA* Londt (6)

Subfamily STICHOPOGONINAE Hardy, 1930 (20)

1. *CLINOPOGON* Bezzi (2)
2. *RHADINUS* Loew (3)
3. *STICHOPOGON* Loew (15)

Subfamily TRIGONOMIMINAE Enderlein, 1914 (61)

1. *DAMALIS* Fabricius (35)
2. *RHIPIDOCEPHALA* Hermann (26)

UNPLACED (24)

**TOTAL NO. GENERA**

**130 (37/28% Londt)**

**TOTAL NO. SPECIES**

**1586 (491/31% Londt)**

## LIST OF GENERA (INC. SYNONYMS)

ACASILUS Londt	DASYTHRIX Loew = <i>Nusa</i>
ACNEPHALUM Macquart	DICHAETOTHYREA De Meijere
ACURANA Walker = <i>Laxenecera</i>	DICRANOLAPHRIA Ricardo = <i>Laphria</i>
AFROHOLOPOGON Londt	DIKOWMYIA Londt
AFROMELITTODES Oldroyd & Van Bruggen	DINOZABRUS Hull = <i>Machimus</i>
AFROMOCHTHERUS Lehr	DIOCTOBROMA Hull
AFROSCLEROPOGON Londt	DISCODAMALIS Karsch = <i>Stichopogon</i>
AGROSTOMYIA Londt	DOGONIA Oldroyd
AIREINA Frey = <i>Damalis</i>	DOLICHOSCIUS Janssens = <i>Euscelidia</i>
ALCIMUS Loew	DYSCLYTUS Loew
ALLOCOTASIA = <i>Michotamia</i>	DYSERIS Loew = <i>Laxenecera</i>
ALLOCOTOSIA Schiner = <i>Michotamia</i>	ECLIPSIS Bezzi = <i>Microstylum</i>
AMMODAIMON Londt	EMPHYSOMERA Schiner
AMMOPHILOMIMA Enderlein	EMPODIODES Oldroyd
ANASILLOMOS Londt	ENAGAEDIUM Engel = <i>Promachus</i>
ANCILORHYNCHUS = <i>Ancylorhynchus</i>	EPIBLEPHARIS Bezzi = <i>Microstylum</i>
ANCYLORHINQUE Latreille = <i>Ancylorhynchus</i>	ERAX Scopoli
ANCYLORHYNCHUS Berthold	EUARMOSTUS Walker = <i>Cyrtopogon</i>
ANCYLORRHYNCHUS = <i>Ancylorhynchus</i>	EUSCELIDIA Westwood
ANDRENOSOMA Rondani	GERROLASIUS Hermann
ANEOMOCHTHERUS Lehr	GIBBASICUS Londt
ANISOPOGON Loew = <i>Heteropogon</i>	GONECCALYSIS Hermann
ANTILOPHONOTUS Lindner = <i>Neolophonotus</i>	GONGROMYIA Londt
ANYPODETUS Hermann	GONIOSCELIS Schiner
APOCLEA Macquart	GONYPES Latreille = <i>Leptogaster</i>
ASTOCHIA Becker	HABROPOGON Loew
BACTRIA Meigen	HALICTOSOMA Rondani = <i>Nusa</i>
BANA Londt	HAROLDIA Londt
CAENOURA Londt	HELIGMONEURA = <i>Heligmonevra</i>
CARONCOMA Londt	HELIGMONEVRA Bigot
CERDISTUS Loew	HERMANNELLA Hull = <i>Hermannomyia</i>
CHALCIDIMORPHA Westwood = <i>Damalis</i>	HERMANNOMYIA Oldroyd
CHALCIDOMORPHA Agassiz = <i>Damalis</i>	HETEROPOGON Loew = <i>Afroholopogon</i>
CHOERADES Walker	HIPPOMACHUS Engel
CINADUS Wulp = <i>Heligmonevra</i>	HOBBYUS Bromley = <i>Dasophysys</i>
CLAVATOR Philippi = <i>Hypenetes</i>	HOLOPOGON Loew = <i>Afroholopogon</i>
CLINOPOGON Bezzi	HOPLISTOMERA = <i>Hoplisterus</i>
COBALOMYIA Hull = <i>Heligmonevra</i>	HOPLISTOMERUS Macquart
CONGOMOCHTHERUS Oldroyd	HOPLOPHEROMERUS Becker
CONNOMYIA Londt	HYNIRHYNCHUS Lindner
COPHINOPODA Hull	HYPENETES Loew
CORYMYIA Londt	HYPERECHIA Schiner
CTENOTA Loew	ICARIOMIMA Enderlein = <i>Damalis</i>
CYRTOPOGON Loew = <i>Afroholopogon</i>	IRWINOMYIA Londt
DAMALIS Fabricius	ISCHILOBOS Londt
DANOMYIA Londt	JUXTASILUS Londt
DASOPHRYNS Loew	KATHARMA Oldroyd
DASPLETIS Loew	LABARUS Londt
DASSYLINA = <i>Dasyllina</i>	LAGODIAS Loew = <i>Pegesimallus</i>
DASYLLINA Bromley	LAMYRA Loew
	LAPARUS Loew = <i>Pegesimallus</i>
	LAPHRIA Meigen
	LAPHYCTIS Loew

- LAPHYSTOTES* Oldroyd  
*LAPRIA* Meigen = *Laphria*  
*LASIOCNEMIS* = *Lasiocnemus*  
*LASIOCNEMUS* Loew  
*LASIODAMALIS* Hermann = *Damalis*  
*LAXENECERA* Macquart  
*LEPTOGASTER* Meigen  
*LOBUS* Martin  
*LOEWINELLA* Hermann  
*LOPHONOTUS* Macquart = *Neolophonotus*  
*LOPHOPELTIS* Engel = *Neolophonotus*  
*LOPHURODAMALIS* Hermann = *Damalis*  
*LOPHYBUS* Engel = *Neolophonotus*  
*LYCOPROSOPA* Hull  
*LYCOSTOMMYIA* Oldroyd  
*LYCOSTOMUS* Hermann = *Lycostommyia*  
*MACHIMUS* Loew  
*MACROETRA* Londt  
*MARGARITOLA* Hull = *Rhipidocephala*  
*MEGADRILLUS* Bigot  
*MEGAPOLLYON* Walker = *Microstylum*  
*MELOUROMYIA* Londt  
*MEROGYMNUS* Hobby = *Dasophrys*  
*MESOLEPTOGASTER* Frey = *Leptogaster*  
*MICHOTAMIA* Macquart  
*MICROPHONTES* Londt  
*MICROSTYLUM* Macquart  
*MILLENARIUS* Londt  
*MOCHTHERUS* Loew = *Neomochtherus*  
*NANILOBUS* Martin = *Lobus*  
*NANNOLAPHRIA* Londt  
*NEODASOPHYS* Ricardo = *Dasophrys*  
*NEODYSMACHUS* Ricardo = *Daspletis*  
*NEOLAPARUS* Williston = *Pegesimallus*  
*NEOLOPHONOTUS* Engel  
*NOTIOLAPHRIA* Londt  
*NOTOMOCHTHERUS* Londt  
*NUSA* Walker  
*NUSINA* Curran = *Storthyngomerus*  
*OLIGOPOGON* Loew  
*OMMATINUS* Becker = *Ommatius*  
*OMMATTIUS* Wiedemann  
*ONTOMYIA* Dikow & Londt  
*ORATOSTYLUM* Ricardo  
*ORTHOGONIS* Hermann  
*OXYNOTON* Janssens  
*PAROXYNOTON* Janssens = *Rhipidocephala*  
*PASHTHENKO* Lehr  
*PEDOMYIA* Londt  
*PEGESIMALLUS* Loew  
*PERASIS* Hermann  
*PHIOLIDICUS* Loew  
*PHIOMACHUS* Karsch = *Bactria*  
*PILOPHONEUS* Londt  
*PROAGONISTES* Loew
- PROMACHUS* Loew  
*PROMACUS* = *Promachus*  
*PROTODAMALIS* Hull = *Damalis*  
*PROTOPHANES* Loew = *Erax*  
*PRYTANIA* Oldroyd  
*PSILINUS* Wulp = *Rhabdogaster*  
*PYCNOMERINX* Hull  
*REMOTOMYIA* Londt  
*RHABDOGASTER* Loew  
*RHACHOLAEAMUS* Hermann  
*RHADINUS* Loew  
*RHIPIDOCEPHALA* Hermann  
*ROBERTOMYIA* Londt  
*SAROPOGON* Loew  
*SAUCROPOGON* Hull = *Parasis*  
*SCLEROPOGON* Loew  
*SCYLATICUS* Loew  
*SENOXERICERA* Macquart = *Laenecera*  
*SISYRNODYTES* Loew  
*SMERYNGOLAPHRIA* Hermann  
*SPANURUS* Loew = *Rhabdogaster*  
*SPHAGOMYIA* Londt  
*SPORADOTHRIX* Hermann = *Acnephala*  
*STENOPOGON* Loew  
*STICHOPOGON* Loew  
*STIPHROLAMYRA* Engel  
*STORTHYNGOMERUS* Hermann  
*STROBILOTHRIX* Becker = *Trichardis*  
*SYNOLCUS* Loew  
*SYSTROPALPUS* Hull  
*TERATOPOMYIA* Oldroyd  
*TERATOPUS* Loew = *Teratopomyia*  
*TERETROMYIA* Bigot = *Promachus*  
*THALLOSIA* Oldroyd  
*TOLMERUS* Loew = *Machimus* (?)  
*TORASILUS* Londt  
*TRICHARDIS* Hermann  
*TRICHONOTUS* Loew = *Hippomachus*  
*TRICHOURA* Londt  
*TRUPANEA* Macquart = *Promachus*  
*TRYPANOIDES* Becker = *Promachus*  
*TSACASIILLA* Lehr  
*VALIRAPTOR* Londt  
*XENOMYZA* Wiedemann = *Damalis*  
*XIPHOCERA* Macquart = *Ancylorhynchus*  
*XIPHOCERUS* = *Ancylorhynchus*  
*XYPHOCERA* = *Ancylorhynchus*  
*XYPHOCERUS* = *Ancylorhynchus*  
*ZELAMYIA* Londt  
*ZYGOCOLON* Hull = *Damalis*

